



WESTERN

MAY 2018

GRDC™ GROWNOTES™



GRDC™

GRAINS RESEARCH
& DEVELOPMENT
CORPORATION

TRITICALE

CONTENTS

Contents

Introduction

A.1	Crop overview	xviii
A.1.1	Triticale for human consumption.....	xix
A.1.2	Triticale for animal consumption.....	xx
A.1.3	Triticale for biofuel.....	xxii
A.2	Growing region	xxii
A.3	Brief history	xxii
A.3.1	Triticale in Australia.....	xxiii

1 Planning/Paddock preparation

	<i>Key messages</i>	1
1.1	Paddock selection	1
1.1.1	Topography.....	1
1.1.2	Soil.....	1
	<i>The impact of different soil moisture and soil compaction on the growth of triticale root system</i>	2
	<i>Soil pH</i>	3
1.1.3	Sampling soil quality.....	6
	<i>Sampling strategy</i>	7
	<i>Sampling equipment</i>	8
	<i>Sampling depth</i>	8
	<i>Sample handling</i>	8
1.1.4	Paddock selection for forage cereals.....	8
1.1.5	Weed burden and herbicide history.....	9
1.1.6	Fallow moisture and management.....	9
1.2	Paddock rotation and history	9
1.2.1	Triticale as rotation crop.....	10
	<i>Benefits of cereals as a rotation crop</i>	11
	<i>Disadvantages of cereals as a rotation crop</i>	11
1.2.2	Break cropping.....	11
1.2.3	Long fallow disorder.....	12
1.3	Fallow weed control	13
1.3.1	Controlling summer weeds.....	14
1.3.2	The green bridge.....	15
1.3.3	Management strategies.....	16
1.3.4	Stubble retention.....	16
	<i>Reducing erosion risk</i>	17
	<i>Increasing soil water content</i>	17
	<i>Increasing soil carbon</i>	17
	<i>Other benefits of stubble retention</i>	18
	<i>Management practices affecting stubble cover</i>	18

1.4	Fallow chemical plant-back effects.....	18
1.4.1	Conditions required for breakdown.....	19
1.4.2	Herbicide residues in soil – an Australia wide study.....	20
	<i>Conclusions.....</i>	<i>21</i>
1.5	Seedbed requirements.....	21
1.5.1	Seedbed Soil Structure Decline.....	23
	<i>Background.....</i>	<i>23</i>
	<i>Management to improve seedbed soil structure.....</i>	<i>24</i>
1.5.2	Tillage.....	24
1.6	Soil moisture.....	25
1.6.1	Dryland.....	25
	<i>Soil water tool.....</i>	<i>26</i>
1.6.2	Irrigation.....	26
1.7	Yield and targets	27
	<i>Triticale v Durum wheat: a yield comparison in Mediterranean-type environments</i>	<i>28</i>
	<i>Estimating crop yields.....</i>	<i>29</i>
	<i>Yield Prophet®.....</i>	<i>29</i>
1.7.1	Seasonal outlook	30
	<i>Seasonal Climate Outlook.....</i>	<i>30</i>
	<i>CropMate.....</i>	<i>31</i>
	<i>CliMate.....</i>	<i>31</i>
1.7.2	Fallow moisture	31
	<i>HowWet?.....</i>	<i>32</i>
1.7.3	Water Use Efficiency	32
1.7.4	Nitrogen use efficiency.....	35
	<i>Optimising nitrogen use efficiency.....</i>	<i>36</i>
1.7.5	Double crop options.....	36
1.8	Disease status of paddock	37
1.8.1	Soil testing for disease	37
	<i>PreDicta B.....</i>	<i>38</i>
1.8.2	Cropping history effects.....	38
1.9	Nematode status of paddock.....	39
1.9.1	Nematode testing of soil.....	40
	<i>PreDicta B.....</i>	<i>40</i>
1.9.2	Effects of cropping history on nematode status.....	41
1.10	Insect status of paddock.....	41
1.10.1	Insect sampling of soil	42
	<i>Insect ID: The Ute Guide.....</i>	<i>43</i>
1.10.2	Effect of cropping history.....	43
2	Pre-planting	
	<i>Key messages.....</i>	<i>1</i>
	<i>Triticale testing, Northam WA.....</i>	<i>2</i>

2.1.1	Triticale as a dual-purpose crop.....	2
	<i>Dual purpose cropping in WA</i>	3
	<i>Benefits of growing dual purpose or winter forage crops</i>	3
	<i>When to graze</i>	4
	<i>When to use crop grazing in WA</i>	5
	<i>Evaluation of triticale as dual-purpose forage and grain crops</i>	6
	<i>Breeding dual-purpose Triticale</i>	6
2.1.2	Triticale grain for livestock.....	7
2.1.3	Triticale as a cover crop.....	8
	<i>Under-sowing lucerne</i>	9
2.2	Varietal performance and ratings yield.....	10
2.2.1	Dual-purpose triticale.....	12
2.3	Planting seed quality.....	13
2.3.1	Seed size.....	14
2.3.2	Seed germination and vigour.....	16
2.3.3	Seed storage.....	18
2.3.4	Safe rates of fertiliser sown with the seed.....	19
3	Planting	
	<i>Key messages:</i>	1
3.1	Innoculation.....	1
3.2	Seed treatments.....	1
3.2.1	Emergence problems.....	2
3.2.2	Fertiliser at seeding.....	3
3.3	Time of sowing.....	3
	<i>Lodging</i>	4
3.4	Targeted plant population.....	4
3.5	Calculating seed requirements.....	7
3.5.1	Row spacing.....	8
3.6	Sowing depth.....	10
3.7	Sowing equipment.....	12
4	Plant growth and physiology	
	<i>Key Messages:</i>	1
4.1	Germination and emergence.....	3
4.1.1	Soil moisture.....	6
4.2	Effect of temperature, photoperiod, climate effects on plant growth and physiology.....	7
4.2.1	Temperature.....	7
4.2.2	Photoperiod.....	7
	<i>Yield determination in triticale as affected by radiation in different development phases</i>	8
4.2.3	Salinity.....	8
	<i>The Effect of Salt Stress on Photosynthetic Characteristics and</i>	

Growth of Various Triticale 9

4.2.4 Drought..... 9

The role of stomatal conductance for water and radiation use efficiency of durum wheat and triticale in a Mediterranean environment..... 9

Water stress 10

Triticale grain yield and physiological response to water stress..... 10

4.3 Plant growth stages **11**

4.3.1 Zadoks cereal growth stage key..... 11

4.3.2 Germination and early seedling growth..... 13

4.3.3 Tillering and vegetative growth 14

4.3.4 Stem elongation and heading 15

4.3.5 Flowering and grain filling 16

4.3.6 Triticale growth 17

Variation in temperate cereals in rainfed environments II. Phasic development and growth..... 19

5 Nutrition and fertiliser

Key messages 1

5.1.1 Declining soil fertility 2

Balancing nutrition 3

5.1.2 Fertilisers 3

Application..... 5

5.1.3 Fungi and soil health..... 5

Management to optimize mycorrhizae..... 6

5.1 Crop removal rates **7**

5.2 Soil testing **7**

Why Test Soil? 8

Basic Requirements 9

5.2.1 Types of test..... 9

Depth for nutrient sampling 9

Collecting soil samples for nutrient testing..... 10

Critical values and ranges 10

5.2.2 West Australian Soil Quality Program 13

5.3 Plant and/or tissue testing for nutrition levels..... **13**

5.4 Nitrogen **14**

Responses of triticale, wheat, rye and barley to nitrogen fertiliser..... 16

5.4.1 Nitrogen deficiency symptoms in cereals 17

What to look for 17

What else could it be? 19

5.4.2 Managing nitrogen 20

Timing of application..... 20

Budgeting..... 20

5.5 Phosphorus **21**

5.5.1 Phosphorus in WA..... 23

5.5.2	Managing phosphorus.....	23
	Symptoms	24
	What else could it be	26
	Soil testing	27
5.6	Sulfur	27
	Sulfur in WA	28
	Deficiency symptoms.....	29
	What else could it be	30
5.7	Potassium	31
	What to look for	32
	What else could it be?	34
	Assessing potassium requirements.....	34
	Fertiliser types.....	35
	Fertiliser placement and timing.....	35
5.8	Micronutrients	35
5.8.1	Manganese	36
	Deficiency symptoms.....	36
	Managing Manganese deficiency.....	38
5.8.2	Copper	39
	Tolerance of triticale, wheat and rye to copper deficiency and low and high soil pH.....	39
	Deficiency symptoms.....	40
	What else could it be.....	41
	Managing copper deficiency	41
5.8.3	Zinc	42
	Deficiency symptoms.....	43
	What else could it be.....	44
	Managing Zinc deficiency	44
5.8.4	Iron	46
	Symptoms	46
	Managing iron deficiency.....	47
5.9	Nutritional deficiencies	47
6	Weed control	1
	Key messages:.....	1
6.1	Integrated weed management (IWM).....	3
	IWM tactics	3
6.1.1	IWM for triticale.....	4
	The effect of cultivation and row spacing on the competitive ability of triticale against weeds	4
6.1.2	IWM trials in WA.....	5
	Crop competition and orientation.....	5
	Crop and herbicide rotation	7
	Weed detection technology	7
	Harvest weed seed control (HWSC).....	8
	Decision support - Ryegrass Integrated Management (RIM).....	8

Decision support - Weed Seed Wizard..... 9

6.2 Major weeds in Western region..... **9**

6.2.1 Annual rye grass..... 9

Why is it a major weed?..... 9

Identification..... 9

Herbicide resistance..... 10

6.2.2 Wild radish 11

Why is it a weed? 11

Distinguishing features..... 11

Herbicide resistance..... 13

6.2.3 Wild oats 13

Why is it a weed? 13

Distinguishing features..... 13

Herbicide resistance..... 14

6.2.4 Brome grass 15

Why is it a weed? 15

Distinguishing features..... 15

Herbicide resistance..... 16

6.3 Key weeds in Australia’s cropping systems **16**

6.4 Herbicides explained **17**

6.5 Pre-emergent herbicides **18**

6.5.1 Understanding pre-emergent herbicides 19

Behaviour of pre-emergent herbicides in the soil..... 19

6.5.2 Tactical spray fallow in the Western region 20

6.6 Post-plant pre-emergent herbicides **21**

6.6.1 Incorporation by sowing..... 21

Conclusions..... 23

6.7 In-crop herbicides: knock downs and residuals **23**

6.7.1 Selective post-emergent herbicides..... 23

Benefits..... 23

Issues..... 23

6.7.2 Knockdown herbicides for fallow and pre-sowing control 24

Benefits..... 24

Issues..... 24

6.7.3 Double knockdown 24

Benefits..... 24

Issues..... 24

6.7.4 Fenceline weeds in the Western region 25

6.7.5 Pre-harvest herbicide use..... 27

6.8 Application and conditions for spraying **27**

6.8.1 Boom sprayer..... 28

6.8.2 Misters..... 28

6.8.3 Blanket wipers 28

6.8.4	Rope wick applicators.....	28
6.8.5	Detection technology	29
6.8.6	Calibration of spray equipment.....	29
	<i>Calibration method.....</i>	29
6.8.7	How to reduce spray drift	30
6.8.8	Weather Conditions to Avoid	32
6.9	Herbicide tolerance ratings, NVT	33
6.10	Potential herbicide damage effect.....	34
6.10.1	Plant back intervals.....	34
6.10.2	Herbicide residues in soils – are they an issue?	35
6.10.3	Avoiding residual herbicide damage.....	35
6.10.4	Conditions required for herbicide breakdown.....	36
6.11	Herbicide resistance	36
	<i>How does a weed become resistant to a herbicide?.....</i>	37
6.11.1	General principles to avoid resistance	38
6.11.2	Options for herbicide resistance testing.....	39
	<i>Resistance testing.....</i>	39
	<i>In-situ testing.....</i>	40
	<i>Herbicide resistance seed tests.....</i>	40
	<i>Syngenta herbicide resistance Quick-Test™.....</i>	40
6.11.3	Weedsmart- 10 point plan	40
	<i>If you think you have resistant weeds.....</i>	44
7	Insect control	1
	<i>Key messages:.....</i>	1
7.1.1	Insect pests of winter cereals	1
7.2	Integrated pest management	3
	<i>Key IPM strategies</i>	3
	<i>Insecticide choices</i>	3
	<i>Insecticide resistance</i>	4
7.2.1	Insect sampling methods.....	4
	<i>Factors that contribute to quality monitoring.....</i>	4
	<i>Keeping good records.....</i>	4
	<i>Sampling methods.....</i>	5
7.3	Aphids.....	8
7.3.1	Russian wheat aphid warning.....	8
7.3.2	Oat or wheat aphid.....	8
7.3.3	Corn aphid	9
7.3.4	Symptoms	9
7.3.5	Damage caused by pest	10
7.3.6	Conditions favouring aphid development.....	10
7.3.7	Thresholds for control.....	10
7.3.8	Management of insect pest.....	11

<i>Chemical control</i>	11
<i>Cultural control</i>	11
<i>Biological control</i>	11
<i>Monitoring</i>	12
7.4 Cutworm	12
7.4.1 Damage caused by cutworms.....	15
7.4.2 Thresholds for control.....	15
7.4.3 Managing cutworms.....	15
<i>Biological</i>	15
<i>Cultural</i>	16
<i>Chemical</i>	16
7.5 Redlegged earth mite	16
7.5.1 Damage caused by RLEM.....	17
7.5.2 Managing RLEM.....	17
<i>Chemical control</i>	18
<i>Biological control</i>	19
<i>Cultural control</i>	19
7.6 Blue oat mite	20
7.6.1 Damage caused by BOM.....	21
7.6.2 Managing Blue oat mite	21
<i>Chemical control</i>	21
<i>Biological & cultural control</i>	22
7.7 Balaustium mite	23
7.7.1 Damage caused by Balaustium mite	23
7.7.2 Managing Balaustium mite	24
<i>Monitoring</i>	24
<i>Control</i>	24
7.8 Bryobia mite	24
7.8.1 Damage cause by mite.....	25
7.8.2 Managing Bryobia mites	25
<i>Biological</i>	25
<i>Cultural</i>	26
<i>Chemical</i>	26
7.9 Lucerne flea	26
7.9.1 Damage caused by Lucerne flea.....	27
7.9.2 Managing Lucerne flea	27
<i>Chemical control</i>	28
<i>Biological and cultural control</i>	28
7.10 Armyworm	29
7.10.1 Thresholds for control.....	30
7.10.2 Managing armyworms	30
<i>Monitoring</i>	31
7.11 Slugs and snails	31

7.1.1	Damage caused by slugs and snails	34
7.1.2	Thresholds for control.....	35
7.1.3	Management of slugs and snails	35
	<i>Chemical control</i>	36
	<i>Biological control</i>	37
	<i>Cultural control</i>	37
7.1.4	Monitoring	38
	<i>How to find slugs</i>	38
	<i>How to find snails</i>	38
8	Nematode management	
	<i>Key messages</i>	1
8.1	Root-lesion nematode (RLN)	2
	<i>Root lesion nematodes in WA</i>	5
8.1.1	Symptoms	7
8.1.2	Varietal resistance	8
8.1.3	Thresholds for control.....	9
8.1.4	Conditions favouring development.....	9
8.1.5	Management of RLN	9
	<i>There are four key strategies in reducing the risk of root lesion nematodes:</i>	9
	<i>There are four major control strategies against RLN:</i>	10
	<i>Soil testing</i>	10
	<i>Crop rotation</i>	11
	<i>Weed control</i>	12
8.2	Cereal Cyst Nematode	12
8.2.1	Symptoms and detection	14
8.2.2	Varietal resistance or tolerance	15
8.2.3	Damage caused by CCN.....	15
8.2.4	Management	16
8.3	Nematodes and crown rot.....	17
8.3.1	Management	18
	<i>Soil testing</i>	18
	<i>Varietal choice</i>	18
9	Diseases	
	<i>Key messages</i>	1
9.1.1	Tools for diagnosing cereal disease	3
9.2	Rust.....	4
	<i>New wheat leaf rust pathotype detected in WA – 2015</i>	4
9.2.1	Varietal resistance or tolerance	5
9.2.2	Symptoms	6
9.2.3	Stripe rust.....	6
	<i>Managing stripe rust</i>	7
9.2.4	Stem rust (black rust).....	8

9.2.5	Leaf rust (brown rust)	9
9.2.6	Managing cereal rust	10
	<i>Foliar fungicide guidelines</i>	10
	<i>Green bridge proximity</i>	11
	<i>Weather</i>	11
	<i>Biosecurity measures</i>	11
	<i>Utilise variety resistance</i>	12
	<i>Destroy green bridge well in advance of seeding</i>	12
	<i>Early season fungicide protection is important in high risk situations</i>	12
	<i>Control late infection in susceptible to intermediate varieties with fungicide</i>	13
	<i>How to monitor crops</i>	13
	<i>Rust pathotype testing</i>	13
	<i>Reporting to PestFax</i>	14
9.2.7	Integrated disease management of rusts and yellow spot.....	14
	<i>Breeding cereals for rust resistance in Australia</i>	15
9.3	Leaf spot	15
9.3.1	Damage caused by disease	16
9.3.2	Symptoms	16
	<i>What to look for</i>	17
9.3.3	Varietal resistance or tolerance	18
9.3.4	Conditions favouring development.....	18
	<i>Double wheat cropping</i>	19
	<i>Weather</i>	19
	<i>Nutritional deficiencies</i>	19
9.3.5	Managing leaf spot	19
	<i>Fungicides</i>	19
	<i>Disease diagnosis</i>	20
9.4	Take-all	20
9.4.1	Symptoms	21
	<i>What to look for</i>	21
9.4.2	Conditions favouring development.....	23
	<i>Hosts</i>	24
9.4.3	Managing take-all.....	24
	<i>Take-all decline</i>	25
9.5	Crown rot	25
9.5.1	Damage caused by crown rot.....	27
9.5.2	Symptoms	28
	<i>Soil testing</i>	30
9.5.3	Fusarium head blight (FHB) symptoms	31
9.5.4	Conditions favouring development.....	32
9.5.5	Managing crown rot	32
	<i>Variety selection</i>	33
	<i>Rotation Management</i>	34
	<i>Crop Management</i>	34

<i>Managing stubble</i>	34
<i>How to manage crown rot – research update</i>	35
9.6 Rhizoctonia	38
9.6.1 Symptoms	39
<i>What to look for</i>	39
9.6.2 Conditions favouring development.....	41
<i>Factors Affecting Rhizoctonia</i>	41
9.6.3 Managing Rhizoctonia	42
<i>Integrated disease management options to control rhizoctonia bare-patch in cereals</i>	42
9.7 Smut and bunt	43
9.7.1 Bunt or stinking smut	43
<i>Managing bunt</i>	44
9.7.2 Loose smut	44
<i>Managing smut</i>	45
9.8 Common root rot	45
9.8.1 Damage caused by disease.....	46
9.8.2 Symptoms	46
9.8.3 Conditions favouring development.....	46
9.8.4 Management	47
9.9 Ergot	47
9.9.1 Damage caused by disease.....	47
9.9.2 Symptoms	48
<i>What to look for</i>	48
9.9.3 Conditions favouring development.....	49
9.9.4 Management of disease.....	49
<i>Marketing options</i>	51
9.10 Cereal fungicides	51
9.10.1 Fungicide stewardship	52
9.11 Barley yellow dwarf virus (BYDV)	53
<i>Economic importance</i>	53
9.11.1 Symptoms	54
9.11.2 Conditions favouring development.....	55
9.11.3 Management	56
<i>Chemical treatments</i>	56
<i>Delayed Sowing</i>	56
9.12 Disease following extreme weather events	56
9.12.1 Cereal disease after drought.....	56
9.12.2 Cereal disease after flood	57
10 Plant growth regulators and canopy management	
<i>Key messages</i>	1
10.1 Plant growth regulators (PGRs)	1

Conclusions.....3
Moddus Evo.....3

10.2 Canopy management..... 4

What is canopy management?5

10.2.1 Canopy management in WA 7

10.2.2 Cereal canopy management in a nutshell..... 8

10.2.3 Setting up the canopy..... 8

10.2.4 Soil moisture status 9

10.2.5 Soil nitrogen 9

10.2.6 Seeding rate and date 10

Row spacing.....10

Yield..... 11

Plant spacing12

Dry Matter12

Grain quality.....12

Nitrogen management.....12

10.2.7 In-crop nitrogen 12

10.2.8 Limitations of tactical nitrogen application13

11 Crop desiccation/spray out

12 Harvest

Key messages.....1

12.1 Harvesting issues 1

12.2 Windrowing 2

12.2.1 Timing..... 3

12.2.2 Cutting..... 3

12.2.3 Harvesting the windrow 4

12.3 Harvest timing..... 4

Lodging.....5

Harvesting a frosted crop.....5

12.3.1 Harvesting triticale for silage 6

12.4 Harvest equipment..... 6

12.5 Fire prevention 8

Harvester fire reduction checklist.....8

12.5.1 Harvesting in low-risk conditions..... 10

12.6 Receival standards11

12.7 Harvest weed seed management.....12

12.7.1 HWSC strategies 12

Narrow windrow burning12

Chaff carts 13

Bale direct systems 13

Integrated Harrington Seed Destructor..... 14

13 Storage

Key messages.....	1
13.1 Considerations for WA growers	2
Importance of storage facility hygiene and preparation.....	2
Reducing reliance on phosphine fumigations.....	3
Storing high moisture and sprouted grain.....	3
Aerating stored grain.....	4
Economics of grain storage.....	4
13.2 How to store product on-farm.....	4
13.2.1 Silos	7
Pressure testing.....	7
The importance of a gas-tight silo.....	8
13.2.2 Grain bags.....	9
13.2.3 Hygiene	10
13.2.4 Insecticide treatment	10
13.2.5 Monitoring stored grain.....	10
13.2.6 Grain storage – get the economics right.....	11
Comparing on-farm grain storage.....	11
Summary.....	12
13.3 Stored grain pests.....	13
Prevention is better than cure.....	13
Common species.....	13
Why identify stored insect grain pests?	14
13.3.1 Monitoring grain for pests.....	14
13.3.2 Hygiene	15
Where to clean.....	15
When to clean.....	16
How to clean.....	16
13.3.3 Aeration cooling for pest control.....	17
13.3.4 Structural treatments.....	18
13.3.5 Application.....	18
Silo application.....	19
13.3.6 Fumigation.....	19
Phosphine application.....	21
Non-chemical treatment options include:.....	22
13.4 Grain protectants for storage.....	22
K-Obiol Combi	22
Conserve On-farm	23
13.5 Aeration during storage.....	23
13.5.1 Dealing with high moisture grain.....	23
13.5.2 Aeration cooling	24
Blending	24
13.5.3 Aeration drying.....	25

High airflow for drying	25
Ducting for drying.....	25
Venting for drying.....	26
Weather conditions for drying.....	26
Phase one of drying.....	26
Phase two of drying.....	26
Supplementary heating.....	27
Cooling after drying.....	27
13.5.4 Aeration controllers.....	27
14 Environmental issues	
Key messages.....	1
14.1 Frost issues for this crop.....	1
14.1.1 Industry costs	3
14.1.2 Triticale and frost.....	4
Frost tolerance in triticale and other winter cereals at flowering.....	4
14.1.3 Conditions leading to frost.....	6
14.1.4 Diagnosing stem and head frost damage in cereals.....	7
What to look for in the paddock.....	9
What to look for in the plant	9
14.1.5 Managing frost risk	11
Farm-management planning tactics.....	12
Frost-zone management tactics	12
Stubble reduces frost severity	14
Guidelines to reducing frost risk and assessing frost damage.....	16
14.1.6 What to do with a frosted crop	18
Option 1: Take through to harvest.....	19
Option 2: Cut and bale.....	20
Option 3: Grazing, manuring and crop-topping.....	20
Useful tools.....	20
National Frost Initiative.....	20
14.2 Waterlogging and flooding issues for triticale.....	21
14.2.1 Where does waterlogging occur?	22
Identifying problem areas	22
14.2.2 Symptoms and causes.....	23
What to look for in the paddock.....	23
What to look for in the plant	24
14.2.3 How waterlogging can be monitored.....	25
14.2.4 Other impacts of waterlogging and flood events.....	25
Heat from stagnant water	25
Chemical and biological contaminants	25
Iron chlorosis or nitrogen deficiency.....	26
Soils with high clay content	26
Pests and diseases.....	26
14.2.5 Managing waterlogging	26

<i>Drainage</i>	26
<i>Choice of crop species</i>	27
<i>Seeding rates</i>	27
<i>Nitrogen fertiliser</i>	27
<i>Weeds</i>	27
14.3 Other environmental issues	27
14.3.1 Drought and heat stress.....	28
<i>Managing drought and heat stress</i>	29
14.3.2 Aluminium toxicity	31
15 Marketing	
15.1 Western feed grains – market dynamics and execution	1
15.1.1 Price determinants for Western Australian feed grains	1
15.1.2 Executing tonnes into cash	2
<i>How to sell for cash</i>	3
<i>Counterparty risk</i>	5
<i>Read market signals</i>	5
<i>Know the specifications of your grain</i>	5
15.1.3 Ensuring access to markets	6
<i>Storage and Logistics</i>	6
<i>Separate the delivery decision from the pricing decision</i>	7
<i>Cost of carrying grain</i>	8