



SOUTHERN

FEBRUARY 2016

GRDC™ GROWNOTES™



GRDC™

GRAINS RESEARCH
& DEVELOPMENT
CORPORATION

WHEAT

CONTENTS

Contents

A Introduction

A.1 Production	xvi
----------------------	-----

1 Planning/Paddock preparation

1.1 Paddock selection	1
1.1.1 Paddock topography	2
1.1.2 Soil type	3
1.1.3 Subsoil moisture.....	3
1.1.4 Paddock nutrition.....	3
1.1.5 Herbicide history	3
1.1.6 Weed burden.....	3
1.1.7 Disease carryover.....	3
1.1.8 Pests	4
1.1.9 Fallow management.....	4
<i>Fallow moisture.....</i>	5
1.2 Paddock rotation and history	6
1.2.1 Benefits of cereals as a rotation crop	6
1.2.2 Disadvantages of cereals.....	6
1.2.3 Long-fallow disorder	7
1.3 Fallow weed control.....	8
1.3.1 Double-knock strategies.....	8
1.4 Fallow chemical plant-back periods.....	9
1.4.1 How do herbicides break down?	10
1.4.2 How can I avoid damage from residual herbicides?	10
<i>Group B. The sulfonylureas.....</i>	10
<i>Group B. The triazolopyrimidines (sulfonamides).....</i>	10
<i>Group B. The imidazolinones (IMIs)</i>	10
<i>Group C. The triazines</i>	11
<i>Group D. Trifluralin</i>	11
<i>Group H. The isoxazoles</i>	11
<i>Group I. The phenoxies.....</i>	11
<i>Group K. Pyroxasulfone</i>	11
1.4.3 Genetic controls	11
1.5 Seedbed requirements	11
1.5.1 Deep sowing	12
1.5.2 Coleoptile length	12
1.6 Soil moisture	13
1.6.1 Dryland.....	13
<i>Technologies to support decision-making</i>	13
<i>Subsoil constraints.....</i>	14
<i>Effect of strategic tillage.....</i>	14
1.6.2 Irrigation	15
1.7 Yield and targets.....	16
1.7.1 Yield Prophet®.....	17
<i>How does it work?</i>	18
1.7.2 Seasonal outlook.....	18
1.7.3 Water-use efficiency.....	19
<i>Ways to increase yield.....</i>	20
<i>The French-Schultz approach</i>	20
1.7.4 Nitrogen-use efficiency	21
1.8 Disease status of the paddock.....	21
1.8.1 Soil testing for disease.....	21
1.8.2 Effects of cropping history	22
1.9 Nematode status of the paddock.....	23
1.9.1 Nematode testing of soil	23

1.9.2	Effects of cropping history on nematode status	23
1.10	Insect and pest status of paddock	24
1.10.1	Sampling of soil for insects	24
	<i>Soil sampling by spade</i>	24
	<i>Germinating-seed bait technique</i>	24
	<i>Detecting soil-dwelling insects</i>	25
1.10.2	Mouse management	25

2 Pre-planting

2.1	Varietal performance and ratings	1
2.1.1	Yielding ability and GRDC-funded National Variety Trials	2
2.2	Variety characteristics	3
2.2.1	Maturity	8
2.2.2	Varieties	9
	<i>Bread wheats</i>	9
	<i>Biscuit wheat</i>	14
	<i>Feed-dual purpose</i>	14
2.3	Planting seed quality	15
2.3.1	Seed size	15
2.3.2	Seed germination and vigour	16
	<i>Disease</i>	17
2.3.3	Seed purity	17
	<i>Sunvale case study</i>	17
2.3.4	Seed storage	18
2.3.5	Safe rates of fertiliser sown with the seed	19

3 Planting

3.1	Seed treatments	1
3.1.1	Choice of seed or in-furrow treatments	2
3.2	Time of sowing	2
3.2.1	Why sow early?	4
3.2.2	Sowing early in 2014—how did it work?	5
	<i>Take home messages</i>	5
	<i>Background</i>	5
	<i>Methodology</i>	7
	<i>Results</i>	8
	<i>Putting early sowing into practice in SA</i>	9
	<i>Conclusion</i>	10
3.2.3	Variety and sowing-time options	10
	<i>Yield Prophet®</i>	11
3.2.4	Balancing the risks	12
	<i>Sowing time effect on diseases</i>	12
	<i>Frost risk of early sowing</i>	13
	<i>Managing frosts with sowing time</i>	13
3.3	Controls on wheat development	15
3.3.1	Vernalisation	15
3.3.2	Thermal time	15
3.3.3	Daylength	16
3.4	Targeted plant population	16
3.4.1	Calculating a seeding rate	18
3.4.2	Plant spacing	18
	<i>Crop establishment</i>	18
	<i>How to measure your plant population</i>	19
3.4.3	Row-spacing effects	19
	<i>Effect on yield</i>	20
	<i>Soil moisture</i>	21
	<i>Weed competition</i>	21
	<i>Equipment</i>	22

<i>Inter-row cropping</i>	22
<i>Fertiliser</i>	22
3.5 Sowing depth.....	23
3.5.1 Deep planting	24
3.5.2 Depth control.....	25
3.6 Germination testing	25
3.7 Planting techniques	25
3.7.1 Inter-row sowing.....	25
3.8 Sowing equipment.....	26
3.8.1 Using pre-emergent herbicides with different seeding equipment ..	28

4 Plant growth and physiology

4.1 Germination and emergence	1
4.1.1 Germination.....	1
<i>Phase 1. Water absorption (GS01*)</i>	1
<i>Phase 2. Activation (GS03)</i>	1
<i>Phase 3. Visible germination (GS05–GS09)</i>	1
<i>Storage on-farm</i>	2
4.1.2 Emergence (GS07)	2
4.2 Factors affecting germination and emergence	3
4.2.1 Dormancy.....	3
4.2.2 Moisture	3
4.3 Effect of temperature, photoperiod and climate on plant growth and physiology.....	4
4.3.1 Temperature	4
<i>Germination</i>	4
<i>Emergence</i>	4
<i>Establishment</i>	4
4.3.2 Oxygen	5
4.3.3 Seed quality	5
4.3.4 Coleoptile length	5
4.3.5 Nutrition.....	6
<i>Nitrogen</i>	6
<i>Phosphorus</i>	7
4.4 Plant growth stages	7
4.4.1 Zadoks Cereal Growth Stage Key.....	7
<i>Early stem elongation GS30–GS33 (pseudostem erect—third node on the main stem)</i>	8
<i>Leaf dissection at GS32 and GS33</i>	8

5 Nutrition and fertiliser

5.1 Declining soil fertility	1
5.2 Balanced nutrition.....	2
5.2.1 Paddock records.....	2
5.3 Understanding soil pH	3
5.3.1 Soil pH in calcium chloride.....	4
5.3.2 Soil pH in water.....	4
5.4 Hierarchy of crop fertility needs.....	5
5.5 Crop removal rates	5
5.6 Soil testing	6
5.6.1 Types of test.....	6
5.6.2 Sampling depth.....	7
5.6.3 Critical values and ranges.....	7
5.6.4 Test strips	8
5.6.5 Rules of thumb	9
5.6.6 Soil testing for nitrogen	9
<i>Forms of N fertiliser</i>	9

<i>Calculating N fertiliser application</i>	10
5.6.7 Soil testing for phosphorus	10
<i>Colwell-P (bicarbonate-extractable P)</i>	10
<i>Soil available P by DGT (diffusive gradients in thin-films)</i>	10
<i>Phosphorus buffering index</i>	10
<i>Depth of testing for P</i>	10
5.7 Plant and/or tissue testing for nutrition levels	10
5.8 Nitrogen	11
5.8.1 Nitrogen supply and grain protein content.....	11
5.8.2 Nitrogen deficiency symptoms	13
<i>Similar symptoms</i>	13
<i>Contributing factors</i>	14
5.8.3 Nitrogen volatilisation and denitrification	14
5.8.4 Nitrogen-use efficiency	16
5.8.5 Plant-available (nitrate) N in the root-zone.....	16
5.8.6 Effectiveness of late nitrogen application	17
5.9 Phosphorus.....	18
5.9.1 Phosphorus deficiency.....	18
<i>Similar symptoms</i>	20
<i>Contributing factors</i>	20
5.9.2 Crop demand for phosphorus.....	20
5.9.3 Phosphorus availability	20
5.9.4 Long-fallow disorder	21
5.9.5 Reduced tillage	21
5.9.6 Phosphorus budgeting.....	21
5.9.7 Forms of phosphorus.....	22
<i>Manures</i>	23
5.10 Sulfur.....	23
5.10.1 Deficiency symptoms.....	24
<i>Similar symptoms</i>	24
<i>Contributing factors</i>	24
5.11 Potassium	25
5.11.1 Deficiency symptoms.....	26
<i>Similar symptoms</i>	26
<i>Contributing factors</i>	26
5.11.2 Critical levels and inputs	27
5.12 Micronutrient deficiencies.....	27
5.12.1 Zinc	28
<i>Similar symptoms</i>	28
<i>Contributing factors</i>	28
5.12.2 Copper	30
<i>Similar symptoms</i>	30
<i>Contributing factors</i>	30
<i>Alleviation</i>	32
5.12.3 Boron.....	33
<i>Similar symptoms</i>	33
<i>Boron toxicity</i>	33
5.12.4 Iron	34
<i>Similar symptoms</i>	34
<i>Contributing factors</i>	34
5.12.5 Manganese.....	35
<i>Similar symptoms</i>	37
<i>Contributing factors</i>	37
<i>Manganese toxicity</i>	37
5.12.6 Molybdenum	37
<i>Similar symptoms</i>	38
<i>Contributing factors</i>	38
5.12.7 Magnesium	38

Similar symptoms.....	39
Contributing factors	39

6 Weed control

6.1 Integrated weed management (IWM).....	1
6.1.1 Review past actions	2
6.1.2 Assess the current weed status	3
6.1.3 Identify weed management opportunities	3
<i>Ryegrass integrated management (RIM)</i>	3
6.1.4 Fine-tune your list of options	3
6.1.5 Combine and test ideas	4
<i>Weed Seed Wizard</i>	4
6.2 Agronomy	4
6.2.1 Crop choice and sequence	5
6.2.2 Improving crop competition	6
6.2.3 Crop type	7
6.2.4 Improving pasture competition	8
6.2.5 Fallow phase	8
6.2.6 Controlled traffic for optimal herbicide application.....	9
6.3 Key weeds in Australia's cropping systems	10
6.4 Stopping weed seedset.....	10
6.4.1 Seedset control tactics	10
6.4.2 Selective spray-topping	11
6.4.3 Crop-topping with non-selective herbicides.....	11
6.4.4 Weed wiping.....	12
6.4.5 Crop desiccation and windrowing	12
6.4.6 Manuring, mulching and hay freezing	13
6.5 Pasture seedset control.....	13
6.5.1 Pasture spray-topping.....	13
6.5.2 Silage and hay.....	14
6.5.3 Grazing to manage weeds actively	14
6.6 Herbicide resistance	15
6.6.1 Testing services.....	15
6.6.2 Ten ways to weed out herbicide resistance	16
6.7 Managing the weed seedbank.....	17
6.7.1 Burning residues	18
6.7.2 Encouraging insect predation of seed	18
6.7.3 Autumn tickle	19
6.7.4 Delayed sowing.....	19
6.8 Managing weed seedlings	20
6.8.1 Killing weeds with tillage	20
<i>Benefits</i>	21
<i>Whole-farm benefits</i>	21
<i>Issues with tillage</i>	21
6.8.2 Killing weeds with herbicides.....	22
<i>Knockdown (non-selective) herbicides for fallow and pre-sowing control</i>	22
<i>Double-knockdown or double-knock</i>	23
<i>Pre-emergent herbicides</i>	24
<i>Selective post-emergent herbicides</i>	26
6.8.3 Spot spraying, chipping, hand roguing and wiper technologies.....	28
6.8.4 Weed-detector sprays.....	29
6.8.5 Biological control.....	29
6.9 Harvest weed-seed control.....	29
6.10 Other non-chemical weed control	30
6.11 Crop competition	30
6.12 Herbicides explained	31
6.12.1 Residual v. non-residual	31
6.12.2 Post-emergent and pre-emergent.....	32

6.13 Pre-emergent herbicides	32
6.13.1 Benefits	32
6.13.2 Practicalities	32
6.13.3 Avoiding crop damage from residual herbicides.....	33
<i>What are the issues?</i>	33
<i>Which herbicides are residual?</i>	34
<i>How do herbicides break down?</i>	34
<i>How can I avoid damage from residual herbicides?</i>	34
Group B. Sulfonylureas	35
Group B. Triazolopyrimidines (sulfonamides).....	35
Group B. Imidazolinones.....	35
Group C. Triazines.....	35
Group D. Trifluralin	35
Group H. Isoxazoles	36
Group I. Phenoxies.....	36
Group K. Metolachlor.....	36
Group K: Pyroxasulfone	36
6.14 In-crop herbicides: knock-downs and residuals	36
6.14.1 Herbicide tolerance ratings	37
6.14.2 Post-emergent herbicide damage.....	37
6.15 Selective sprayer technology.....	37
6.15.1 Special permit	38
6.16 Strategies to stop the spread of weeds.....	39
6.16.1 Sow weed-free seed	39
6.16.2 Manage weeds in non-crop areas.....	39
6.16.3 Clean farm machinery and vehicles	40
6.16.4 Livestock feeding and movement	40
6.16.5 Monitor paddocks following flood inundation.....	40

7 Insect and other pest control

7.1 Integrated pest management	5
7.2 Lucerne flea (<i>Sminthurus viridis</i>).....	6
7.2.1 Description	6
7.2.2 Seasonal development and symptoms.....	6
7.2.3 Impact	7
7.2.4 Management	7
7.3 Earth mites.....	7
7.3.1 Blue oat mite (<i>Penthaleus</i> spp.)	7
7.3.2 Redlegged earth mites (<i>Halotydeus destructor</i>).....	9
<i>TIMERITE® for management of redlegged earth mite</i>	10
7.3.3 <i>Balaustium</i> mites (<i>Balaustium medicagoense</i>).....	10
Description	10
Seasonal development.....	11
Impact	11
Management	11
Distribution.....	11
Monitoring.....	12
7.3.4 <i>Bryobia</i> mites	12
Description	12
Management	13
7.3.5 Brown wheat mite (<i>Petrobia latens</i>).....	13
7.4 Slugs	13
7.4.1 Description	13
7.4.2 Seasonal development and symptoms.....	14
7.4.3 Impact	14
7.4.4 Management	15
7.5 Aphids	15
7.5.1 Oat or wheat aphid (<i>Rhopalosiphum padi</i>).....	15

7.5.2	Corn aphid (<i>Rhopalosiphum maidis</i>)	16
7.5.3	Rose-grain aphid (<i>Metopolophium dirhodum</i>)	17
7.5.4	Thresholds for control	18
7.6	Armyworm	18
7.7	Snails	21
7.7.1	Description	21
7.7.2	Symptoms	21
7.7.3	Control.....	21
7.8	Soil pests	21
7.8.1	Cutworm (<i>Agrotis</i> spp.)	21
7.8.2	Wireworms and false wireworms	23
	<i>Importance</i>	23
7.8.3	False wireworms	23
	<i>Description</i>	23
	<i>Seasonal development and symptoms</i>	24
	<i>Impact</i>	25
	<i>Sampling and detection</i>	25
	<i>Control</i>	25
7.8.4	True wireworms	25
	<i>Description</i>	25
	<i>Seasonal development and symptoms</i>	26
	<i>Impact</i>	26
	<i>Sampling, detection and control</i>	26
7.8.5	Weevils	26
7.8.6	Earwigs	27
	<i>Seasonal development</i>	29
	<i>Impact</i>	29
	<i>Management—windrowing and harvesting</i>	29
	<i>Monitoring</i>	29
7.8.7	Black Portuguese millipedes (<i>Ommatoiulus moreleti</i>).....	29
	<i>Description</i>	30
	<i>Seasonal development and symptoms</i>	30
	<i>Impact</i>	31
	<i>Management</i>	31
7.8.8	Slaters	32
	<i>Description and development</i>	32
	<i>Species</i>	33
	<i>Symptoms</i>	33
	<i>Impact</i>	34
	<i>Management</i>	34
7.9	Insect monitoring techniques for field crops	34
7.9.1	Factors that contribute to quality monitoring.....	34
7.9.2	Keeping good records.....	34
7.9.3	Sampling methods	35
	<i>Beat sheet</i>	35
	<i>Other sampling methods</i>	36

8 Nematode management

8.1	About nematodes	1
8.1.1	Life cycle	2
8.1.2	Economic importance	3
8.2	Varietal resistance or tolerance.....	3
8.3	Management.....	4
8.3.1	Crop rotation	5
8.3.2	Resistance differences between commercial wheat varieties	5
8.4	Symptoms and detection	6
8.4.1	What is seen in the paddock?.....	7
8.4.2	Belowground symptoms	7

8.5	Nematodes and crown rot	8
8.6	Testing for root-lesion nematodes	8

9 Diseases

9.1	Causes of cereal diseases	1
9.1.1	Fungi	1
9.1.2	Viruses	2
9.1.3	Bacteria	2
9.1.4	Nematodes	2
9.2	The disease triangle	2
9.3	Variety response	4
9.4	Environmental factors	6
9.4.1	Cereal disease after drought	6
9.4.2	Cereal disease after flood events	6
9.5	Management options	7
9.5.1	Strategies	7
9.6	Foliar diseases	7
9.6.1	Diagnosing leaf diseases in wheat	8
9.6.2	Rusts—general information	8
	<i>Key points to reduce the risk of rusts in wheat</i>	9
	<i>Recommended fungicides for rusts</i>	10
9.6.3	Stem rust	10
9.6.4	Leaf rust	11
9.6.5	Stripe rust	12
9.6.6	<i>Septoria tritici</i> blotch	12
	<i>Host range</i>	13
	<i>Risk factors</i>	13
	<i>Symptoms</i>	13
	<i>Disease cycle</i>	14
	<i>Strain types</i>	14
	<i>Management</i>	15
9.6.7	Tan (yellow) spot	15
	<i>Disease development and yield loss</i>	16
	<i>Management</i>	16
	<i>Make management decisions at or before sowing</i>	17
9.6.8	Barley yellow dwarf virus	17
	<i>BYDV transmission</i>	17
	<i>Symptoms</i>	18
	<i>Yield loss</i>	19
	<i>Additional yield loss by aphid feeding</i>	19
	<i>Predicting infection</i>	19
	<i>Management</i>	19
	<i>Seed dressings</i>	20
	<i>Insecticides</i>	20
	<i>BYDV resistance</i>	20
	<i>Delayed sowing</i>	20
	<i>Green bridge</i>	21
9.6.9	Eyespot	21
	<i>Symptoms</i>	23
	<i>Life cycle</i>	23
	<i>Risk factors</i>	24
	<i>Variety choice</i>	24
	<i>Management issues</i>	24
	<i>Chemical treatments</i>	24
	<i>Cultural options</i>	25
9.6.10	Powdery mildew	25
	<i>Disease life cycle</i>	25
	<i>Disease conditions</i>	27

Choose the best variety	27
Monitor the crop	27
Fungicides and treatment of crops	28
Fungicide resistance in the Southern Region	28
9.6.11 Wheat streak mosaic virus	29
9.7 Root and crown diseases	30
9.7.1 Take-all	30
Control	32
Diagnosing root diseases in your crop	32
9.7.2 Crown rot.....	32
Damage caused by crown rot	33
Symptoms.....	33
Effect of sowing time	34
Crown rot phases.....	34
Management	35
Crop rotation	35
Inter-row sowing	36
Stubble burning	36
Varietal resistance or tolerance	36
9.7.3 Pythium root rot.....	37
Symptoms.....	37
What else could it be?.....	38
Where does it occur?.....	38
Management strategies.....	38
9.7.4 Rhizoctonia disease	38
Management options	39
9.7.5 Disease identification	41
Identifying risk.....	41
Bare patches	41
Uneven growth at tillering	41
9.7.6 Why is Rhizoctonia disease a problem?	42
Biology.....	42
Key factors influencing occurrence and severity	42
9.7.7 Common root rot.....	43
9.7.8 Smut	44
Bunt or stinking smut.....	44
Loose smut	44

10 Plant growth regulators and canopy management

10.1 What is canopy management?	1
10.1.1 Canopy management in a nutshell.....	1
10.2 Key cereal growth stages for disease control and canopy management.....	2
10.2.1 Why is growth stage important in making fungicide decisions?.....	2
10.2.2 Why do these growth-stage timings work for stripe rust control?.....	2
Yield loss to disease at different growth stages of disease onset.....	3
Influence of disease onset on optimum timings of fungicide spray for very susceptible cultivars	3

11 Crop desiccation/spray out

12 Harvest

12.1 Pre-harvest spraying with glyphosate	1
12.2 Wet harvest issues and management.....	1
12.2.1 Delaying harvest.....	2
12.2.2 Weed management	2
12.2.3 Seed retention.....	2
12.3 Fire prevention	3
12.3.1 Using machinery	3
12.3.2 Steps to preventing header fires	4

12.4	Receival standards	4
12.4.1	Protein content	5
12.4.2	Protein quality	5
12.4.3	Falling number	5
12.4.4	Screenings	5
12.4.5	Stained grains	5
12.4.6	Hardness	5
12.4.7	Moisture content	5
12.4.8	Test weight	5
12.5	Harvest weed-seed control.....	6
12.5.1	Intercepting annual weed seed	6
12.5.2	Burning of narrow windrows	7
12.5.3	Chaff carts.....	9
12.5.4	Bale-direct systems	9
12.5.5	Chaff grinding—the Harrington Seed Destructor.....	10
12.6	Summary.....	10

13 Storage

13.1	How to store wheat on-farm	2
13.2	Hygiene.....	5
13.3	Grain protectants and fumigants	7
13.4	Aeration during storage	11
13.5	Monitoring wheat	14

14 Environmental issues

14.1	Frost.....	1
	<i>Key points</i>	1
14.1.1	What causes frost?	2
14.1.2	Measuring temperature	2
14.1.3	The changing nature of frost in Australia	2
14.1.4	How does frost affect crops?.....	3
14.1.5	Effect of wet or dry canopy	4
14.1.6	Risk management for frost.....	5
14.1.7	Pre-season management tactics	5
	<i>Farm management planning tactics:</i>	5
	<i>Frost zone management tactics:</i>	5
14.1.8	Management tactics within season.....	9
	<i>Grazing</i>	9
	<i>Extra nutrients</i>	10
14.1.9	Post frost event - management tactics	10
14.1.10	Harvesting and marketing frosted grain.....	11
14.1.11	Retaining seed from frosted crops.....	11
14.1.12	Recovering from frost.....	11
14.1.13	National Frost Initiative.....	12
	<i>Useful tools</i>	12
14.1.14	Frost identification—what to look for and how to look for it.....	12
	<i>Assessing the damage</i>	13
	<i>Juvenile frost damage</i>	13
	<i>Stem-elongation frost damage</i>	14
	<i>Head damage: cold damage to developing head prior to head emergence</i>	16
	<i>Head damage at flowering: cold and desiccation damage during flowering</i>	17
	<i>Head damage at flowering: freezing damage to head and reproductive structures</i>	19
	<i>Head damage after flowering: freezing damage during grain development and grain filling</i>	20
	<i>Stem damage after flowering: freezing damage to the peduncle after head emergence during grain development and grain filling</i>	22
	<i>The frost window</i>	24
14.1.15	National Frost Initiative.....	24

14.2 Waterlogging–flooding issues.....	25
14.2.1 Winter cereal pathology	25
<i>Legacy of floods and rain</i>	25
<i>Management options</i>	26
<i>Strategies</i>	26
14.2.2 Nutritional and structural impact of flooding on soil	26
<i>Soil testing</i>	26
14.2.3 Soil erosion and waterlogging due to flooding— preventing future damage	27
14.2.4 Weed management following floods.....	27
<i>Potential problem weeds</i>	27
<i>Implications for the coming season</i>	27
14.3 Heat stress.....	28

15 Marketing

15.1 Selling principles.....	1
15.1.1 Be prepared.....	1
<i>When to sell</i>	2
<i>How to sell?</i>	2
15.1.2 Establishing the business risk profile—when to sell	2
<i>Production risk profile of the farm</i>	3
<i>Farm costs in their entirety, variable and fixed costs (establishing a target price)</i>	3
<i>Income requirements</i>	4
<i>Summary</i>	5
15.1.3 Managing your price—how to sell	5
<i>Methods of price management</i>	5
<i>Summary</i>	7
15.1.4 Ensuring access to markets.....	8
<i>Storage and logistics</i>	8
<i>Cost of carrying grain</i>	9
<i>Summary</i>	10
15.1.5 Executing tonnes into cash.....	10
<i>Set up the tool box</i>	10
<i>How to sell for cash</i>	10
<i>Counterparty risk</i>	13
<i>Relative values</i>	14
<i>Contract allocation</i>	15
<i>Read market signals</i>	15
<i>Summary</i>	15
15.2 Southern wheat—market dynamics and execution.....	16
15.2.1 Price determinants for southern wheat.....	16
15.2.2 Ensuring market access for southern wheat.....	17
15.2.3 Executing tonnes into cash for southern wheat.....	18
15.2.4 Risk-management tools available for southern wheat.....	19