



**WESTERN**  
SEPTEMBER 2018

# **GRDC™** **GROWNOTES™**



**GRDC™**  
GRAINS RESEARCH  
& DEVELOPMENT  
CORPORATION

# **BARLEY**

---

**CONTENTS**

---

# Contents

## Introduction

<b>A.1 Crop overview.....</b>	<b>xvii</b>
<i>Planting.....</i>	<i>xvii</i>
<i>Production.....</i>	<i>xviii</i>
<b>A.1.1 Western Australian barley industry.....</b>	<b>xviii</b>
<i>Exports.....</i>	<i>xix</i>
<i>Brand identity for WA.....</i>	<i>xix</i>
<i>Varieties.....</i>	<i>xx</i>
<i>Malting quality.....</i>	<i>xxi</i>
<i>End-uses.....</i>	<i>xxi</i>
<b>A.2 Malt and feed barley.....</b>	<b>xxi</b>
<b>A.2.1 Feed barley.....</b>	<b>xxii</b>

## 1 Planning/Paddock preparation

<b>1.1 Paddock selection.....</b>	<b>1</b>
<i>Paddock rotation and history.....</i>	<i>1</i>
<b>1.1.1 Benefits of barley as a rotation crop.....</b>	<b>1</b>
<b>1.1.2 Disadvantages of cereals as a rotation crop.....</b>	<b>2</b>
<i>Examples of rotations and their suitability for the production of malting barley.....</i>	<i>2</i>
<b>1.2 Fallow weed control.....</b>	<b>3</b>
<b>1.3 Fallow chemical plant-back periods.....</b>	<b>4</b>
<b>1.3.1 Avoid damage from residual herbicides.....</b>	<b>5</b>
<b>1.3.2 Genetic controls.....</b>	<b>5</b>
<b>1.4 Seedbed requirements.....</b>	<b>5</b>
<b>1.5 Soil moisture.....</b>	<b>6</b>
<i>APSIM-Barley.....</i>	<i>6</i>
<b>1.5.1 Subsoil constraints.....</b>	<b>6</b>
<b>1.6 Yield and targets.....</b>	<b>6</b>
<b>1.6.1 Variety yield comparisons.....</b>	<b>6</b>
<b>1.6.2 Seasonal outlook.....</b>	<b>6</b>
<b>1.6.3 Fallow moisture.....</b>	<b>7</b>
<i>HowWet?—a climate analysis tool.....</i>	<i>7</i>
<b>1.6.4 Water Use Efficiency.....</b>	<b>7</b>
<b>1.7 Disease status of paddock.....</b>	<b>8</b>
<b>1.7.1 Soil testing for disease.....</b>	<b>8</b>
<b>1.8 Nematode status of paddock—testing of soil.....</b>	<b>8</b>
<b>1.9 Pest status of paddock.....</b>	<b>9</b>
<b>1.9.1 Sampling for pre-season pests.....</b>	<b>9</b>
<i>Recognising soil insects.....</i>	<i>9</i>
<i>Detecting soil-dwelling insects.....</i>	<i>9</i>

1.9.2	Snails .....	10
<b>2</b>	<b>Pre-planting</b>	
<b>2.1</b>	<b>Varietal performance .....</b>	<b>1</b>
2.1.1	Selecting barley varieties.....	1
2.1.2	Yielding ability and GRDC-funded National Variety Trials (NVT).....	2
	<i>National focus</i> .....	2
2.1.3	Malting and other quality traits .....	3
	<i>Malting varieties</i> .....	3
	<i>Food-grade varieties</i> .....	4
	<i>Feed varieties</i> .....	4
2.1.4	Disease resistance.....	4
	<i>Seedling and adult resistance</i> .....	4
2.1.5	Frost ratings.....	8
2.1.6	Agronomic attributes.....	8
<b>2.2</b>	<b>Varieties .....</b>	<b>9</b>
2.2.1	Malt variety .....	9
	<i>Bass</i> <sup>®</sup> .....	9
	<i>Baudin</i> <sup>®</sup> .....	10
	<i>Flinders</i> <sup>®</sup> .....	10
	<i>Granger</i> <sup>®</sup> .....	10
	<i>La Trobe</i> <sup>®</sup> .....	10
	<i>Scope CL</i> <sup>®</sup> .....	11
2.2.2	Food variety.....	11
	<i>Hindmarsh</i> <sup>®</sup> .....	11
2.2.3	Feed variety.....	11
	<i>Compass</i> <sup>®</sup> .....	11
	<i>Fathom</i> <sup>®</sup> .....	11
	<i>Fleet</i> <sup>®</sup> .....	11
	<i>Litmus</i> <sup>®</sup> .....	12
	<i>Lockyer</i> <sup>®</sup> .....	12
	<i>Mundah</i> .....	12
	<i>Oxford</i> <sup>®</sup> .....	12
	<i>Rosalind</i> <sup>®</sup> .....	12
	<i>Spartacus</i> <sup>®</sup> .....	13
	<i>Yagan</i> .....	13
<b>2.3</b>	<b>Planting seed quality .....</b>	<b>13</b>
2.3.1	Seed size.....	13
	<i>1,000 grain weight</i> .....	13
2.3.2	Seed germination and vigour .....	13
	<i>Disease</i> .....	14
2.3.3	Seed storage.....	15
2.3.4	Safe rates of fertiliser sown with the seed .....	16

<b>3</b>	<b>Planting</b>	<b>1</b>
3.1	Seed treatments .....	1
	<i>Reduced coleoptile length</i> .....	1
3.1.1	Seed dressings .....	1
	<i>Powdery mildew</i> .....	2
	<i>Loose smut</i> .....	2
	<i>Barley leaf rust</i> .....	2
	<i>Barley net blotch (net-type and spot-type)</i> .....	3
	<i>Rhizoctonia</i> .....	3
3.1.2	Correct seed application is important .....	3
3.2	Time of sowing.....	3
	<i>Effect of delayed sowing</i> .....	4
	<i>Sowing date responses</i> .....	4
	<i>Frost risk</i> .....	5
	<i>Orientation</i> .....	5
3.3	Targeted plant population .....	6
3.3.1	Seeding rate .....	6
3.3.2	Calculating sowing rate .....	6
	<i>Crop establishment</i> .....	7
3.3.3	Plant population .....	7
3.4	Row spacing .....	8
3.5	Sowing depth .....	8
3.6	Sowing equipment .....	11
<b>4</b>	<b>Plant growth and physiology</b>	
4.1.1	Plant growth stages.....	1
4.1.2	Zadoks Cereal Growth Stage Key .....	1
	<i>Early stem elongation GS30–33</i> .....	3
	<i>Leaf dissection at GS32 and GS33</i> .....	3
4.1.3	Maturity.....	3
4.2	Germination and emergence .....	4
4.2.1	Germination .....	4
	<i>Phase 1: Water absorption (GS01)</i> .....	4
	<i>Phase 2: Activation (GS03)</i> .....	4
	<i>Phase 3: Visible germination (GS05–GS07)</i> .....	4
4.2.2	Emergence (GS07).....	4
	<i>Coleoptile formation</i> .....	4
4.3	Factors affecting germination and emergence .....	5
4.3.1	Dormancy.....	5
4.3.2	Moisture.....	5
4.4	Effect of temperature, photoperiod and climate on plant growth and physiology.....	5
4.4.1	Temperature .....	5
	<i>Germination</i> .....	5

Emergence .....	6
4.4.2 Oxygen .....	7
<i>Coleoptile length</i> .....	7
4.4.3 Nutrition .....	7
<i>Nitrogen</i> .....	8
<i>Phosphorus</i> .....	8
<b>5 Nutrition and fertiliser</b>	
5.1 Organic matter .....	1
5.2 Declining soil fertility .....	1
5.3 Balanced nutrition .....	2
5.3.1 Paddock records .....	2
5.4 Understanding soil pH.....	3
5.5 Hierarchy of crop fertility needs.....	4
5.6 Crop removal rates .....	5
5.7 Soil testing .....	6
5.7.1 Critical values and ranges .....	6
5.7.2 Fertiliser test strips .....	6
5.7.3 Sampling guidelines.....	7
5.7.4 Soil testing for nitrogen.....	7
<i>Calculating N fertiliser application</i> .....	7
5.7.5 Soil testing for phosphorus .....	8
5.8 Plant and/or tissue testing for nutrition levels.....	8
5.9 In-crop nutritional needs .....	8
5.10 Nitrogen .....	8
5.10.1 Time of application .....	9
5.10.2 Nitrogen supply and grain protein content.....	9
5.10.3 Plant-available (nitrate)-N in the root-zone.....	11
5.10.4 Nitrogen deficiency symptoms.....	12
<i>Similar symptoms</i> .....	13
5.10.5 Nitrogen-use efficiency .....	13
<i>Split application</i> .....	13
<i>Late applications</i> .....	13
5.11 Phosphorus.....	14
5.11.1 Phosphorus deficiency .....	14
<i>Similar symptoms</i> .....	15
5.11.2 Crop demand for phosphorus .....	15
5.11.3 Phosphorus availability.....	16
5.11.4 Reduced tillage.....	16
5.11.5 Phosphorus application.....	17
5.11.6 Alternative forms of phosphorus .....	17
<i>Manures</i> .....	17

<b>5.12 Potassium</b> .....	<b>17</b>
5.12.1 Deficiency symptoms.....	18
<i>Similar symptoms</i> .....	19
<i>Contributing factors</i> .....	19
5.12.2 Critical levels and inputs .....	19
<b>5.13 Sulfur</b> .....	<b>20</b>
5.13.1 Deficiency symptoms.....	21
<i>Similar symptoms</i> .....	21
<i>Contributing factors</i> .....	21
<b>5.14 Micronutrient deficiencies</b> .....	<b>22</b>
5.14.1 Zinc .....	23
<i>Similar symptoms</i> .....	23
<i>Contributing factors</i> .....	24
5.14.2 Copper .....	24
<i>Similar symptoms</i> .....	25
<i>Contributing factors</i> .....	25
<i>Alleviation</i> .....	28
5.14.3 Boron.....	28
<i>Boron toxicity</i> .....	28
5.14.4 Manganese.....	29
<i>Manganese deficiency</i> .....	29
<i>Treatment</i> .....	30
5.14.5 Molybdenum.....	30
<i>Similar symptoms</i> .....	31
<i>Contributing factors</i> .....	31
5.14.6 Magnesium .....	31
<i>Similar symptoms</i> .....	32
<i>Contributing factors</i> .....	32
<b>6 Weed control</b>	
<b>6.1 Integrated weed management (IWM)</b> .....	<b>1</b>
6.1.1 Review past actions.....	2
6.1.2 Assess the current weed status .....	3
6.1.3 Identify weed management opportunities .....	3
6.1.4 Combine and test ideas .....	3
6.1.5 Cultivation practices.....	4
<b>6.2 Agronomy</b> .....	<b>4</b>
6.2.1 Crop choice and sequence .....	5
6.2.2 Improving crop competition .....	6
<i>Variety selection</i> .....	7
6.2.3 Crop type.....	8
<b>6.3 Key weeds in WA's cropping system</b> .....	<b>8</b>
<b>6.4 Stopping weed seedset</b> .....	<b>9</b>

6.4.1	Seedset control tactics .....	9
6.4.2	Selective spray-topping.....	10
6.4.3	Crop desiccation and windrowing.....	10
6.4.4	Manuring, mulching and hay freezing .....	11
<b>6.5</b>	<b>Herbicide resistance .....</b>	<b>11</b>
	<i>Testing services</i> .....	12
	<i>Weed out herbicide resistance</i> .....	12
<b>6.6</b>	<b>Managing the weed seedbank .....</b>	<b>14</b>
6.6.1	Burning residues .....	14
6.6.2	Encouraging insect predation of seed .....	15
6.6.3	Autumn tickle .....	16
6.6.4	Delayed sowing.....	16
<b>6.7</b>	<b>Managing weed seedlings.....</b>	<b>17</b>
6.7.1	Killing weeds with tillage.....	17
	<i>Benefits</i> .....	17
	<i>Whole-farm benefits</i> .....	17
	<i>Issues with tillage</i> .....	18
6.7.2	Killing weeds with herbicides .....	18
	<i>Knockdown (non-selective) herbicides for fallow and pre-sowing control</i> .....	18
	<i>Double-knockdown or double-knock</i> .....	19
	<i>Pre-emergent herbicides</i> .....	21
	<i>Selective post-emergent herbicides</i> .....	22
6.7.3	Spot-spraying, chipping, hand-roguing and wiper technologies .....	24
<b>6.8</b>	<b>Harvest weed-seed control .....</b>	<b>25</b>
<b>6.9</b>	<b>Other non-chemical weed control.....</b>	<b>25</b>
6.9.1	Biological control .....	25
<b>6.10</b>	<b>Strategies to stop the spread of weeds .....</b>	<b>26</b>
6.10.1	Sow weed-free seed .....	26
6.10.2	Manage weeds in non-crop areas.....	26
6.10.3	Clean farm machinery and vehicles.....	27
6.10.4	Livestock feeding and movement .....	27
<b>7</b>	<b>Insect control .....</b>	<b>2</b>
	<i>Identification and reporting tools</i> .....	2
<b>7.1</b>	<b>Integrated pest management .....</b>	<b>6</b>
	<i>Identification</i> .....	6
	<i>Monitor populations</i> .....	6
	<i>Control decisions</i> .....	6
	<i>Manage resistance</i> .....	7
<b>7.2</b>	<b>Aphids.....</b>	<b>7</b>
7.2.1	Oat or wheat aphid ( <i>Rhopalosiphum padi</i> ) .....	7
7.2.2	Corn aphid ( <i>Rhopalosiphum maidis</i> ) .....	9
7.2.3	Thresholds for control.....	10

7.2.4	Russian wheat aphid ( <i>Diuraphis noxia</i> ) .....	11
<b>7.3</b>	<b>Armyworm (<i>Leucania convecta</i>) .....</b>	<b>11</b>
<b>7.4</b>	<b><i>Helicoverpa</i> spp.....</b>	<b>14</b>
<b>7.5</b>	<b>Mites .....</b>	<b>16</b>
7.5.1	Blue oat mite ( <i>Penthaleus</i> spp.).....	16
7.5.2	Redlegged earth mite ( <i>Halotydeua destructor</i> ).....	18
7.5.3	Balaustium mite ( <i>Balaustium medicagoense</i> ).....	21
<b>7.6</b>	<b>Lucerne flea (<i>Sminthurus viridis</i>) .....</b>	<b>22</b>
7.6.1	Seasonal development and symptoms.....	22
7.6.2	Management .....	23
<b>7.7</b>	<b>Webworm (<i>Hednota</i> spp.).....</b>	<b>23</b>
<b>7.8</b>	<b>Cutworm (<i>Agrostis</i> spp.).....</b>	<b>26</b>
<b>7.9</b>	<b>Pest slugs and snails .....</b>	<b>28</b>
7.9.1	Distribution of slugs and snails.....	28
7.9.2	Identification and habits of pest slugs and snails.....	28
	<i>Slugs</i> .....	28
	<i>Snails</i> .....	29
7.9.3	Damage .....	31
7.9.4	Snail and slug control.....	31
	<i>Control methods</i> .....	31
	<i>Monitoring</i> .....	32
<b>7.10</b>	<b>Earwigs .....</b>	<b>32</b>
7.10.1	European earwig ( <i>Forficula auricularia</i> ).....	32
7.10.2	Native earwigs .....	33
<b>7.11</b>	<b>Locusts and grasshoppers.....</b>	<b>35</b>
<b>7.12</b>	<b>Desiantha or spotted vegetable weevil (<i>Steriphus diversipes</i>) .....</b>	<b>36</b>
<b>7.13</b>	<b>Cockchafers (<i>Sericesthis</i> spp.).....</b>	<b>38</b>
7.13.1	Rutherglen bug ( <i>Nysius vinitor</i> ) .....	39
<b>8</b>	<b>Nematode management</b>	
<b>8.1</b>	<b>Symptoms and detection .....</b>	<b>2</b>
	<i>What is seen in the paddock?</i> .....	2
	<i>RLN and acidic soil</i> .....	3
	<i>The life cycle of RLN</i> .....	4
	<i>P. quasitereoides</i> .....	5
	<i>Economic importance</i> .....	5
	<i>Updated ratings</i> .....	6
<b>8.2</b>	<b>Varietal resistance or tolerance.....</b>	<b>6</b>
<b>8.3</b>	<b>Management of nematodes .....</b>	<b>7</b>
<b>8.4</b>	<b>Testing for root-lesion nematodes .....</b>	<b>9</b>
<b>9</b>	<b>Diseases</b>	
<b>9.1</b>	<b>Causes of cereal diseases .....</b>	<b>2</b>



<i>Fungi</i> .....	2
<i>Viruses</i> .....	2
<i>Bacteria</i> .....	2
<i>Nematodes</i> .....	2
<b>9.2 The disease triangle</b> .....	<b>2</b>
<b>9.3 Variety response</b> .....	<b>5</b>
<b>9.4 Environmental factors</b> .....	<b>7</b>
9.4.1 Cereal disease after drought.....	7
9.4.2 Cereal disease after significant rain events.....	7
<b>9.5 Management options</b> .....	<b>7</b>
9.5.1 Strategies.....	7
<b>9.6 Rusts</b> .....	<b>8</b>
<i>Key points to reduce the risk of rusts in cereals</i> .....	8
<b>9.6.1 What to look for</b> .....	<b>9</b>
<i>Barley leaf rust</i> .....	9
<i>Barley stem rust</i> .....	10
<i>Barley grass stripe rust</i> .....	10
<b>9.6.2 Disease cycle</b> .....	<b>10</b>
<i>Barley leaf rust</i> .....	10
<i>Stem rust of barley</i> .....	10
<i>Barley grass stripe rust</i> .....	11
<b>9.6.3 Management of barley rusts</b> .....	<b>11</b>
<i>Resistant varieties</i> .....	11
<i>Cultural practices</i> .....	11
<i>Seed treatment</i> .....	11
<i>Fungicides</i> .....	11
<i>Changes in the barley leaf rust pathogen</i> .....	11
<b>9.7 Barley scald</b> .....	<b>12</b>
<i>What to look for</i> .....	12
<b>9.8 Net blotch</b> .....	<b>15</b>
<b>9.9 Barley yellow dwarf virus (BYDV)</b> .....	<b>19</b>
<b>9.10 Powdery mildew</b> .....	<b>22</b>
<i>Disease life cycle</i> .....	22
<i>Disease conditions</i> .....	24
<i>Choose the best variety</i> .....	24
<i>Monitor the crop</i> .....	24
<i>Fungicides and treatment of crops</i> .....	25
<i>Integrated management of powdery mildew</i> .....	26
<b>9.11 Wheat streak mosaic virus (WSMV)</b> .....	<b>26</b>
<b>9.12 Barley stripe</b> .....	<b>27</b>
<b>9.13 Root and crown diseases</b> .....	<b>27</b>
9.13.1 Diagnosing root diseases.....	28
<b>9.14 Take-all</b> .....	<b>28</b>
<i>Control</i> .....	29

<b>9.15</b>	<b>Crown rot .....</b>	<b>29</b>
	<i>Effect of sowing time.....</i>	<i>30</i>
	<i>Crown rot phases.....</i>	<i>30</i>
	<i>Management.....</i>	<i>31</i>
	<i>Varietal resistance or tolerance.....</i>	<i>32</i>
<b>9.16</b>	<b>Pythium root rot.....</b>	<b>32</b>
	<i>Symptoms .....</i>	<i>32</i>
	<i>What else could it be? .....</i>	<i>33</i>
	<i>Where does it occur?.....</i>	<i>33</i>
	<i>Management strategies.....</i>	<i>33</i>
<b>9.17</b>	<b>Rhizoctonia disease.....</b>	<b>33</b>
	<i>Identifying risk.....</i>	<i>35</i>
	<i>Why is Rhizoctonia disease a problem?.....</i>	<i>35</i>
	<i>Biology.....</i>	<i>35</i>
	<i>Key factors influencing occurrence and severity .....</i>	<i>35</i>
	<i>Management strategies.....</i>	<i>36</i>
<b>9.18</b>	<b>Common root rot.....</b>	<b>38</b>
<b>9.19</b>	<b>Smut.....</b>	<b>38</b>
	<i>Bunt or stinking smut or covered smut .....</i>	<i>39</i>
	<i>Loose smut.....</i>	<i>40</i>
<b>10</b>	<b>Plant growth regulators and canopy management</b>	
<b>10.1</b>	<b>Canopy management.....</b>	<b>1</b>
	<i>Canopy management in WA.....</i>	<i>1</i>
10.1.1	Importance of canopy management.....	1
10.1.2	Barley trials from the western region.....	2
	<i>Plant population.....</i>	<i>2</i>
	<i>Different soil nitrogen reserves .....</i>	<i>3</i>
10.1.3	Crop row orientation and spacing.....	3
10.1.4	Grazing cereal crops as a management tool.....	5
<b>10.2</b>	<b>Key stages for disease control and canopy management .....</b>	<b>5</b>
<b>10.3</b>	<b>Use of plant growth regulators.....</b>	<b>6</b>
<b>11</b>	<b>Crop desiccation/spray out</b>	
<b>12</b>	<b>Harvest</b>	
<b>12.1</b>	<b>Pre-harvest swath.....</b>	<b>1</b>
	<i>When to swath.....</i>	<i>1</i>
	<i>Swathing and harvesting operation.....</i>	<i>2</i>
<b>12.2</b>	<b>Harvesting barley in WA.....</b>	<b>2</b>
<b>12.3</b>	<b>Header settings .....</b>	<b>3</b>
12.3.1	Direct heading of dry barley .....	4
12.3.2	Monitoring grain loss.....	4
<b>12.4</b>	<b>Delayed harvest issues and management .....</b>	<b>4</b>
	<i>Delayed harvest impacts.....</i>	<i>5</i>

12.4.1 Cost-effective harvest and logistics ..... 6

**12.5 Fire prevention..... 6**

    12.5.1 Using machinery..... 7

**12.6 Prioritising safety..... 8**

**12.7 Receival standards ..... 8**

**12.8 Harvest weed-seed control ..... 8**

    12.8.1 Intercepting annual weed seed ..... 9

    12.8.2 Burning of narrow windrow ..... 9

    12.8.3 Chaff carts ..... 11

    12.8.4 Bale-direct systems ..... 12

    12.8.5 Harrington Seed Destructor ..... 12

    12.8.6 Chaff grinding ..... 13

**13 Storage**

*Established strategies ..... 1*

**13.1 How to store barley on-farm ..... 1**

    13.1.1 Malt barley ..... 1

*Mould..... 2*

**13.2 Storage option ..... 2**

    13.2.1 Silos ..... 2

    13.2.2 Bunkers and shed storage ..... 4

    13.2.3 Grain bags..... 4

    13.2.4 Grain storage costs..... 4

**13.3 Aeration during storage ..... 5**

*Choices..... 6*

    13.3.1 Aeration cooling ..... 6

    13.3.2 Aeration drying ..... 7

*High moisture grain..... 7*

*Blending ..... 8*

**13.4 Hygiene ..... 9**

**13.5 Grain protectants and fumigants..... 11**

    13.5.1 Pesticide residues ..... 12

    13.5.2 Phosphine ..... 12

*Sealable silos ..... 13*

*Silo Bags ..... 14*

    13.5.3 Alternative strategies ..... 15

*Carbon dioxide..... 15*

*Nitrogen..... 15*

*Sulfuryl fluoride ..... 17*

*VaporMate®..... 17*

*Protectants ..... 17*

**13.6 Monitoring barley ..... 18**

    13.6.1 GRDC Stored grain App ..... 19

## 14 Environmental issues

<b>14.1 Frost</b> .....	<b>1</b>
14.1.1 What causes frost?.....	1
14.1.2 Measuring temperature.....	2
14.1.3 The changing nature of frost in Australia .....	2
14.1.4 How does frost affect crops? .....	3
<i>Cold or chilling damage</i> .....	3
<i>Dessication</i> .....	3
<i>Freezing damage</i> .....	4
<i>Effect of wet or dry canopy</i> .....	4
14.1.5 Frost identification—what to look for and how to look for it.....	5
<i>Assessing the damage</i> .....	5
<i>Juvenile frost damage</i> .....	6
<i>Stem-elongation frost damage</i> .....	6
<i>Cold damage to developing head prior to head emergence</i> .....	8
<i>Cold and desiccation damage during flowering</i> .....	9
<i>Freezing damage to head and reproductive structures</i> .....	11
<i>Freezing damage during grain development and grainfilling</i> .....	12
<i>Freezing damage to the peduncle</i> .....	14
14.1.6 Risk management for frost .....	16
<i>Pre-season management tactics</i> .....	16
<i>Management tactics within season</i> .....	19
<i>Post-frost management tactics</i> .....	20
14.1.7 Harvesting and marketing frosted grain .....	20
14.1.8 Retaining seed from frosted crops.....	21
14.1.9 Recovering from frost.....	21
14.1.10 National Frost Initiative .....	21
<b>14.2 Soil moisture issues for barley</b> .....	<b>22</b>
<i>Moisture stress</i> .....	22
<i>Waterlogging</i> .....	22

## 15 Marketing

<b>15.1 Selling principles</b> .....	<b>2</b>
15.1.1 Be prepared.....	2
<i>When to sell</i> .....	2
<i>How to sell</i> .....	2
15.1.2 Establish the business risk profile .....	3
<i>Production risk profile of the farm</i> .....	4
<i>Establishing a target price</i> .....	5
<i>Income requirements</i> .....	6
15.1.3 Managing price.....	7
<i>Methods of price management</i> .....	7
15.1.4 Ensuring access to markets .....	11
<i>Storage and logistics</i> .....	11

TABLE OF CONTENTS

FEEDBACK

<i>Cost of carrying grain</i> .....	13
<b>15.1.5 Converting tonnes into cash</b> .....	<b>14</b>
<i>Set up the toolbox</i> .....	14
<i>How to sell for cash</i> .....	15
<i>Counterparty risk</i> .....	18
<i>Relative values</i> .....	18
<i>Contract allocation</i> .....	19
<i>Read market signals</i> .....	20
<b>15.2 Western barley: market dynamics and execution</b> .....	<b>20</b>
15.2.1 Price determinants.....	20
15.2.2 Ensuring market access .....	23
15.2.3 Converting tonnes into cash.....	24
15.2.4 Risk management tools .....	25