



NORTHERN
SEPTEMBER 2018



GRDCTM **GROWNOTESTM**



CHICKPEA

CONTENTS



Contents

A Introduction

A.1 Agronomy at a glance.....	xxiii
A.2 Crop overview.....	xxiii
A.3 Keywords.....	xxviii

1 Planning/Paddock preparation

1.1 Chickpea requirements.....	2
1.2 Paddock selection	3
1.2.1 Avoid major variations in soil types.....	3
1.2.2 Avoid deep gilgai or heavily contoured country	3
1.2.3 Problematic paddocks	4
1.2.4 Bunching and clumping of stubble	4
1.3 Benefits of chickpeas as a rotation crop	4
1.3.1 Chickpeas preceding wheat.....	4
1.3.2 The pulse effect on cereal yields.....	6
<i>Crown rot</i>	7
<i>Quantifying yield increases after break crops.</i>	8
1.4 Which rotation is best?	8
1.4.1 Nitrogen fixation.....	8
1.4.2 Nitrate-N benefit for following cereals	9
1.4.3 Availability of nitrogen	9
1.4.4 Weeds	9
1.5 Disadvantages of chickpeas as a rotation crop.....	10
1.6 Fallow weed control.....	10
<i>Double-knock strategies</i>	11
<i>Important weeds in northern cropping systems</i>	11
<i>Awnless barnyard grass</i>	12
<i>Flaxleaf fleabane</i>	13
<i>Feathertop Rhodes grass</i>	15
<i>Windmill grass</i>	16
1.7 Fallow chemical plant-back periods.....	17
1.7.1 Herbicide residues in soil	18
1.8 Understanding soils and pulse crop constraints	19
1.8.1 Chemical constraints.....	21
<i>Acid soils</i>	21
<i>Alkaline soils</i>	21
1.8.2 Sodic soils.....	22
1.8.3 Salinity.....	23
1.8.4 Soil chloride levels	25
<i>Agronomic practices and crop choice</i>	26
1.8.5 Physical constraints	26
1.8.6 Nutrient constraints.....	26
<i>Biological constraints</i>	27
1.9 Herbicide residues in soil.....	27
1.9.1 Sulfonylurea residues, Group B	29
<i>Moderate residue levels</i>	30
<i>Symptoms include:</i>	30
<i>Highly sensitive crops (in order of susceptibility)</i>	30
<i>Highly susceptible indicator weeds</i>	30
<i>Strategy</i>	31
1.9.2 Imidazolinone (imi) residues, Group B.....	31
<i>Moderate residue levels</i>	32
<i>Low residue levels</i>	32
<i>Symptoms include:</i>	32
<i>Highly sensitive crops (in order of susceptibility)</i>	32

<i>Strategy</i>	32
1.9.3 Triazine residues (atrazine), Group C.....	32
<i>Highly susceptible indicator weeds</i>	33
<i>Strategy</i>	33
1.9.4 Group I	33
1.9.5 Group I residual herbicides	35
<i>Strategy</i>	36
1.10 Soil moisture	36
1.10.1 Dryland	36
1.10.2 Irrigation	37
<i>Irrigation management tips:</i>	38
1.11 Yield and targets	38
1.11.1 Seasonal outlook.....	38
1.11.2 Fallow moisture	40
<i>Cover crops</i>	40
<i>HowWet?</i>	41
1.11.3 Water-use efficiency.....	41
<i>The French-Schultz approach</i>	42
1.11.4 Double crop options.....	44
1.12 Disease status of the paddock	44
1.12.1 Soil testing for disease.....	45
1.13 Nematode status of the paddock	45
1.13.1 Nematode testing of soil	46
1.13.2 Effects of cropping history on nematode status	47
1.14 Feral pests	47

2 Pre-planting

2.1 Choosing a variety	1
2.2 Area of adaptation	1
2.3 Evaluation of yield potential.....	3
2.3.1 Yielding ability	4
<i>Desi types</i>	4
<i>Kabuli types</i>	6
2.3.2 Desi chickpea variety regional yields	9
2.3.3 Desi chickpea variety agronomic traits	10
2.3.4 Desi chickpea grain quality	10
2.4 Disease management and varietal resistance	11
2.4.1 Ascochyta blight.....	11
2.4.2 Phytophthora root rot.....	13
<i>Management options for Phytophthora root rot</i>	13
2.4.3 Nematodes.....	13
2.4.4 Viral diseases	14
2.5 Future breeding directions.....	15
2.6 Planting seed quality	15
2.6.1 Grower-retained planting seed.....	17
2.6.2 Safe storage of seed	18
2.6.3 Handling bulk seed	19
2.7 Seed testing	19
2.7.1 Germination testing.....	19
2.7.2 Vigour testing	19
2.7.3 Accelerated ageing vigour test	20
2.7.4 Conductivity vigour test	20
2.7.5 Cool germination and cold tests	20
2.7.6 Tetrazolium test (TZ) as a vigour test	20
2.7.7 Other	20
2.7.8 Weed contamination testing.....	20
2.7.9 Disease testing.....	21
2.7.10 Major pathogens identified in seed tests	21



2.7.11	Seed purity	22
	Key points:	23
	How widespread is the purity problem?.....	23
	Does it matter if a chickpea crop is a mixture of varieties?.....	24
2.7.12	Performing your own germination and vigour test.....	24
2.7.13	Safe rates of fertiliser sown with the seed	25

3 Planting

3.1	Inoculation	1
3.1.1	Nodulation and nitrogen fixation.....	1
3.1.2	Management impacts on N fixation	4
3.1.3	When to inoculate	5
3.1.4	Storing inoculants	5
3.1.5	Inoculum survival	6
3.1.6	Inoculant quality assurance	6
3.1.7	Inoculation methods.....	6
3.1.8	Inoculum slurry.....	7
3.1.9	Newer inoculation methods	8
3.1.10	In-furrow water injection	8
3.1.11	Granular inoculants	11
3.1.12	Inoculant trials.....	12
3.1.13	Inoculant and fungicide compatibility	13
3.1.14	Compatibility with trace elements.....	13
3.1.15	Effect of fungicidal seed dressings on inoculum survival	14
3.1.16	Inoculation checklist.....	14
3.1.17	Rating nodulation and nitrogen fixation (effectiveness)	15
3.1.18	Key for assessing nodulation in winter pulse crops.....	16
3.2	Seed treatments	17
3.3	Time of sowing	17
3.3.1	NSW DPI time-of-sowing trials	19
3.3.2	Time-of-sowing trial results 2012	20
3.3.3	Frost damage	21
	<i>Damage to vegetative growth:</i>	21
	<i>Damage to flowers and pods:</i>	22
3.4	Seeding rates	23
	<i>Calculating seeding rates</i>	23
3.5	Targeted plant population	24
3.6	Row placement.....	25
3.7	Sowing depth.....	26
3.7.1	Deep planting	26
3.8	Sowing equipment.....	27
3.8.1	Combine seeders	27
3.8.2	Airseeders	27
3.8.3	Seeder and tine comparisons	28

4 Plant growth and physiology

4.1	Key to growth stages.....	1
4.2	Crop growth and development	4
4.2.1	Emergence	5
4.2.2	Leaves	6
4.2.3	Roots	7
4.2.4	Branches	9
4.2.5	Flowering, podding and seed development.....	10
4.2.6	Climatic requirements for flowering	13
4.2.7	Tolerance to low temperature.....	15
4.2.8	Maturity	16
4.3	Flowering and maturity date in chickpea.....	18

4.3.1	Effect of planting time on flowering in different areas of Queensland	19
4.4	Reliable chickpea yields: risk management	20
4.4.1	Soil water storage capacity.....	20
4.4.2	Rooting depth	20
4.5	Yield expectation: relation to starting soil water and location	21
4.6	Seasonal climate outlook and yield expectation	21
4.7	Appendix I. Effect of planting time on flowering	23
4.7.1	Effect of planting time on flowering in the Dalby region	23
4.7.2	Effect of planting time on flowering in the Dubbo region.....	25
4.7.3	Effect of planting time on flowering in the Emerald region	26
4.7.4	Effect of planting time on flowering in the Goondiwindi region	28
4.7.5	Effect of planting time on flowering in the Narrabri region.....	29
4.7.6	Effect of planting time on flowering in the Roma region	31
4.7.7	Effect of planting time on flowering in the Walgett region	32
4.8	References and further reading	34

5 Nutrition and fertiliser

5.1	Identifying nutrient deficiencies	1
5.1.1	Soil testing.....	2
5.1.2	Types of soil test	2
5.2	Nutrient types	3
5.3	Balancing inputs	4
5.4	Nutrient budgeting	5
5.4.1	Detecting nutrient deficiencies.....	6
5.4.2	Nutrient toxicity	8
5.5	Fertiliser	9
5.5.1	Pulses and fertiliser toxicity	10
5.5.2	Nitrogen.....	11
5.5.3	Phosphorus.....	12
5.5.4	Potassium	13
5.5.5	Sulfur	14
5.5.6	Zinc	15
	Pre-plant treatments	16
	Seed treatments.....	16
	Fertilisers applied at sowing.....	17
	Foliar zinc sprays.....	17
	5.5.7 Iron	17
5.6	References and further reading	18

6 Weed control

6.1	Planning your weed control strategy	1
6.2	Herbicide resistance	2
6.2.1	Be a WeedSmart farmer	4
6.2.2	Ten ways to weed out herbicide resistance	5
6.3	Harvest weed-seed control.....	6
6.4	Other non-chemical weed control	7
6.5	Herbicides explained	7
6.5.1	Residual and non-residual	7
6.5.2	Post-emergent and pre-emergent.....	7
6.6	Integrated weed management in chickpea	8
	Crop rotation	8
	Good agronomic practice	8
	Timely cultivation.....	8
	In-crop weed control.....	9
	Herbicide resistance.....	9
6.7	Weed issues specific to chickpeas.....	10

6.8	Broadleaf weed control.....	10
	Post-emergent herbicides.....	10
	Pre-emergent herbicides.....	10
6.9	Post-emergent grass weed control	10
6.9.1	Mode of action	11
6.9.2	Managing wild oats in chickpeas	11
	<i>Winter fallow leading into, or out of, sorghum and other summer crops</i>	12
6.9.3	Avoidance of stress conditions	12
6.9.4	Grass herbicide damage in chickpeas.....	13
6.9.5	Sulfonylurea residues in boom sprays	13
6.10	Weed control requires a planned approach.....	14
6.10.1	Knockdown herbicides.....	14
6.10.2	Pre-emergent herbicides.....	15
	<i>Weed control</i>	15
	<i>Crop safety</i>	15
6.10.3	Pre-sowing (incorporation by sowing) herbicides	16
6.10.4	Post-sowing pre-emergent (PSPE) herbicides.....	16
6.10.5	Post-emergent herbicides.....	16
6.11	Other weed control strategies	17
6.11.1	Directed sprays in-crop.....	17
6.11.2	Shielded sprayers.....	17
6.12	Grazing stubbles or failed crops.....	18
6.13	Herbicide performance	18
6.14	Herbicide damage in pulse crops.....	19
6.14.1	Symptoms of crop damage caused by herbicides	19
6.14.2	Contamination of spray equipment.....	24
6.14.3	Spray drift.....	24
6.15	Getting best results from herbicides.....	25
6.16	Crop-topping and desiccation.....	26
6.16.1	Crop-topping trials in chickpea.....	26
6.17	Monitoring.....	27
6.17.1	Weed monitoring—a practical approach	28
	<i>When to scout, and what to look for in a new paddock or farm</i>	29
6.18	Mode of action.....	29
6.18.1	Mode of action matters	29
6.18.2	Mode-of-action labelling in Australia	29
6.19	Further reading	30

7 Insect control

7.1	Insect pest management	1
7.2	Insect control thresholds	1
7.2.1	Beneficial insects	2
7.3	Pest-management process	2
7.4	Legal considerations of pesticide use	3
7.4.1	Registration	3
7.4.2	Labels	4
	<i>MSDS</i>	4
	<i>Permits</i>	4
	<i>APVMA</i>	4
	<i>Always read the label</i>	4
7.5	Native budworm (<i>Heliothis</i>) (<i>Helicoverpa</i> spp.).....	5
	<i>Description</i>	5
	<i>Two species of Helicoverpa</i>	6
	<i>Species composition can vary and will affect control decisions</i>	7
7.6	Why distinguish the two species of <i>Helicoverpa</i> ?	8
7.6.1	Species composition can vary between seasons and regions	9
7.7	Monitoring chickpeas for insect pests.....	9

7.7.1	Sampling strategy and technique	10
	<i>Beat sheet v. sweep net</i>	10
	<i>Using a beat sheet</i>	10
	<i>How to use a beat sheet</i>	10
	<i>Using a sweep net to monitor <i>Helicoverpa</i></i>	11
	<i>Recording of monitoring data for decision-making</i>	11
	<i>Eggs</i>	11
	<i>Very small larvae</i>	12
7.8	Economic thresholds for <i>Helicoverpa</i> —the cornerstone of decision-making ..12	
7.8.1	Economic thresholds for <i>Helicoverpa</i>	12
7.8.2	Dynamic economic thresholds for the northern region.....	13
7.8.3	Additional information on using the threshold to make a decision ..14	
	<i>Helicoverpa activity during flowering does not result in yield loss</i>	14
	<i>Larval feeding behaviour—how this influences crop damage</i>	14
	<i>Grain quality</i>	15
	<i>Natural mortality of larvae is high</i>	15
	<i>Knowledge gaps</i>	17
7.9	Use of <i>Helicoverpa</i> economic thresholds—an example	17
7.10	Making a decision to control	17
7.10.1	Selecting control options	18
	<i>'Spray small or spray fail'</i>	18
7.10.2	Key considerations	18
	<i>Chickpeas provide the first host for <i>H. armigera</i> each season</i>	18
	<i>Beneficial insects make little contribution to <i>Helicoverpa</i> control in chickpeas</i>	18
	<i>Resistance management underpins product efficacy</i>	19
7.10.3	Steward TM (indoxacarb) and the IRMS	19
7.11	Broader management considerations	19
7.12	Area-wide management strategies for <i>Helicoverpa</i> —the role of chickpeas ...20	
	<i>Chickpeas can host the first generation of <i>Helicoverpa armigera</i></i>	21
7.13	Control options	21
7.13.1	Resistance management and product selection.....	21
7.13.2	Other management considerations.....	22
7.14	Checking compatibility of products used in mixtures	22
7.14.1	Compatibility of insecticides with mancozeb formulations.....	22
7.15	Post-spray assessments	23
7.16	Blue-green aphid (<i>Acyrthosiphon kondoi</i>)	24
	<i>Lifecycle</i>	25
	<i>Monitoring</i>	25
	<i>Control</i>	25
7.17	Cowpea aphid (<i>Aphis cracciura</i>).....	26
	<i>Lifecycle</i>	26
	<i>Monitoring</i>	26
	<i>Control</i>	27
7.18	Aphids and virus incidence.....	27
7.18.1	Integrated pest management and viruses.....	28
7.18.2	Controlling direct feeding damage	28
7.19	Australian plague locust (<i>Chortoicetes terminifera</i>)	29
	<i>Description</i>	30
	<i>Lifecycle</i>	30
	<i>Damage</i>	31
	<i>Control</i>	32
7.20	Spur-throated locust (<i>Austracris guttulosa</i>)	32
	<i>Damage</i>	33
	<i>Life cycle</i>	33
	<i>Control</i>	33
7.21	Exotic chickpea insects	34
7.21.1	Exotic leaf miners (Diptera: Agromyzidae)	34

Description.....	34
Damage.....	34
Surveillance.....	34
7.22 Beneficial organisms.....	36
7.23 References and further reading	39
Brochures.....	40

8 Nematode management

8.1 Background	1
8.2 Symptoms and detection	2
8.3 Symptoms in chickpeas	3
8.3.1 What is seen in the paddock?.....	4
8.4 Management.....	5
8.4.1 Crop Rotation.....	6
8.4.2 Sowing time	7
8.5 What are resistance and tolerance?	8
8.5.1 Resistance: nematode multiplication	8
8.5.2 Tolerance: crop response	8
8.6 Varietal resistance or tolerance.....	9
8.6.1 Tolerance.....	10
8.6.2 Resistance.....	11
8.6.3 Resistance differences between Desi chickpea varieties	11
8.6.4 Resistance differences between Kabuli chickpea varieties	12
8.7 Damage caused by nematodes.....	13
8.8 Nematodes and crown rot	13
8.8.1 Importance of variety choice.....	13

9 Diseases

9.1 The diseases.....	1
9.2 Fungal disease management strategies	2
9.3 Integrated disease management	4
9.4 Risk assessment.....	5
9.4.1 Steps in risk assessment	6
9.4.2 Paddock selection	6
9.4.3 Regular crop monitoring	7
For Ascochyta blight.....	7
For Botrytis grey mould.....	7
9.4.4 Foliar fungicides	7
9.5 Ascochyta blight	8
9.5.1 Background.....	8
9.5.2 Economic importance	8
Biology and epidemiology.....	8
9.5.3 Symptoms	10
9.5.4 Management options	12
Resistant (R): Genesis TM 090, Genesis TM 425	12
Moderately resistant (MR): PBA HatTrick [®] , PBA Boundary [®] , Genesis TM 114.....	13
Susceptible (S): Jimbour [®] , Kyabra [®] , PBA Pistol [®]	13
A fungicide program.....	13
9.6 Botrytis grey mould.....	14
9.6.1 Background.....	14
9.6.2 Economic importance	14
9.6.3 Biology and epidemiology.....	14
9.6.4 Symptoms	15
9.6.5 Management options	18
Stubble management.....	18
Volunteer control: the 'green bridge'.....	18
Seed source	18

<i>Seed fungicides (dressings)</i>	18
<i>Paddock selection.....</i>	18
<i>Sowing time and row spacing.....</i>	18
<i>Varietal resistance</i>	18
<i>Foliar fungicides.....</i>	18
9.7 Phytophthora root rot	19
9.7.1 Background.....	19
9.7.2 Economic importance	20
9.7.3 Biology and epidemiology.....	20
9.7.4 Symptoms	21
9.7.5 Management options for PRR.....	24
9.7.6 Management options for waterlogging	25
9.8 Sclerotinia stem and crown rot.....	25
9.8.1 Background.....	25
9.8.2 Economic importance	26
9.8.3 Biology and epidemiology.....	26
9.8.4 Symptoms.....	26
9.8.5 Management options	29
9.9 Root rots including damping off (<i>Fusarium</i> , <i>Rhizoctonia</i> and <i>Pythium</i> spp.)....	29
9.9.1 Symptoms	29
9.9.2 Economic importance	30
9.9.3 Disease cycle	30
9.9.4 Management options	30
9.10 Collar rot (<i>Sclerotium rolfsii</i>).....	32
9.10.1 Symptoms	32
9.10.2 Economic importance	32
9.10.3 Disease cycle	32
9.10.4 Management options	32
9.11 Virus management	33
9.11.1 The northern experience in 2013	35
<i>Biology of significant viruses of pulses, particularly chickpeas.....</i>	36
<i>Better agronomy—better chickpeas</i>	37
<i>Proximity to canola plantings</i>	38
9.11.2 Economic importance	38
9.11.3 Virus types.....	38
9.11.4 Symptoms	39
9.11.5 Chickpea virus-testing resource	40
9.12 Fungal disease control.....	41
9.12.1 When to spray	41
9.12.2 Principles of spraying.....	41
9.13 Registered fungicides	43

10 Plant growth regulators and canopy management

11 Crop desiccation and spray out

11.1 Seed and pod development	1
11.2 Timing of desiccation.....	2
11.3 Effect of desiccants on green immature seeds	4
11.4 Products registered for the desiccation of chickpea.....	5
11.5 Windrowing.....	5
11.6 Crop-topping	6

12 Harvest

12.1 Planning for an early harvest	2
12.2 Paddock selection and agronomy	2
12.3 Harvest timing and technique.....	2
12.4 Impact of delayed harvest on profitability	3

12.4.1 Yield losses	3
12.4.2 Deterioration in grain quality	4
12.4.3 Chickpea seed discoloration.....	5
12.4.4 Missed marketing opportunities.....	6
12.5 Implementing early harvest management.....	6
12.6 Harvesting and header settings.....	7
12.7 Modifications and harvest aids.....	8
12.8 Achieving a clean sample	10
12.8.1 Perforated screens	10
12.8.2 Harvester speed	10
12.8.3 Harvesting in high humidity.....	10
12.8.4 Pick-up fronts.....	10
12.8.5 Flexible cutter-bar fronts (flexi-fronts)	11
12.9 Fire safety	11
12.10 Lodged crops	11
12.11 Harvest weed-seed management in the northern grains region	11
Background.....	11
Approach.....	12
Results	13
Implications.....	14

13 Storage

Condition of the seed at harvest.....	1
13.1 How to store chickpeas on-farm	2
Insect pests in storage.....	5
13.2 Hygiene.....	6
13.3 Fumigating chickpeas.....	6
13.4 Aeration during storage	8
13.5 Monitoring chickpeas in storage	9
13.6 Structural treatments for chickpea storages	10
13.6.1 Applying inert dust	10
13.6.2 Silo application	10

14 Environmental issues

14.1 Frost and temperature issues for chickpeas	1
Effects of temperature and frost damage.....	1
Frost damage to vegetative growth.....	1
Frost damage to flowers and pods	1
Low-temperature flower abortion	1
High-temperature flower abortion.....	1
14.2 Tolerance to low temperature	3
14.3 Waterlogging and flooding issues	4

15 Marketing

15.1 Selling Principles.....	2
15.1.1 Be prepared.....	2
When to sell	2
How to sell?	2
15.1.2 Establish the business risk profile (when to sell?).....	3
Production risk profile of the farm.....	3
Farm costs in their entirety, variable and fixed costs (establishing a target price).	4
Income requirements	4
When to sell revised.....	5
15.1.3 Managing your price (how to sell?)	5
Methods of price management.....	5
15.1.4 Ensuring access to markets.....	8
Storage and Logistics	8

<i>Cost of carrying grain.....</i>	9
15.1.5 Ensuring market access revised	10
15.1.6 Executing tonnes into cash.....	10
<i>Set-up the tool box</i>	10
<i>How to sell for cash</i>	11
<i>Counterparty risk.....</i>	14
<i>Relative values</i>	15
<i>Contract allocation.....</i>	16
<i>Read market signals.....</i>	16
15.1.7 Sales execution revised	17
15.2 Northern chickpeas – market dynamics and execution	17
15.2.1 Price determinants for northern chickpeas.....	17
15.2.2 Ensuring market access for Northern chickpeas	19
15.2.3 Executing tonnes into cash for Northern chickpeas.....	19