



SOUTHERN

JANUARY 2018

GRDCTM GROWNOTESTM



TRITICALE

CONTENTS

TABLE OF CONTENTS

FEEDBACK

Contents

Introduction

A.1	Crop overview.....	xxi
A.1.1	Triticale for human consumption.....	xxii
A.1.2	Triticale for animal consumption	xxiv
A.1.3	Triticale for biofuel	xxv
A.2	Growing regions	xxv
A.3	Brief history	xxvii
A.3.1	Triticale in Australia.....	xxvii

1 Planning/Paddock preparation

	<i>Key messages.....</i>	<i>1</i>
1.1	Paddock selection.....	1
1.1.1	Topography.....	1
1.1.2	Soil	2
	<i>The impact of different soil moisture and soil compaction on the growth of triticale root systems.....</i>	<i>3</i>
	<i>Soil pH.....</i>	<i>4</i>
1.1.3	Sampling soil quality	6
	<i>Sampling strategy.....</i>	<i>7</i>
	<i>Sampling equipment.....</i>	<i>7</i>
	<i>Sampling depth.....</i>	<i>8</i>
	<i>Sample handling.....</i>	<i>8</i>
1.1.4	Biological inputs.....	8
	<i>Yield constraints in the Southern Region.....</i>	<i>8</i>
1.1.5	Paddock selection for forage cereals.....	8
1.1.6	Weed burden and herbicide history	9
1.1.7	Fallow moisture and management.....	9
1.2	Paddock rotation and history.....	9
1.2.1	Triticale as a rotation crop	10
	<i>Benefits of cereals as a rotation crop.....</i>	<i>11</i>
	<i>Disadvantages of cereals as a rotation crop.....</i>	<i>11</i>
1.2.2	Break cropping	12
1.2.3	Long-fallow disorder	13
1.3	Fallow weed control.....	13
	<i>Summer fallow weed control and residue management impacts on winter crop yield through soil water and N accumulation in a winter-dominant low rainfall region of southern Australia.....</i>	<i>14</i>
1.3.1	The green bridge	15
1.3.2	Management strategies	16
1.3.3	Stubble retention.....	17
	<i>Reducing erosion risk.....</i>	<i>17</i>

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

<i>Increasing soil water content</i>	17
<i>Increasing soil carbon</i>	18
<i>Other benefits of stubble retention</i>	18
<i>Management practices affecting stubble cover</i>	18
1.4 Fallow chemical plant-back effects	19
<i>Plant-back periods for fallowing herbicides</i>	20
1.4.1 <i>Herbicide residues in soil: an Australia-wide study</i>	22
1.5 Seedbed requirements	23
1.5.1 <i>Structural decline of seedbed soil</i>	25
<i>Background</i>	25
<i>Management to improve seedbed soil structure</i>	25
1.5.2 <i>Tillage</i>	26
<i>Tillage, microbial biomass and soil biological fertility</i>	27
1.6 Soil moisture	30
1.6.1 <i>Dryland</i>	30
<i>Soil-water extraction by dryland crops, annual pastures and lucerne in south-eastern Australia</i>	30
<i>Monitoring soil moisture in dryland areas</i>	31
1.6.2 <i>Irrigation</i>	32
<i>Genetic improvement of triticale for irrigation in south-eastern Australia</i>	33
<i>The future of irrigation</i>	34
1.7 Yield and targets	34
<i>Triticale v. durum wheat: a yield comparison in Mediterranean-type environments</i>	35
<i>Estimating crop yields</i>	35
<i>Yield Prophet®</i>	36
1.7.1 <i>Seasonal outlook</i>	37
<i>CliMate</i>	37
<i>Climate Analogues</i>	38
1.7.2 <i>Fallow moisture</i>	38
<i>HowWet/N?</i>	38
1.7.3 <i>Water Use Efficiency</i>	39
<i>Triticale grain yield and physiological response to water stress</i>	40
1.7.4 <i>Nitrogen-use efficiency</i>	42
<i>Optimising nitrogen-use efficiency</i>	42
1.7.5 <i>Double-crop options</i>	42
<i>Crop sequencing for irrigated double cropping in the Murrumbidgee Valley</i>	43
1.8 Disease status of paddock	44
1.8.1 <i>Testing soil for disease</i>	44
<i>PreDicta B</i>	44
1.8.2 <i>Effects of cropping history</i>	45
1.9 Nematode status of paddock	46
1.9.1 <i>Testing soil for nematodes</i>	47
<i>PreDicta B</i>	47
1.9.2 <i>Effects of cropping history</i>	47

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

1.10 Insect status of paddock.....	47
1.10.1 Testing soil for insects	48
<i>Using a sweep net.....</i>	49
<i>Soil sampling by spade.....</i>	49
<i>Germinating-seed bait technique.....</i>	49
<i>Identifying insects.....</i>	49
1.10.2 Effects of cropping history.....	50
2 Pre-planting	
Key messages.....	1
2.1 Triticale as a dual-purpose crop	1
2.1.1 Benefits of growing dual-purpose or winter-forage crops.....	2
<i>1. Minimises risks.....</i>	2
<i>2. Capitalises on early rainfall</i>	2
<i>3. Flexibility in enterprise mix</i>	2
<i>4. Improved cash-flow.....</i>	3
2.1.2 When to graze.....	3
<i>Evaluation of triticale as dual-purpose forage and grain crops.....</i>	5
2.1.3 Breeding dual-purpose triticale.....	5
2.1.4 Triticale grain for livestock.....	6
2.1.5 Triticale as a cover crop	7
<i>Under-sowing lucerne</i>	8
2.2 Varietal performance and ratings yield.....	9
2.2.1 Varieties.....	10
<i>New: Astute®</i>	10
<i>Berkshire®</i>	11
<i>New: Bison®</i>	11
<i>Bogong®</i>	11
<i>Canobolas®</i>	11
<i>Chopper®</i>	12
<i>Fusion®</i>	12
<i>Goanna</i>	12
<i>KM10</i>	12
<i>Tahara</i>	12
<i>Yowie</i>	13
<i>Hawkeye®</i>	13
<i>Jaywick®</i>	13
2.2.2 Dual-purpose triticales.....	13
<i>Endeavour®</i>	13
<i>Rufus.....</i>	13
<i>Tobruk®</i>	14
<i>Tuckerbox</i>	14
<i>Yukuri.....</i>	14
2.3 Planting-seed quality.....	14
2.3.1 Seed size.....	15

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

2.3.2 Seed germination and vigour	17
2.3.3 Seed storage.....	19
2.3.4 Safe rates of fertiliser to sow with seed.....	21

3 Planting

<i>Key messages:</i>	1
3.1 Innoculation.....	1
3.2 Seed treatments	1
3.2.1 Emergence problems.....	2
3.2.2 Fertiliser at seeding.....	3
3.3 Time of sowing	3
<i>Lodging</i>	4
3.4 Targeted plant population	5
3.5 Calculating seed requirements.....	7
3.6 Sowing depth	9
3.7 Sowing equipment.....	11

4 Plant growth and physiology

<i>Key Messages:</i>	1
4.1 Identifying triticale	1
4.2 Germination and emergence	3
<i>Phase 1: Water absorption.</i>	3
<i>Phase 2: Activation.</i>	4
<i>Phase 3: Visible germination.</i>	4
<i>Conditions of germination.</i>	4
4.2.1 Soil moisture.....	7
4.3 Effect of temperature, photoperiod and climate on plant growth and physiology.....	8
4.3.1 Temperature	8
4.3.2 Photoperiod.....	8
4.3.3 Salinity.....	9
<i>The affect of salt stress on photosynthetic characteristics and growth of triticale.....</i>	9
4.3.4 Drought.....	9
<i>The role of stomatal conductance for water and radiation use efficiency of durum wheat and triticale in a Mediterranean environment.....</i>	10
<i>Water stress</i>	11
<i>Triticale grain yield and physiological response to water stress.....</i>	11
4.4 Plant growth stages.....	11
4.4.1 Zadoks scale of cereal growth stages	11
<i>Zadoks growth key.....</i>	13
4.4.2 Germination and early seedling growth.....	14
4.4.3 Tillering and vegetative growth	14
4.4.4 Stem elongation and heading	15
4.4.5 Flowering and grainfilling.....	16

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

4.4.6 Growth of triticale compared to other cereals	17
<i>Variation in temperate cereals in rain-fed environments</i>	20
5 Nutrition and fertiliser	
Key messages	1
5.1.1 Declining soil fertility	2
<i>Balancing sources of nutrition</i>	3
5.1.2 Fertilisers	3
<i>Application</i>	5
5.1.3 Fungi and soil health	5
<i>Management to optimise mycorrhizae</i>	6
5.2 Crop removal rates	7
5.3 Soil testing	7
5.3.1 Why test soil?	8
5.3.2 Basic requirements	8
5.3.3 Types of test	8
5.4 Plant-tissue testing for nutrition levels	9
5.4.1 Plant tissue analysis	9
5.5 Nitrogen	10
<i>Responses of triticale, wheat, rye and barley to nitrogen fertiliser</i>	12
5.5.1 Symptoms of deficiency	13
<i>What to look for in the paddock</i>	13
<i>What to look for in the plant</i>	13
<i>What else it could be</i>	15
5.5.2 Managing nitrogen	15
<i>Timing of application</i>	15
<i>Budgeting</i>	16
5.6 Phosphorus	16
<i>Cereal types and phosphorus use in Waikerie, Murray Mallee</i>	17
5.6.1 Symptoms of deficiency	19
<i>What to look for in the paddock</i>	19
<i>What to look for in the plant</i>	19
<i>What else it could be</i>	21
<i>Soil testing</i>	22
5.6.2 Managing phosphorus	22
5.7 Sulfur	23
5.7.1 Symptoms of deficiency	24
<i>What to look for in the paddock</i>	24
<i>What to look for in the plant</i>	24
<i>What else it could be</i>	26
5.7.2 Managing sulfur	26
<i>Supplies of sulfur (elemental or sulphate)</i>	26
5.8 Potassium	27
5.8.1 Symptoms of deficiency	28

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

<i>What to look for in the paddock</i>	28
<i>What to look for in the plant</i>	28
<i>What else it could be</i>	29
5.8.2 Managing potassium	30
<i>Fertiliser types</i>	30
<i>Fertiliser placement and timing</i>	30
5.9 Micronutrients	31
5.9.1 Manganese	32
<i>Symptoms of deficiency</i>	32
<i>Managing manganese deficiency</i>	35
5.9.2 Copper	35
<i>Tolerance of triticale, wheat and rye to copper deficiency in low and high soil pH</i> 35	
<i>Symptoms of deficiency</i>	36
<i>Managing copper deficiency</i>	38
5.9.3 Zinc	39
<i>Symptoms of deficiency</i>	39
<i>Managing zinc deficiency</i>	41
5.9.4 Iron	42
<i>Symptoms of deficiency</i>	42
<i>Managing iron deficiency</i>	44
5.10 Nutritional deficiencies	44
5.10.1 Making use of the crop-nutrition information available to you	44
<i>Useful resources</i>	44
6 Weed control	
<i>Key messages</i>	1
6.1 Weed competitiveness of triticale	1
6.1.1 Best management practices for weed control in triticale	2
6.2 Integrated weed management	3
6.2.1 IWM for triticale	3
<i>The effect of cultivation and row spacing on the competitiveness of triticale</i>	3
6.2.2 General IWM principles and tactics	4
<i>Review past actions</i>	5
<i>Assess the current weed status</i>	6
<i>Identify weed management opportunities</i>	6
<i>Fine-tune your list of options</i>	6
<i>Combine and test ideas</i>	6
6.2.3 IWM in the southern region	7
6.3 Key weeds of Australia's cropping systems	8
<i>RIM (Ryegrass Integrated Management)</i>	9
6.3.1 Ryegrass management in the southern region	10
<i>Mouldboard ploughing</i>	11
<i>Pre-emergent herbicides</i>	11
<i>Narrow windrow burning</i>	11
6.3.2 Brome grass and barley grass in the southern region	11

CONTENTS TRITICALE

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

<i>Managing brome grass and barley grass</i>	13
6.3.3 Emerging threat of flaxleaf fleabane.....	13
<i>Control strategy.....</i>	14
6.3.4 Feathertop Rhodes grass heads south.....	15
<i>Fallow control.....</i>	15
<i>In-crop control</i>	16
6.3.5 Wild radish resistance.....	16
6.4 Herbicides.....	17
6.4.1 Herbicides explained	18
<i>Residual and non-residual herbicides</i>	18
<i>Pre-emergent and post-emergent herbicides.....</i>	18
<i>Herbicide groups.....</i>	18
6.5 Pre-emergent herbicides	19
6.5.1 Benefits and concerns.....	19
6.5.2 Understanding pre-emergent herbicides	20
<i>Behaviour of pre-emergent herbicides in the soil.....</i>	20
6.5.3 Top tips for using pre-emergent herbicides.....	21
6.6 Post-planting pre-emergent herbicides	22
6.6.1 Incorporation by sowing.....	22
6.7 In-crop herbicides: knockdowns and residuals	24
6.7.1 Applying in-crop herbicides	24
<i>How to get the most out of post-emergent herbicides</i>	25
6.7.2 Agricultural Chemical Control Areas.....	25
6.8 Conditions for spraying.....	27
6.8.1 Minimising spray drift.....	28
6.8.2 Types of drift.....	29
6.8.3 Factors in the risk of spray drift.....	30
<i>Volatility</i>	30
6.8.4 Minimising drift.....	31
6.8.5 Spray release height	32
6.8.6 Size of area treated	32
6.8.7 Capture surface	32
6.8.8 Weather conditions to avoid	33
6.9 Testing for herbicide tolerance.....	34
6.10 Potential herbicide damage of triticale	34
6.10.1 Avoiding crop damage from residual herbicides	35
<i>What are the issues?.....</i>	35
<i>Which herbicides are residual?.....</i>	35
<i>How can I avoid damage from residual herbicides?</i>	36
6.10.2 Plant-back intervals	37
<i>How does resistance start?.....</i>	41
6.10.3 General principles to avoid resistance	41

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

Glyphosate-resistant weeds in Australia.....	43
6.10.4 Ten-point plan to weed out herbicide resistance.....	44
1. Act now to stop weed seedset.....	44
2. Capture weed seeds at harvest.....	44
3. Rotate crops and herbicide modes of action.....	45
4. Test for resistance to establish a clear picture of paddock-by-paddock status ..	45
5. Never cut the rate	46
6. Don't automatically reach for glyphosate.....	46
7. Carefully manage spray events.....	46
8. Plant clean seed into clean paddocks with clean borders.....	46
9. Use the double-knock technique.....	47
10. Employ crop competitiveness to combat weeds	47
6.10.5 If you think you have resistant weeds.....	47
Testing services	48
6.10.6 Monitoring weeds	48
Tips for monitoring.....	49

7 Insect control

Key messages.....	1
7.1 Potential insect pests	2
7.2 Integrated pest management	5
7.2.1 Key IPM strategies	6
7.2.2 Insecticide choices	6
7.2.3 Insecticide resistance	6
7.2.4 Insect sampling methods.....	6
Factors that contribute to quality monitoring.....	6
Keeping good records.....	7
Sampling methods.....	8
Identifying insects.....	10
7.3 Russian wheat aphid.....	10
7.3.1 Damage caused by RWA	12
7.3.2 Where to look and what to look for.....	12
Measures to increase the likelihood of detecting RWA	13
7.3.3 Thresholds for control.....	15
7.3.4 Management of RWA	16
Control options.....	16
7.4 Aphids.....	16
7.4.1 Oat or wheat aphid.....	17
7.4.2 Corn aphid	17
7.4.3 Rose-grain aphid	18
7.4.4 Conditions favouring aphid development.....	19
7.4.5 Thresholds for control.....	19
7.4.6 Managing aphids.....	19
Biological control.....	20

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

<i>Cultural control</i>	20
<i>Chemical control</i>	20
<i>Monitoring</i>	21
7.5 Cutworm.....	21
7.5.1 Damage caused by cutworms.....	23
7.5.2 Thresholds for control.....	23
7.5.3 Managing cutworm.....	24
<i>Biological control</i>	24
<i>Cultural control</i>	24
<i>Chemical control</i>	24
7.6 Mites	24
7.6.1 Redlegged earth mite	24
<i>Damage caused by RLEM</i>	26
<i>Managing RLEM</i>	26
7.6.2 Balaustium mite	29
<i>Damage caused by Balaustium mite</i>	30
<i>Management</i>	30
7.6.3 Blue oat mite	31
<i>Damage caused by BOM</i>	33
<i>Managing BOM</i>	33
7.6.4 Bryobia mite	35
<i>Damage cause by Bryobia mites</i>	37
<i>Managing Bryobia mites</i>	37
7.7 Lucerne flea.....	37
7.7.1 Damage caused by the lucerne flea.....	39
7.7.2 Managing the lucerne flea.....	39
<i>Biological control</i>	40
<i>Cultural control</i>	40
<i>Chemical control</i>	41
7.8 Armyworm	41
7.8.1 Damage caused by armyworms	43
7.8.2 Thresholds for control.....	44
7.8.3 Managing armyworms	44
<i>Sampling and detection</i>	44
<i>Biological control</i>	45
<i>Cultural control</i>	45
<i>Chemical control</i>	45
7.9 Slugs and snails.....	46
7.9.1 Economic thresholds for control.....	48
7.9.2 Managing slugs and snails	48
<i>Biological control</i>	48
<i>Cultural control</i>	49
<i>Chemical control</i>	49
<i>Monitoring snails</i>	49

TABLE OF CONTENTS**FEEDBACK**

<i>Monitoring slugs</i>	50
7.10 Wireworms and false wireworms	51
7.10.1 False wireworms	51
<i>Biology.....</i>	53
<i>Damage caused by false wireworms.....</i>	54
7.10.2 True wireworm	55
<i>Biology.....</i>	55
<i>Damage.....</i>	56
7.10.3 Sampling and detection of wireworms.....	56
<i>Sampling</i>	56
<i>Detection.....</i>	56
7.10.4 Control	56
7.11 Plague locusts.....	57
8 Nematode management	
<i>Key messages.....</i>	1
<i>Cereal root disease management in Victoria and southern Australia.....</i>	2
8.1 Root-lesion nematodes (RLN)	3
8.1.1 Symptoms	5
<i>Soil testing.....</i>	7
8.1.2 Varietal resistance or tolerance	7
8.1.3 Damage caused by RLN.....	7
8.1.4 Conditions favouring development.....	8
<i>How long does it take to reduce <i>P. thornei</i> in soils?.....</i>	8
8.1.5 Thresholds for control.....	9
8.1.6 Management of RLN	9
8.2 Cereal cyst nematodes.....	11
8.2.1 Symptoms and detection	12
8.2.2 Varietal resistance or tolerance	14
8.2.3 Damage caused by CCN.....	14
8.2.4 Management	14
8.3 Nematodes and crown rot.....	15
8.3.1 Management	16
<i>Soil testing.....</i>	16
8.3.2 Varietal choice	17
9 Diseases	
<i>Key messages.....</i>	1
9.1 General disease-management strategies.....	2
<i>Cereal root disease management in the Southern region.....</i>	2
9.1.1 Tools for diagnosing cereal diseases	3
<i>Crop Disease Au app</i>	3
<i>The app Crop Disease Au, developed by the National Variety Trials, allows the user to quickly:.....</i>	3

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

<i>MyCrop</i>	3
<i>CropPro</i>	4
9.2 Rust	4
9.2.1 Varietal resistance or tolerance	5
9.2.2 Symptoms	6
9.2.3 Stripe rust	7
<i>Stripe rust in southern Australia</i>	8
<i>Managing stripe rust</i>	8
9.2.4 Stem rust (black rust)	9
<i>Stem rust in southern Australia</i>	10
9.2.5 Leaf rust (brown rust)	10
9.2.6 Managing cereal rust	12
<i>Breeding cereals for rust resistance in Australia</i>	12
9.3 Yellow leaf spot (tan spot)	13
9.3.1 Varietal resistance	14
9.3.2 Damage caused by yellow leaf spot	14
9.3.3 Symptoms	14
9.3.4 Conditions favouring development	15
9.3.5 Management of disease	16
<i>Minimising the risk of yellow leaf spot</i>	16
<i>In-crop fungicides and timing</i>	16
9.3.6 Integrated disease management of rusts and yellow leaf spot	17
9.4 Take-all	17
9.4.1 Symptoms	18
<i>What to look for in the paddock</i>	18
<i>What to look for in the plant</i>	19
9.4.2 Conditions favouring development	20
<i>Hosts</i>	20
9.4.3 Managing take-all	21
9.5 Crown rot	21
9.5.1 Update on the latest research	22
9.5.2 Damage caused by crown rot	23
9.5.3 Symptoms of crown rot	24
9.5.4 Symptoms of Fusarium head blight	26
9.5.5 Conditions favouring development	27
<i>Crown rot</i>	27
<i>FHB</i>	28
9.5.6 Management	28
<i>Crop rotation</i>	29
<i>Variety selection</i>	30
<i>Crop management</i>	30
<i>Cultivation</i>	30
<i>Stubble burning</i>	31

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

Reducing water loss	31
Grass-weed management	31
Sowing time.....	31
Row placement	32
Soil type.....	32
Soil testing	32
9.6 Common root rot.....	33
9.6.1 Damage caused by disease.....	33
9.6.2 Symptoms	33
<i>What to look for in the paddock.....</i>	33
<i>What to look for in the plant.....</i>	33
9.6.3 Conditions favouring development.....	34
9.6.4 Management	34
9.7 Smut and bunt.....	34
9.7.1 Bunt or stinking smut	34
<i>Managing bunt.....</i>	35
9.7.2 Loose smut	35
<i>Managing smut</i>	36
9.8 Rhizoctonia barepatch	36
9.8.1 Symptoms	37
<i>What to look for in the paddock.....</i>	37
<i>What to look for in the plant.....</i>	38
9.8.2 Conditions favouring development.....	40
<i>Factors affecting Rhizoctonia.....</i>	40
9.8.3 Managing Rhizoctonia.....	41
9.9 Ergot	41
9.9.1 Damage caused by disease.....	42
<i>Gangrenous ergotism of humans and cattle.....</i>	42
<i>Convulsive ergotism.....</i>	42
9.9.2 Symptoms	42
<i>What to look for in the plant</i>	42
<i>What to look for in stock</i>	43
9.9.3 Conditions favouring development.....	43
9.9.4 Management of disease.....	44
<i>Marketing options</i>	46
9.10 Septoria tritici blotch	46
9.10.1 Symptoms	46
9.10.2 Varietal resistance or tolerance	48
9.10.3 Conditions favouring development.....	48
9.10.4 Management	48
<i>Variety selection</i>	49
<i>Cultural practices</i>	49
<i>Crop rotations.....</i>	49

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

<i>Fungicides</i>	49
9.11 Cereal fungicides	50
9.11.1 Fungicide stewardship	51
9.12 Barley yellow dwarf virus	52
<i>Economic importance</i>	52
9.12.1 Symptoms	52
9.12.2 Conditions favouring development.....	54
9.12.3 Management	54
<i>Chemical treatments</i>	55
9.13 Disease following extreme weather	55
9.13.1 Cereal disease after drought.....	55
9.13.2 Cereal disease after flood	55
10 Plant growth regulators and canopy management	
Key messages.....	1
10.1 Plant growth regulators	1
10.1.1 PGRs and tritcale.....	1
10.1.2 PGRs in Australia.....	2
10.1.3 Considering mixed results.....	3
<i>Conclusions: The value of PGRs</i>	4
10.1.4 Case study: Moddus® Evo	4
<i>Methods</i>	4
<i>Results</i>	4
10.2 Canopy management	5
<i>What is canopy management?</i>	5
<i>Canopy management—Inverleigh</i>	7
10.3 Cereal canopy management in a nutshell	9
10.3.1 Setting up the canopy.....	10
10.3.2 Soil moisture status	10
10.3.3 Soil nitrogen	10
10.3.4 Seeding rate and date	11
<i>Row spacing</i>	11
<i>Yield</i>	12
<i>Plant spacing</i>	13
<i>Dry matter</i>	13
<i>Grain quality</i>	13
<i>Nitrogen management</i>	13
10.3.5 In-crop nitrogen.....	14
10.3.6 Limitations of tactical nitrogen application.....	14
11 Crop desiccation/spray out	
12 Harvest	
Key messages.....	1

[TABLE OF CONTENTS](#)[FEEDBACK](#)

12.1 Harvesting issues	1
12.2 Windrowing	2
12.2.1 Timing.....	3
12.2.2 Cutting.....	3
12.2.3 Harvesting the window	4
12.3 Harvest timing.....	4
12.3.1 Lodging	5
12.3.2 Harvesting triticale for silage	5
12.4 Harvest equipment.....	6
12.5 Fire prevention	7
12.5.1 Harvester fire reduction checklist.....	7
12.5.2 Harvesting in low-risk conditions.....	9
12.6 Receiptal standards.....	10
12.7 Harvest weed seed management	11
12.7.1 Harvest weed seed control strategies	11
<i>Narrow windrow burning</i>	11
<i>Chaff Carts</i>	12
<i>Bale direct systems</i>	12
<i>Harrington Seed Destructor</i>	12
13 Storage	
Key messages	1
GRDC Stored grain information hub	2
13.1 How to store product on-farm.....	2
13.1.1 On-farm storage in Tasmania.....	3
13.1.2 Silos	5
<i>Pressure testing</i>	6
<i>The importance of a gas-tight silo</i>	6
13.1.3 Grain bags.....	7
13.1.4 Hygiene	8
13.1.5 Insecticide treatment	8
13.1.6 Monitoring stored grain.....	8
13.1.7 Grain storage: get the economics right.....	9
<i>Comparing on-farm grain storages</i>	9
13.2 Stored grain pests	11
13.2.1 Prevention is better than cure	12
13.2.2 Common species	12
<i>Why identify insect pests of stored grain pests?</i>	13
13.2.3 Monitoring grain for pests.....	13
13.2.4 Hygiene	14
<i>Where to clean</i>	14
<i>When to clean</i>	15
<i>How to clean</i>	15

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

13.2.5 Aeration cooling for pest control	17
13.2.6 Structural treatments.....	17
13.2.7 Application.....	17
<i>Silo application.....</i>	18
13.2.8 Fumigation	18
<i>Maximum residue limits.....</i>	20
<i>Phosphine application.....</i>	21
<i>Non-chemical treatment options.....</i>	21
13.3 Grain protectants for storage.....	22
<i>K-Obiol® EC Combi.....</i>	22
<i>Conserve™ On-farm</i>	22
13.4 Aeration during storage	22
13.4.1 Dealing with moist grain.....	22
13.4.2 Aeration cooling	24
<i>Blending</i>	24
13.4.3 Aeration drying	25
<i>High airflow for drying</i>	25
<i>Ducting for drying.....</i>	25
<i>Venting for drying.....</i>	26
<i>Weather conditions for drying.....</i>	26
<i>Phase one of drying.....</i>	26
<i>Phase two of drying.....</i>	26
<i>Supplementary heating.....</i>	27
<i>Cooling after drying.....</i>	27
13.4.4 Aeration controllers.....	27
14 Environmental issues	
<i>Key messages.....</i>	1
14.1 Frost issues for triticale	2
14.1.1 Triticale and frost.....	4
<i>Frost tolerance in triticale and other winter cereals at flowering</i>	5
14.1.2 Conditions that lead to frost.....	7
14.1.3 Diagnosing stem and head frost damage in cereals.....	8
<i>What to look for in the paddock.....</i>	9
<i>What to look for in the plant</i>	10
14.1.4 Managing frost risk	11
<i>Farm management planning tactics</i>	12
<i>Frost zone management tactics.....</i>	12
<i>Diversity the key to balancing frost and heat risks.....</i>	15
14.1.5 New insight into frost events and management.....	16
14.1.6 Guidelines to reduce frost risk and assess frost damage	19
<i>Matching variety to planting opportunity</i>	19
<i>Measuring crop temperature</i>	19
14.1.7 What to do with a frosted crop	20
<i>Option 1: Take through to harvest.....</i>	21

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

<i>Option 2: Cut and bale</i>	21
<i>Option 3: Grazing, manuring and crop-topping</i>	22
<i>Useful tools</i>	23
14.1.8 National Frost Initiative	23
14.2 Waterlogging and flooding issues for triticale	23
14.2.1 Where waterlogging occurs.....	25
<i>Constraints and opportunities for crop production in the high-rainfall zone of southern Australia</i>	25
<i>Identifying problem areas</i>	26
14.2.2 Symptoms and causes.....	26
<i>What to look for in the paddock</i>	27
<i>What to look for in the plant</i>	27
<i>How waterlogging can be monitored</i>	28
<i>Other impacts of waterlogging and flood events</i>	28
14.2.3 Managing waterlogging	29
<i>Draining</i>	29
<i>Choice of crop species</i>	30
<i>Seeding rates</i>	30
<i>Nitrogen fertiliser</i>	30
<i>Weeds</i>	30
14.3 Other environmental issues	30
14.3.1 Drought and heat stress.....	30
<i>Managing drought stress</i>	32
<i>Managing heat stress</i>	33
14.3.2 Aluminium toxicity	34
15 Marketing	
15.1 Southern feed grains: market dynamics and execution.....	1
15.1.1 Price determinants for feed grains in southern markets	1
15.1.2 Converting tonnes into cash	2
<i>How to sell for cash</i>	2
<i>Counterparty risk</i>	5
<i>Read market signals</i>	5
<i>Know the specifications of your grain</i>	5
15.1.3 Ensuring access to markets	6
<i>Storage and logistics</i>	6
<i>Separate delivery and pricing</i>	7
<i>Cost of carrying grain</i>	7
15.2 References	8