

Contents

A Introduction

A.1 Crop overview xiv
 A.2 Malting barley and malt xvi
 A.3 Southern Barley Agronomy project xvii

1 Planning and paddock preparation

1.1 Agronomy tips at a glance 1
 1.2 Paddock selection 1
 1.3 Paddock rotation and history 2
 1.3.1 Benefits of barley as a rotation crop 2
 1.3.2 Disadvantages of cereals as a rotation crop 2
 1.4 Fallow weed control 3
 1.4.1 Double-knock strategies 3
 1.5 Fallow chemical plant-back periods 3
 1.5.1 How do herbicides break down? 4
 1.5.2 How can I avoid damage from residual herbicides? 5
 Group B. The sulfonylureas 5
 Group B. The triazolopyrimidines (sulfonamides) 5
 Group B. The imidazolinones (IMIs) 5
 Group C. The triazines 5
 Group D. Trifluralin 6
 Group H. The isoxazoles 6
 Group I. The phenoxies 6
 Group K. Pyroxasulfone 6
 1.6 Genetic controls 6
 1.7 Seedbed requirements 6
 1.8 Soil moisture 7
 1.8.1 APSIM-Barley 7
 1.8.2 Dryland 7
 Technologies to support decision-making 7
 Subsoil constraints 9
 Effect of strategic tillage 9
 1.8.3 Irrigation 9
 1.9 Yield and targets 10
 1.9.1 Variety yield comparisons 10
 1.9.2 Seasonal outlook 10
 1.9.3 Fallow moisture 11
 HowWet?—a climate analysis tool 11
 1.9.4 Water-use efficiency 12
 The French–Schultz approach 12
 1.9.5 Nitrogen-use efficiency 13
 1.9.6 Other factors 13
 1.10 Disease status of paddock 13
 1.10.1 Soil testing for disease 14
 1.10.2 Cropping history effects 14
 1.11 Nematode status of paddock—testing of soil 14
 1.12 Insect status of paddock 15
 1.12.1 Insect sampling of soil 15
 Soil sampling by spade 15
 Germinating seed bait technique 15
 Recognising soil insects 16
 Detecting soil-dwelling insects 16
 1.13 Snails 16
 1.14 Mouse management 16

2 Pre-planting

2.1 Varietal performance and ratings yield	1
2.1.1 Selecting barley varieties	1
2.1.2 Yielding ability and GRDC-funded National Variety Trials (NVT)	1
2.1.3 Maturity	1
2.1.4 Malting and other quality traits.....	2
<i>Malting varieties</i>	2
<i>Food-grade varieties</i>	3
<i>Feed varieties</i>	3
2.1.5 Other varietal traits.....	3
<i>Frost ratings</i>	4
2.1.6 Varieties.....	4
2.2 Planting seed quality	8
2.2.1 Seed size.....	8
2.2.2 Seed germination and vigour	9
<i>Disease</i>	10
2.2.3 Seed storage.....	10
2.2.4 Safe rates of fertiliser sown with the seed	11

3 Planting

3.1 Seed treatments	1
3.1.1 Choice of seed or in-furrow treatments	2
3.2 Time of sowing	2
3.3 Targeted plant population.....	4
3.3.1 Seeding rates	4
3.3.2 Plant population.....	4
3.3.3 Calculating sowing rate.....	5
<i>Crop establishment</i>	5
<i>How to measure your plant population</i>	6
3.3.4 Row-spacing effects	6
<i>Effect on yield</i>	6
3.4 Sowing depth.....	7
3.4.1 Barley varieties differ in coleoptile length and emergence from deep sowing.....	7
<i>Dubbo Update 2010—seeding depth responses</i>	7
3.5 Sowing equipment.....	9
3.5.1 Using pre-emergent herbicides with different seeding equipment ..	10

4 Plant growth and physiology

4.1 Germination and emergence	1
4.1.1 Germination.....	1
<i>Phase 1: Water absorption (GS01*)</i>	1
<i>Phase 2: Activation (GS03)</i>	1
<i>Phase 3: Visible germination (GS05–GS07)</i>	1
4.1.2 Emergence (GS07)	1
<i>Coleoptile formation</i>	2
4.2 Factors affecting germination and emergence	2
4.2.1 Dormancy.....	2
4.2.2 Moisture	2
4.3 Effect of temperature, photoperiod and climate on plant growth and physiology.....	3
4.3.1 Temperature	3
<i>Germination</i>	3
<i>Emergence</i>	3
<i>Establishment</i>	3
4.3.2 Oxygen	4
4.3.3 Seed quality	4
4.3.4 Coleoptile length	4

- 4.3.5 Nutrition.....5
 - Nitrogen 5
 - Phosphorus..... 5
- 4.4 Plant growth stages6
 - 4.4.1 Plant growth stages6
 - 4.4.2 Zadoks Cereal Growth Stage Key.....6
 - Early stem elongation GS30–33 (pseudostem erect—third node on the main stem) 7
 - Leaf dissection at GS32 and GS33..... 7

5 Nutrition and fertiliser

- 5.1 Organic matter 1
- 5.2 Declining soil fertility 2
- 5.3 Balanced nutrition.....2
 - 5.3.1 Paddock records.....3
- 5.4 Understanding soil pH.....3
 - 5.4.1 Soil pH in calcium chloride.....4
 - 5.4.2 Soil pH in water.....4
- 5.5 Hierarchy of crop fertility needs.....5
- 5.6 Crop removal rates5
- 5.7 Soil testing6
 - 5.7.1 Types of test.....6
 - 5.7.2 Sampling depth and achieving representative samples7
 - 5.7.3 Critical values and ranges.....7
 - 5.7.4 Fertiliser test strips.....8
 - 5.7.5 Rules of thumb.....8
 - 5.7.6 Soil testing for nitrogen9
 - Forms of N fertiliser..... 9
 - Calculating N fertiliser application..... 9
 - 5.7.7 Soil testing for phosphorus9
 - Colwell-P (bicarbonate-extractable P) 9
 - Phosphorus buffering index 10
 - Soil available P by DGT (diffusive gradients in thin-films) 10
 - Depth of testing for P..... 10
- 5.8 Plant and/or tissue testing for nutrition levels 10
- 5.9 Nitrogen 11
 - 5.9.1 Southern Barley Agronomy Project and National Variety Trials 11
 - Gerogery 12
 - Parkes 12
 - Condobolin..... 12
 - 5.9.2 Nitrogen supply and grain protein content..... 13
 - 5.9.3 Nitrogen deficiency symptoms 15
 - Similar symptoms..... 16
 - Contributing factors 16
 - 5.9.4 Nitrogen volatilisation and denitrification 17
 - 5.9.5 Nitrogen-use efficiency 18
 - 5.9.6 Plant-available (nitrate)-N in the root-zone 18
 - 5.9.7 Effectiveness of late nitrogen application 19
- 5.10 Current general in-crop nutritional levels for nitrogen20
 - 5.10.1 Barley nutrition and agronomy—do we need sulfur and nitrogen? ..20
 - Introduction: Why the interest in sulfur? 20
 - Importance of nitrogen and sulfur..... 20
 - Decisions on N and S fertiliser 21
 - Sulfur responses in 2012..... 21
 - Nitrogen responses in 2012 22
 - Timing and form of nitrogen and sulfur application 22
 - Conclusions 23
- 5.11 Phosphorus.....23
 - 5.11.1 Phosphorus deficiency.....24

- Similar symptoms..... 25
- 5.11.2 Crop demand for phosphorus..... 25
- 5.11.3 Phosphorus availability 26
- 5.11.4 Reduced tillage 26
- 5.11.5 Phosphorus budgeting..... 27
- 5.11.6 Forms of phosphorus..... 27
- Manures 28
- 5.12 Sulfur..... 28
 - 5.12.1 Deficiency symptoms..... 28
 - Similar symptoms..... 29
 - Contributing factors 29
- 5.13 Potassium 30
 - 5.13.1 Deficiency symptoms..... 30
 - Similar symptoms..... 31
 - Contributing factors 31
 - 5.13.2 Critical levels and inputs 31
- 5.14 Micronutrient deficiencies..... 32
 - 5.14.1 Zinc 32
 - Similar symptoms..... 33
 - Contributing factors 33
 - 5.14.2 Copper 34
 - Similar symptoms..... 34
 - Contributing factors 34
 - Alleviation..... 37
 - 5.14.3 Boron..... 37
 - Boron deficiency 37
 - Boron toxicity..... 38
 - 5.14.4 Iron 39
 - Similar symptoms..... 39
 - Contributing factors 39
 - 5.14.5 Manganese..... 40
 - Manganese deficiency 40
 - Manganese toxicity 42
 - 5.14.6 Molybdenum 42
 - Similar symptoms..... 43
 - Contributing factors 43
 - 5.14.7 Magnesium 43
 - Similar symptoms..... 43
 - Contributing factors 44

6 Weed control

- 6.1 Integrated weed management (IWM)..... 2
 - 6.1.1 Review past actions 3
 - 6.1.2 Assess the current weed status 4
 - 6.1.3 Identify weed management opportunities 4
 - 6.1.4 Fine-tune your list of options 4
 - 6.1.5 Combine and test ideas 4
 - Ryegrass integrated management (RIM)..... 5
 - Weed Seed Wizard..... 5
- 6.2 Agronomy 6
 - 6.2.1 Crop choice and sequence 6
 - 6.2.2 Improving crop competition 7
 - 6.2.3 Crop type 9
 - 6.2.4 Improving pasture competition 10
 - 6.2.5 Fallow phase 10
 - 6.2.6 Controlled traffic for optimal herbicide application..... 10
- 6.3 Key weeds in Australia’s cropping systems 11
- 6.4 Stopping weed seedset..... 12

6.4.1	Seedset control tactics	12
6.4.2	Selective spray-topping	12
6.4.3	Weed wiping.....	13
6.4.4	Crop desiccation and windrowing	13
6.4.5	Manuring, mulching and hay freezing	14
6.5	Pasture seedset control	14
6.5.1	Pasture spray-topping.....	14
6.5.2	Silage and hay	15
6.5.3	Grazing to manage weeds actively	15
6.6	Herbicide resistance	16
6.6.1	Testing services.....	16
6.7	Managing the weed seedbank.....	18
6.7.1	Burning residues	19
6.7.2	Encouraging insect predation of seed	19
6.7.3	Autumn tickle	20
6.7.4	Delayed sowing.....	20
6.8	Managing weed seedlings	21
6.8.1	Killing weeds with tillage	21
	<i>Benefits</i>	22
	<i>Whole-farm benefits.....</i>	22
	<i>Issues with tillage</i>	22
6.8.2	Killing weeds with herbicides.....	23
	<i>Knockdown (non-selective) herbicides for fallow and pre-sowing control.....</i>	23
	<i>Double-knockdown or double-knock.....</i>	24
	<i>Pre-emergent herbicides.....</i>	25
	<i>Selective post-emergent herbicides</i>	27
6.8.3	Spot-spraying, chipping, hand-roguing and wiper technologies.....	29
6.8.4	Weed-detector sprays.....	30
6.8.5	Biological control.....	30
6.9	Harvest weed-seed control.....	31
6.10	Other non-chemical weed control	31
6.11	Herbicides explained	31
6.11.1	Residual v. non-residual	31
6.11.2	Post-emergent and pre-emergent.....	32
6.12	Pre-emergent herbicides	32
6.12.1	Benefits	32
6.12.2	Practicalities.....	32
6.12.3	Avoiding crop damage from residual herbicides.....	33
	<i>What are the issues?.....</i>	33
	<i>Which herbicides are residual?</i>	34
	<i>How do herbicides break down?</i>	34
	<i>How can I avoid damage from residual herbicides?</i>	34
	<i>Group B. Sulfonylureas</i>	35
	<i>Group B. Triazolopyrimidines (sulfonamides).....</i>	35
	<i>Group B. Imidazolinones.....</i>	35
	<i>Group C. Triazines.....</i>	35
	<i>Group D. Trifluralin</i>	35
	<i>Group H. Isoxazoles</i>	36
	<i>Group I. Phenoxies.....</i>	36
	<i>Group K. Metolachlor.....</i>	36
	<i>Group K. Pyroxasulfone</i>	36
6.13	In-crop herbicides: knock-downs and residuals	36
6.13.1	Herbicide tolerance ratings	37
6.13.2	Post-emergent herbicide damage.....	37
6.14	Selective sprayer technology.....	37
6.14.1	Special permit	38
6.15	Strategies to stop the spread of weeds.....	39
6.15.1	Sow weed-free seed	39

6.15.2	Manage weeds in non-crop areas.....	39
6.15.3	Clean farm machinery and vehicles	40
6.15.4	Livestock feeding and movement	40
6.15.5	Monitor paddocks following flood inundation.....	40
7 Insect control		
7.1	Integrated pest management	5
7.2	Aphids.....	5
7.2.1	Oat or wheat aphid (<i>Rhopalosiphum padi</i>).....	6
7.2.2	Corn aphid (<i>Rhopalosiphum maidis</i>)	7
7.2.3	Rose-grain aphid (<i>Metopolophium dirhodum</i>)	9
7.2.4	Thresholds for control	10
7.3	Armyworm	10
7.4	<i>Helicoverpa</i> spp.	13
7.5	Blue oat mite (<i>Penthaleus</i> spp.)	14
7.6	Lucerne flea (<i>Sminthurus viridis</i>).....	15
7.6.1	Description	15
7.6.2	Seasonal development and symptoms.....	16
7.6.3	Impact	16
7.6.4	Management	16
7.7	NGA trials—managing aphids	17
7.7.1	Varietal resistance or tolerance	17
7.7.2	Damage caused by pests	17
7.7.3	Thresholds for control	18
7.7.4	Management of aphids	18
8 Nematode management		
8.1	About nematodes	1
8.1.1	Life cycle	2
8.1.2	Economic importance	3
8.2	Varietal resistance or tolerance.....	3
8.3	Management.....	4
8.3.1	Crop rotation	5
8.3.2	Resistance differences between commercial barley varieties	5
8.4	Symptoms and detection	5
8.4.1	What is seen in the paddock?.....	6
8.4.2	Belowground symptoms	7
8.5	Nematodes and crown rot.....	8
8.6	Testing for root-lesion nematodes	8
9 Diseases		
9.1	Causes of cereal diseases	2
9.1.1	Fungi	2
9.1.2	Viruses.....	2
9.1.3	Bacteria.....	2
9.1.4	Nematodes.....	3
9.2	The disease triangle.....	3
9.3	Variety response	6
9.4	Environmental factors	6
9.4.1	Cereal disease after drought.....	6
9.4.2	Cereal disease after flood events.....	7
9.5	Management options.....	7
9.5.1	Strategies	7
9.6	Foliar diseases	8
9.6.1	Rusts	8
	Key points to reduce the risk of rusts in cereals	9
	Recommended fungicides for rusts.....	9

9.6.2	What to look for.....	10
	<i>Leaf rust of barley</i>	10
	<i>Stem rust of barley</i>	10
	<i>Barley grass stripe rust</i>	10
9.6.3	Disease cycle	11
	<i>Leaf rust of barley</i>	11
	<i>Stem rust of barley</i>	12
	<i>Barley grass stripe rust</i>	12
9.6.4	Management of barley rusts	12
	<i>Resistant varieties</i>	12
	<i>Cultural practices</i>	12
	<i>Seed treatment</i>	12
	<i>Fungicides</i>	12
	<i>Scald of barley</i>	13
	<i>Net blotch</i>	16
9.6.5	Barley yellow dwarf virus (BYDV)	19
	<i>BYDV transmission</i>	19
	<i>Symptoms</i>	20
	<i>Yield loss</i>	20
	<i>Additional yield loss by aphid feeding</i>	21
	<i>Predicting infection</i>	21
	<i>Management</i>	21
9.6.6	Powdery mildew.....	22
	<i>Disease life cycle</i>	23
	<i>Disease conditions</i>	24
	<i>Choose the best variety</i>	25
	<i>Monitor the crop</i>	25
	<i>Fungicides and treatment of crops</i>	25
	<i>Fungicide resistance in the Southern Region</i>	25
9.6.7	Wheat streak mosaic virus (WSMV).....	26
9.6.8	Barley stripe	28
9.7	Root and crown diseases	28
9.7.1	Diagnosing root diseases in your crop.....	28
9.7.2	Take-all	29
	<i>Control</i>	30
9.7.3	Crown rot.....	31
	<i>Damage caused by crown rot</i>	31
	<i>Effect of sowing time</i>	32
	<i>Crown rot phases</i>	32
	<i>Management</i>	33
	<i>Crop rotation</i>	34
	<i>Inter-row sowing</i>	34
	<i>Stubble burning</i>	34
	<i>Varietal resistance or tolerance</i>	35
9.7.4	Pythium root rot.....	35
	<i>Symptoms</i>	35
	<i>What else could it be?</i>	35
	<i>Where does it occur?</i>	35
	<i>Management strategies</i>	35
9.7.5	Rhizoctonia disease	36
	<i>Management options</i>	37
	<i>Identifying risk</i>	39
	<i>Why is Rhizoctonia disease a problem?</i>	39
	<i>Biology</i>	39
	<i>Key factors influencing occurrence and severity</i>	40
9.7.6	Common root rot.....	40
9.7.7	Smut	41
	<i>Bunt or stinking smut or covered smut</i>	41
	<i>Loose smut</i>	42

10 Plant growth regulators and canopy management

10.1 Canopy management	1
10.1.1 Importance of canopy management	1
10.1.2 Grazing cereal crops as a management tool	2
10.1.3 Key stages for disease control and canopy management	2
10.2 Use of plant growth regulators	4
10.2.1 Variety-specific research from the northern region	8

11 Crop desiccation/spray out

12 Harvest

12.1 Header settings	1
12.2 Monitoring grain loss	2
12.3 Wet harvest issues and management	2
12.3.1 Cost-effective harvest and logistics	2
12.3.2 Pre-harvest weather damage on barley varieties	3
12.4 Fire prevention	4
12.4.1 Using machinery	4
12.4.2 Steps to preventing header fires	4
12.5 Receival standards	5
12.6 Harvest weed-seed control	6
12.6.1 Intercepting annual weed seed	6
12.6.2 Burning of narrow windrow	7
12.6.3 Chaff carts	8
12.6.4 Bale-direct systems	9
12.6.5 Harrington Seed Destructor	9
12.6.6 Chaff grinding	9
12.7 Summary	10

13 Storage

13.1 How to store barley on-farm	2
13.1.1 Malt barley	2
13.1.2 Storage options	2
13.2 Hygiene	5
13.3 Grain protectants and fumigants	6
13.4 Aeration during storage	11
13.5 Monitoring barley	13

14 Environmental issues

14.1 Frost	1
14.1.1 What causes frost?	1
14.1.2 Measuring temperature	2
14.1.3 The changing nature of frost in Australia	2
14.1.4 How does frost affect crops?	3
14.1.5 Effect of wet or dry canopy	4
14.1.6 Risk management for frost	5
<i>Pre-season management tactics</i>	5
<i>Management tactics within season</i>	9
<i>Post-frost-event management tactics</i>	9
14.1.7 Harvesting and marketing frosted grain	10
14.1.8 Retaining seed from frosted crops	11
14.1.9 Recovering from frost	11
14.1.10 National Frost Initiative	11
<i>Useful tools</i>	12
14.1.11 Frost identification—what to look for and how to look for it	12
<i>Assessing the damage</i>	12
<i>Juvenile frost damage</i>	13

