



SOUTHERN

AUGUST 2017



GRDC™
GROWNOTES™



DURUM

CONTENTS

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

Contents

Introduction

Key messages: xviii

A.3 Crop overview xviii

A.4 Growing regions xx

A.5 Brief history xxi

A.6 Economics of durum production xxii

1 Planning/Paddock preparation

Key messages: 1

1.1 Paddock selection 1

Paddock topography: 2

1.1.1 Soil 3

Soil pH: 3

Subsoil moisture: 6

Paddock nutrition: 6

Weed burden and herbicide history: 6

Disease carryover: 7

Pests: 8

1.2 Paddock rotation and history 8

Benefits of cereals as a rotation crop: 9

Disadvantages of cereals as a rotation crop: 9

1.3 Tillage 10

1.4 Fallow weed control 11

1.4.1 The green bridge 12

1.4.2 Stubble retention 13

Other benefits of stubble retention: 13

1.5 Herbicides and plant-back issues 14

Plant-back periods for fallow herbicides in the Southern Region: 15

1.6 Seedbed requirements 16

The seedbed and sowing using different techniques: 18

1.6.1 Seedbed soil structure decline 18

Key Points: 18

Background: 18

Management to improve seedbed soil structure: 19

1.7 Soil moisture 19

1.7.1 Dryland 19

Soil moisture: 19

Soil salinity: 19

Impact of ancestral wheat sodium exclusion genes Nax1 and Nax2 on grain yield of durum wheat on saline soils: 21

Subsoil: 21

1.7.2 Irrigation 22

CONTENTS DURUM

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

<i>Durum wheat quality in high-input irrigation systems in south-eastern Australia.</i>	24
1.8 Yield and targets	24
<i>Management factors to build a crop structure for achieving high yields:</i>	25
<i>Yield Prophet®</i>	25
1.8.1 Seasonal outlook and crop modelling tools	26
1.8.2 Fallow moisture	27
<i>HowWet?</i>	28
1.8.3 Water Use Efficiency	28
<i>Ways to increase yield</i>	28
<i>The French–Schultz approach</i>	30
1.8.4 Nitrogen Use Efficiency.....	31
1.8.5 Double crop option.....	31
1.9 Disease status of paddock	32
1.9.1 Common diseases found	33
<i>Crown rot and Fusarium head blight</i>	33
1.9.2 Testing for disease.....	34
<i>Soil sampling</i>	34
<i>Stubble assessment</i>	34
<i>Sampling method</i>	35
1.10 Nematode status of paddock.....	35
<i>Key points:</i>	35
1.10.1 Nematode testing	36
<i>Soil sampling guidelines for RLN include:</i>	36
<i>Plant sampling guidelines for RLN include:</i>	36
1.10.2 Effects of cropping history on nematode status.....	37
1.11 Insect status of paddock.....	37
<i>Beneficials</i>	37
1.11.1 Insect sampling.....	38
<i>Insect ID: The Ute Guide</i>	38
1.11.2 Effect of cropping history.....	39
2 Pre-planting	
<i>Key messages:</i>	1
2.1 Varietal performance and ratings yield.....	1
<i>DBA-Aurora(b)</i>	
2.1.1 Durum variety yield performance update.....	4
2.1.2 Varietal maturity.....	5
2.2 Planting seed quality	6
2.2.1 Seed size.....	7
2.2.2 Seed germination and vigour	8
2.2.3 Seed storage.....	10
2.2.4 Safe rates of fertiliser sown with the seed	11


[TABLE OF CONTENTS](#)
[FEEDBACK](#)

3 Planting

<i>Key messages</i>	1
3.1 Inoculation	1
3.2 Seed treatments	1
3.2.1 Fertiliser at seeding.....	3
3.3 Time of sowing	3
3.3.1 Early / dry Sowing	4
<i>Crop growth and haying-off risks with early sowing</i>	4
<i>Frost risk of early sowing</i>	4
<i>Sowing time effect on disease</i>	4
<i>Spread the risk:</i>	6
<i>Dry seeding can:</i>	6
<i>Dry seeding is generally most successful:</i>	6
<i>Dry seeding works best where:</i>	7
<i>Risks from dry seeding include:</i>	7
3.4 Target plant populations	7
3.5 Calculating seed requirements – sowing rate	8
3.6 Sowing depth	9
3.7 Sowing equipment	11

4 Plant growth and physiology

<i>Key messages</i>	1
4.1 Germination and emergence	1
<i>Phase 1: Water absorption (GS01*)</i>	1
<i>Phase 2: Activation (GS03)</i>	1
<i>Phase 3: Visible germination (GS05–GS09)</i>	1
<i>Emergence (GS07)</i>	1
4.1.1 Factors affecting germination and emergence	2
<i>Temperature</i>	2
<i>Moisture</i>	2
<i>Oxygen</i>	3
<i>Salinity</i>	3
<i>Effect of salinity on grain yield and quality, vegetative growth and germination of semi-dwarf durum wheat</i>	4
4.2 Effect of temperature, photoperiod and climate on plant growth and physiology	4
4.2.1 Photoperiod/day length	4
4.2.2 Temperature	5
<i>Heat and drought stress on durum wheat—responses of genotypes, yield and quality parameters</i>	6
4.2.3 Water deficit and water stress	6
<i>Morphological, physiological and yield responses of durum wheat to pre-anthesis water-deficit stress are genotype-dependent</i>	7
<i>Effect of water stress at various growth stages on some quality characteristics of winter wheat.</i>	7
4.2.4 Salinity	8

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

Factors affecting CO_2 assimilation, leaf injury and growth in salt-stressed durum wheat.....	9
4.2.5 Effects of nitrogen.....	9
4.2.6 Effects of phosphorus.....	10
4.3 Plant growth stages.....	10
4.3.1 Zadoks Cereal Growth Stage Key	11
Key growth stages in relation to disease control and canopy management.....	11
Key points: Zadoks growth stage key.....	12
4.3.2 Why is growth stage important in making fungicide, nitrogen application and growth regulant decisions?	13
5 Nutrition and fertiliser	
Key messages:.....	1
5.1 Soil nutrition	1
5.2 Crop removal rates	2
5.3 Soil testing	2
Principal reasons for soil testing for nutrition:.....	3
The soil tests for measuring N, P, K or S in the southern region are:.....	3
Sampling depth.....	3
To ensure that a sample is representative:.....	3
5.4 Plant and/or tissue testing for nutrition levels.....	3
5.4.1 Why measure nutrients in plant tissues?	4
5.4.2 What plant tissue analysis shows	4
Do.....	4
Don't.....	4
5.5 Nitrogen	5
5.5.1 Nitrogen and durum	6
5.5.2 Symptoms of nitrogen deficiency	6
5.5.3 Predicting nitrogen supply	8
5.5.4 Managing nitrogen levels	9
Rotations	9
Fertiliser.....	9
GRDC Final Report – Durum expansion in SA through improved agronomy – when to apply nitrogen	10
Timing of application.....	11
Budgeting.....	11
5.6 Phosphorus.....	12
5.6.1 Symptoms of phosphorus deficiency	13
5.6.2 Managing phosphorus.....	14
Soil testing	15
Sulfur.....	15
5.6.3 Symptoms of sulfur deficiency	16
Managing sulfur	17
5.7 Potassium	18


[TABLE OF CONTENTS](#)
[FEEDBACK](#)

5.7.1	Symptoms of potassium deficiency	18
5.7.2	Managing potassium.....	20
	Assessing potassium requirements.....	20
	Fertiliser types.....	21
	Fertiliser placement and timing.....	21
5.8	Micronutrients.....	21
5.8.1	Zinc	22
	Symptoms of zinc deficiency.....	23
	Management strategies.....	24
5.8.2	Copper	24
	Symptoms of copper deficiency.....	24
	Managing copper.....	25
5.8.3	Boron.....	25
	Symptoms of boron deficiency.....	26
	Boron toxicity.....	26
	Managing boron.....	26
	Nutrient uptake and distribution by bread and durum wheat under drought conditions in SA.....	27
5.9	Paddock nutrition	28
6	Weed control	
	Key messages.....	1
6.1	Integrated weed management	1
6.1.1	IWM tactics.....	2
	Review past actions	2
	Assess the current weed status.....	3
	Identify weed management opportunities within the cropping system.....	4
	Fine-tune your list of options	4
	Combine and test ideas.....	4
6.1.2	Improved grass weed control in durum	5
	Key messages from research in durum wheat in South Australia:.....	5
6.1.3	IWM in Southern Region.....	6
6.1.4	Ryegrass management in the Southern Region	7
6.1.5	Brome and barley grass in the Southern Region	9
6.1.6	Emerging flaxleaf fleabane threat.....	11
	Control strategy.....	11
6.1.7	Feathertop Rhodes Grass management.....	12
	Fallow control.....	13
	In-crop control.....	13
6.2	Using crop competition for weed control in durum.....	13
6.2.1	Herbicides explained	15
	Residual and non-residual	15
	Post-emergent and pre-emergent.....	15
6.3	Pre-emergent herbicides	16
	Key points for using pre-emergent herbicides	16

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

<i>Benefits of pre-emergent herbicides.....</i>	17
<i>Benefits and issues.....</i>	17
<i>Understanding pre-emergent herbicides</i>	18
<i>Behaviour of pre-emergent herbicides in the soil.....</i>	18
<i>Top tips for using pre-emergent herbicides:.....</i>	20
6.4 Post-plant pre-emergent herbicides.....	20
6.5 In-crop herbicides: knock downs and residuals	20
<i>Benefits:.....</i>	20
<i>Issues:.....</i>	20
<i>Key points for using in-crop herbicides:.....</i>	21
<i>How to get the most out of post-emergent herbicides:.....</i>	21
6.6 Conditions for spraying.....	22
<i>The problem.....</i>	22
6.6.1 Minimising spray drift.....	23
<i>Before spraying</i>	23
<i>During spraying.....</i>	23
<i>Delta T.....</i>	24
6.6.2 Types of Drift	24
6.6.3 Factors affecting the risk of spray drift.....	25
<i>Volatility</i>	25
6.6.4 Minimising drift.....	26
6.6.5 Spray release height.....	27
6.6.6 Size of area treated	27
6.6.7 Capture surface.....	27
6.6.8 Weather conditions to avoid	28
<i>Midday turbulence.....</i>	28
<i>High temperatures.....</i>	28
<i>Humidity.....</i>	28
<i>Wind.....</i>	28
<i>Inversions.....</i>	28
6.7 Herbicide tolerance ratings, NVT.....	28
<i>Diagnosing Group B herbicide damage in cereals.....</i>	29
6.8 Potential herbicide damage effect.....	29
6.8.1 Residual herbicides	30
<i>Which herbicides are residual?.....</i>	31
<i>How can I avoid damage from residual herbicides?</i>	31
6.8.2 Plant-back intervals	32
<i>Conditions required for breakdown.....</i>	34
6.9 Herbicide resistance.....	35
<i>Herbicide resistance facts:</i>	35
<i>Key messages.....</i>	35
<i>How does resistance start?</i>	36
6.9.1 General principles to avoid resistance.....	36
<i>Glyphosate resistant weeds in Australia.....</i>	38

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

6.9.2 10-point plan to weed out herbicide resistance.....	39
<i>If you think you have resistant weeds.....</i>	43
7 Insect control	
Key messages:.....	1
7.1 Potential insect pests	1
7.2 Integrated pest management	5
Key IPM strategies	5
Insecticide choices	5
Insecticide resistance	5
7.2.1 Insect sampling methods.....	5
Factors that contribute to quality monitoring.....	5
Keeping good records.....	6
Sampling methods.....	7
Beneficials	9
7.3 Russian wheat aphid.....	10
7.3.1 Damage caused by RWA	12
7.3.2 Where to look and what to look for	13
Measures to increase the likelihood of RWA detection.....	14
Where to find the RWA	14
7.3.3 Thresholds for control.....	15
7.3.4 Management of RWA	16
Control options.....	16
Bees.....	16
General instructions	16
7.4 Other Aphids	17
7.4.1 Oat or wheat aphid.....	17
7.4.2 Corn aphid	18
7.4.3 Rose-grain aphid	18
7.4.4 Conditions favouring aphid development.....	19
7.4.5 Damage caused by aphids.....	20
7.4.6 Thresholds for control.....	20
7.4.7 Management of aphids.....	20
Biological control.....	21
Cultural control to manage MYDV threat from aphids.....	21
Chemical control.....	21
Monitoring.....	22
7.5 Armyworm	22
7.5.1 Damage caused by armyworms	24
7.5.2 Thresholds for control.....	25
7.5.3 Managing armyworms	25
Sampling and detection.....	25
Biological control.....	26
Cultural control.....	26

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

	<i>Chemical control</i>	26
7.6	Cutworm (<i>Agrotis</i> spp.)	26
7.6.1	Damage caused by cutworms	29
7.6.2	Thresholds for control.....	29
7.6.3	Managing cutworm.....	29
	<i>Biological</i>	30
	<i>Cultural</i>	30
	<i>Chemical</i>	30
7.7	Mites	30
7.7.1	Redlegged earth mite	30
	<i>Damage caused by RLEM</i>	32
	<i>Managing RLEM</i>	33
7.7.2	Balaustium mite	35
	<i>Damage caused by Balaustium mite</i>	36
	<i>Management</i>	36
7.7.3	Blue oat mite	37
	<i>Damage caused by BOM</i>	39
	<i>Managing BOM</i>	40
7.7.4	Bryobia mite	41
	<i>Damage cause by mite</i>	43
	<i>Managing Bryobia mites</i>	43
7.8	Lucerne flea	43
	<i>Damage caused by Lucerne flea</i>	45
	<i>Managing Lucerne flea</i>	45
7.9	Slugs and snails	47
7.9.1	Managing slugs and snails	50
7.10	Wireworms and False wireworms	55
7.10.1	False wireworms	55
	<i>Biology</i>	57
	<i>Damage caused by false wireworms</i>	57
7.10.2	True wireworm	58
	<i>Biology</i>	59
	<i>Damage</i>	59
7.10.3	Sampling and detection	60
7.10.4	Control	60
7.11	<i>Helicoverpa</i> spp.	61
7.11.1	Damage caused by pest	62
7.11.2	Management of insect pest.....	62
	<i>Chemical control</i>	62
	<i>Natural enemies</i>	62
8	Nematode management	
	<i>Key messages</i> :.....	1
8.1	Root-lesion nematode (<i>Pratylenchus</i> spp.)	1

CONTENTS DURUM

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

Key points:	1
8.1.1 Varietal resistance and tolerance	6
8.1.2 Damage caused by pest	8
<i>Below-ground symptoms</i>	8
8.1.3 Thresholds for control	9
8.1.4 Management of root-lesion nematodes	9
<i>Soil testing</i>	10
<i>Management</i>	10
<i>Strategies</i>	11
<i>Cultural control</i>	11
8.2 Cereal cyst nematode	11
8.2.1 Varietal resistance or tolerance	13
8.2.2 Damage caused by pest	13
8.2.3 Thresholds for control	15
8.2.4 Management of cereal cyst nematode	15
<i>Disease breaks for cereal cyst nematode</i>	16
8.3 Nematodes and crown rot	16
8.3.1 Management	17
<i>Soil testing</i>	18
<i>Varietal choice</i>	18
9 Diseases	
Key messages:	1
9.1 Diseases in durum	1
9.1.1 Crown rot	2
<i>Key points</i>	2
<i>Where crown rot species are found in southern Australia</i>	3
9.1.2 Varietal resistance	4
9.1.3 Damage caused by disease	4
9.1.4 Symptoms	4
9.1.5 Conditions favouring development	5
9.1.6 Management of disease	5
<i>Management options which decrease crown rot levels</i>	8
<i>Is sowing time, row spacing or plant population a viable management tool to minimise losses from crown rot?</i>	9
<i>Stubble management for crown rot</i>	10
<i>In-crop fungicides and timing</i>	10
<i>Resistant disease control options</i>	10
9.1.7 Advances against crown rot	10
<i>Zinc to help buffer effects of crown rot</i>	11
<i>Response of durum wheat to different levels of zinc and Fusarium pseudograminearum</i>	11
9.1.8 Common root rot	11
9.2 Stripe, leaf and stem rust	12

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

9.2.1 Varietal resistance	12
9.2.2 Symptoms	12
<i>Stripe rust</i>	12
<i>Stem rust</i>	12
9.2.3 Conditions favouring development.....	13
<i>Stripe rust</i>	13
<i>Stem rust</i>	13
<i>Leaf rust</i>	14
9.2.4 Management of rusts	14
<i>In-crop fungicides and timing</i>	14
9.3 <i>Septoria tritici</i> blotch	16
9.3.1 Varietal resistance	17
9.3.2 Damage caused by <i>Septoria tritici</i> blotch	17
9.3.3 Symptoms	17
9.3.4 Conditions favouring development.....	18
9.3.5 Management of disease.....	19
<i>In-crop fungicides and timing</i>	19
<i>Fusarium head blight</i>	19
9.3.6 Damage caused by disease.....	20
9.3.7 Symptoms	20
10 Plant growth regulators and canopy management	
<i>Key messages</i>	1
10.1 What is canopy management?.....	1
10.2 Canopy management in a nutshell	2
10.2.1 Limitations of tactical nitrogen application	3
10.3 Row spacing, seed rate and nitrogen fertiliser manipulation	4
<i>Yield</i> :.....	4
<i>Plant spacing</i> :.....	5
<i>Dry matter</i> :.....	5
<i>Grain quality</i> :.....	5
<i>Nitrogen management</i>	5
10.3.1 Water and canopy management.....	6
10.4 New tools to lift canopy management potential	6
10.5 Plant growth regulators	7
<i>Key points</i> :	7
<i>Moddus® Evo</i>	8
11 Crop desiccation/spray out	
12 Harvest	
<i>Key messages</i> :	1
12.1 Wet harvest issues and management	2
12.1.1 Delaying harvest	2
12.2 Dry harvest issues and management.....	3

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

12.3	Fire prevention	4
	<i>Harvester fire reduction checklist.....</i>	4
	12.3.1 <i>Harvesting in low-risk conditions.....</i>	6
12.4	Receival standards.....	6
	12.4.1 <i>Hard vitreous kernel testing.....</i>	7
12.5	Harvest weed seed management	8
	12.5.1 <i>HWSC Strategies.....</i>	8
	<i>Narrow windrow burning</i>	8
	<i>Chaff carts</i>	9
	<i>Bale direct systems</i>	9
	<i>Harrington Seed Destructor</i>	9
13	Storage	
	<i>Key messages:.....</i>	1
13.1	How to store product on-farm.....	1
	13.1.1 <i>Storing durum</i>	3
	13.1.2 <i>Silos</i>	4
	<i>Pressure testing.....</i>	4
	<i>The importance of a gas-tight silo.....</i>	5
	13.1.3 <i>Grain bags.....</i>	6
	13.1.4 <i>Monitoring stored grain.....</i>	7
	13.1.5 <i>Grain storage—get the economics right.....</i>	8
	<i>Comparing on-farm grain storage.....</i>	8
	<i>Summary</i>	9
13.2	Stored grain pests	10
	<i>Key points</i>	10
	<i>Prevention is better than cure.....</i>	10
	<i>Common species.....</i>	10
	<i>Why identify stored insect grain pests?.....</i>	11
	13.2.1 <i>Monitoring grain for pests.....</i>	11
	13.2.2 <i>Hygiene</i>	12
	<i>Key points</i>	12
	<i>Where to clean.....</i>	12
	<i>When to clean</i>	13
	<i>How to clean.....</i>	13
	13.2.3 <i>Aeration cooling for pest control</i>	15
	13.2.4 <i>Structural treatments.....</i>	15
	<i>Key points</i>	15
	<i>Application.....</i>	15
	<i>Silo application.....</i>	16
	13.2.5 <i>Fumigation</i>	16
	<i>Phosphine application.....</i>	18
	<i>Non-chemical treatment options include:.....</i>	19
13.3	Aeration during storage	19

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

13.3.1	Dealing with high moisture grain	19
	Key points	19
13.3.2	Aeration cooling	20
	Key points	20
	Blending	21
	Seed viability.....	21
13.3.3	Aeration drying	21
	High airflow for drying	21
	Ducting for drying.....	22
	Venting for drying.....	22
	Weather conditions for drying.....	22
	Phase one of drying.....	22
	Phase two of drying.....	23
	Supplementary heating.....	23
	Cooling after drying.....	23
13.3.4	Aeration controllers.....	23
13.4	Grain protectants for storage.....	24
	<u>K-Obiol Combi</u>	24
	Conserve On-farm	25
14	Environmental issues	
	Key messages.....	1
14.1	Frost issues for durum.....	1
	Key points	1
14.1.1	Varietal susceptibility	3
14.1.2	New insight in frost events and management.....	4
	Take home messages.....	4
14.1.3	Diagnosing stem and head frost damage in cereals.....	8
	What to look for	10
14.1.4	Resistance or tolerance to frost	11
14.1.5	Managing frost risk	12
	Key points	12
	Guidelines for reducing frost risk and assessing frost damage.....	13
14.1.6	Sowing dates to avoid frost.....	15
14.1.7	What to do with a frosted crop.....	16
	Useful tools.....	18
	National Frost Initiative.....	18
14.2	Waterlogging/flooding issues for durum	19
	Key points:	19
14.2.1	Effects on plant growth.....	20
	Where does waterlogging occur?.....	20
	Crop production in the high rainfall zones of southern Australia— potential, constraints and opportunities.....	21
	Identifying problem areas	21
14.2.2	Symptoms and causes.....	22

[TABLE OF CONTENTS](#)
[FEEDBACK](#)

<i>What to look for</i>	22
<i>How can waterlogging be monitored?</i>	24
<i>Other impacts of waterlogging and flood events</i>	24
14.2.3 Managing waterlogging	25
<i>Key points</i>	25
<i>Choice of crop species, variety and seeding date.....</i>	26
<i>Seeding rates</i>	26
<i>Nitrogen fertiliser.....</i>	27
14.3 Other climatic and abiotic issues	27
14.3.1 Heat stress.....	28
14.3.2 Sodicity and salinity	28
<i>Symptoms of salinity.....</i>	29
<i>Management strategies.....</i>	31
15 Marketing	
15.1 Selling principles	2
15.1.1 Be prepared.....	2
<i>When to sell.....</i>	2
<i>How to sell.....</i>	2
15.1.2 Establish the business risk profile	3
<i>Production risk profile of the farm</i>	4
<i>Establishing a target price</i>	4
<i>Income requirements.....</i>	5
15.1.3 Managing your price	7
<i>Methods of price management.....</i>	7
15.1.4 Ensuring access to markets	9
<i>Storage and logistics</i>	10
<i>Cost of carrying grain</i>	11
15.1.5 Converting tonnes into cash.....	12
<i>Set up the toolbox.....</i>	12
<i>How to sell for cash.....</i>	13
<i>Counterparty risk.....</i>	16
<i>Relative values.....</i>	16
<i>Contract allocation</i>	17
<i>Read market signals.....</i>	17
15.2 Southern durum: market dynamics and execution	18
15.2.1 Price determinants for southern durum	18
15.2.2 Ensuring market access for southern durum.....	19
15.2.3 Converting tonnes into cash for southern durum	21