



NORTHERN

JUNE 2018



GRDC GROWNOTES™



VETCH

CONTENTS

Contents

Introduction

A.1	Crop overview.....	xiv
A.1.1	Types of vetch.....	xv
A.1.2	Vetch for feed grain.....	xv
A.1.3	Vetch for forage.....	xvi
A.1.4	Vetch for manuring	xvii
A.2	Growing region	xvii
A.3	Brief history	xviii
A.3.1	Breeding objectives	xviii

1 Planning/Paddock preparation

	Key messages	1
1.1	Paddock selection.....	1
1.1.1	Rainfall.....	1
1.1.2	Soil conditions for vetch production.....	2
1.1.3	Sodic or dispersive soils	2
<i>Plant available water capacity</i>	4	
<i>Factors that influence PAWC</i>	4	
<i>Testing for sodicity</i>	5	
<i>Applying gypsum</i>	5	
<i>Deep ripping</i>	6	
<i>Lime application to sodic soils</i>	6	
<i>Cultivating sodic soils</i>	6	
1.1.4	Soil salinity	6
<i>What is soil salinity?</i>	6	
<i>Measuring salinity</i>	7	
<i>Dryland salinity</i>	7	
<i>Irrigation salinity</i>	7	
<i>Managing groundwater levels</i>	7	
<i>Troubleshooting</i>	8	
1.1.5	Soil pH.....	8
<i>Acidic soil</i>	8	
<i>Testing soil</i>	10	
1.2	Paddock rotation and history.....	12
1.3	Benefits of vetch as a rotation crop.....	12
1.3.1	Nitrogen fixation	13
1.3.2	Disease, weed and pest reduction.....	14
1.3.3	Brown manuring	15
1.3.4	Green manuring.....	15
<i>Soil structure</i>	16	
1.4	Disadvantages of vetch as a rotation crop.....	17

1.4.1	Disadvantages of Woolly pod vetch	18
1.5	Fallow weed control.....	19
1.5.1	Herbicides.....	19
1.5.2	Cultivation	20
1.5.3	Burning stubble on a short fallow	21
1.6	Fallow chemical plant-back effects.....	21
1.6.1	Conditions required for breakdown.....	23
	Risks.....	24
1.7	Seedbed requirements.....	24
1.8	Soil moisture.....	24
1.8.1	Dryland.....	24
	Stubble retention.....	25
1.8.2	Irrigation.....	25
1.9	Yield and targets	26
	<i>Yield Prophet®</i>	27
1.9.1	Seasonal outlook	28
	Queensland.....	28
	New South Wales.....	28
	CliMate.....	28
1.9.2	Fallow moisture	29
	<i>HowWet?.....</i>	29
1.9.3	Water Use Efficiency	30
	<i>Strategies to increase yield.....</i>	31
1.9.4	Nitrogen use efficiency.....	31
	<i>Optimising nitrogen-use efficiency.....</i>	32
1.9.5	Double crop options.....	32
	<i>Companion species.....</i>	33
1.10	Disease status of paddock	34
1.10.1	Soil testing for disease	34
	<i>PreDicta B.....</i>	34
1.10.2	Cropping history effects.....	34
1.11	Nematode status of paddock.....	35
1.11.1	Nematode testing of soil.....	35
1.11.2	Effects of cropping history on nematode status.....	35
1.12	Insect status of paddock.....	35
1.12.1	Insect sampling of soil	35
	<i>Sampling methods.....</i>	36
1.12.2	Effect of cropping history.....	36
2	Pre-planting	
	<i>Key messages.....</i>	1
2.1.1	Vetch for feed grain.....	1
2.1.2	Vetch for forage.....	2

CONTENTS VETCH
[TABLE OF CONTENTS](#)
[FEEDBACK](#)

<i>Ability to spread</i>	3
2.1.3 Anti-nutritional factors	4
<i>Breeding to reduce vetch toxins</i>	5
2.2 Varietal performance and ratings yield	5
2.2.1 Common Vetch (<i>Vicia sativa</i>)	5
<i>Languedoc</i>	6
<i>Blanchefleur</i>	6
<i>Cummins</i>	6
<i>Morava</i> Ø	6
<i>Rasina</i> Ø	6
<i>Volga</i> Ø	6
<i>Timok</i> Ø	7
2.2.2 Woolly pod vetches	7
<i>Capello</i> Ø and <i>Haymaker</i> Ø	8
<i>RM4</i> Ø	8
<i>Namoi</i>	8
2.2.3 Purple Vetch (<i>Vicia benghalensis</i>)	9
<i>Popany</i>	9
2.3 Planting seed quality	9
<i>Weed contamination testing</i>	10
<i>Disease testing</i>	10
<i>Grower retained seed</i>	10
2.3.1 Seed germination and vigour	11
<i>Calculating germination percentage</i>	11
<i>Seed dormancy</i>	12
2.3.2 Seed size	12
2.3.3 Seed storage	13
<i>Seed dormancy and storage in vetch</i>	13
2.3.4 Safe rates of fertiliser sown with the seed	14
<i>Factors to consider when selecting fertilisers and rates</i>	14
3 Planting	
<i>Key messages</i>	1
3.1 Inoculation	1
<i>Rhizobia and acidic soils</i>	4
3.1.1 Application	4
<i>Choosing an inoculant type</i>	5
<i>Seed coating in practice</i>	6
3.1.2 Compatibility with other major factors	7
<i>Pesticides and fungicides</i>	7
<i>Trace elements</i>	8
3.1.3 Storing inoculant	8
3.1.4 Assessing nodulation	9
3.2 Seed treatments	11
3.2.1 Application	11



3.3	Time of sowing.....	11
3.4	Targeted plant population	12
3.5	Calculating seed requirements.....	12
3.5.1	Calculating seeding rate	13
3.6	Sowing equipment.....	14
	Broadcasting pulses	15

4 Plant growth and physiology

	Key messages.....	1
4.1.1	Common vetch (<i>Vicia sativa</i>)	1
4.1.2	Woolly pod vetch (<i>Vicia villosa</i>).....	1
4.1.3	Purple vetch (<i>Vicia benghalensis</i>).....	2
4.2	Plant growth stages	2
4.2.1	Vegetative growth stage.....	2
4.2.2	Reproductive stage	3
4.2.3	Physiological Maturity	5
4.3	Germination and emergence issues	6
4.3.1	Sowing depth.....	6
	<i>Sowing depth and herbicide interaction</i>	7
4.3.2	Chemical damage	7
4.3.3	Stubble.....	7
4.3.4	Damaged seed	8
4.4	Effect of temperature, photoperiod, climate effects on plant growth and physiology.....	8
4.4.1	Temperature and photoperiod	8

5 Nutrition and fertiliser

	Key messages.....	1
5.1	Crop removal rates	2
5.2	Soil testing	2
5.2.1	Collecting soil samples for nutrient testing.....	3
5.2.2	Sampling depth	4
5.2.3	Critical values and ranges	4
5.3	Plant and/or tissue testing for nutrition levels.....	5
5.3.1	What plant-tissue analysis shows	5
5.4	Nitrogen	6
5.4.1	Nitrogen fixation.....	7
5.4.2	Managing nitrogen	8
5.5	Phosphorus.....	8
5.5.1	Managing phosphorus.....	9
	<i>Soil testing</i>	9
5.6	Sulfur.....	10
5.6.1	Managing sulfur.....	10

5.7 Potassium	11
5.7.1 Managing potassium.....	11
5.8 Micronutrients.....	12
5.8.1 Micronutrients for vetch growth.....	12
6 Weed control	
Key messages.....	1
6.1.1 Volunteer vetch	1
6.2 Integrated weed management	2
6.2.1 Monitoring weeds	3
6.2.2 IWM in the Northern region.....	4
6.2.3 Double knock.....	5
6.2.4 Herbicides explained	5
<i>Residual and non-residual</i>	5
<i>Post-emergent and pre-emergent</i>	6
<i>Getting the best results from herbicides</i>	6
6.3 Conditions for spraying.....	6
6.3.1 Minimising spray drift.....	7
<i>Before spraying</i>	7
<i>During spraying</i>	8
6.3.2 Types of drift.....	8
6.3.3 Factors affecting the risk of spray drift.....	9
<i>Volatility</i>	9
<i>Minimising drift</i>	10
<i>Spray release height</i>	11
<i>Size of area treated</i>	11
<i>Capture surface</i>	11
<i>Weather conditions to avoid</i>	11
6.4 Pre-emergent herbicides	12
6.4.1 Incorporation by sowing.....	12
6.4.2 Benefits and issues for pre-emergent herbicides	12
6.4.3 Understanding pre-emergent herbicides	13
6.4.4 Behaviour of pre-emergent herbicides in the soil.....	13
<i>Top tips for using pre-emergent herbicides</i> :.....	15
6.5 Post-plant pre-emergent herbicides	15
6.6 In-crop herbicides: knock downs and residuals	15
6.6.1 Application.....	16
6.7 Herbicide tolerance ratings, NVT	17
6.8 Potential herbicide damage effect.....	17
6.8.1 Residues in Soil	17
6.8.2 Contamination of Spray Equipment	18
6.8.3 Spray Drift	19
6.8.4 Residual herbicides	19

<i>Herbicide breakdown</i>	19
6.8.5 Avoiding herbicide damage	20
<i>Group B: The sulfonylureas (SU's)</i>	20
<i>Group B: The triazolopyrimidines (sulfonamides)</i>	20
<i>Group B: The imidazolinones (IMI's)</i>	20
<i>Group C: The triazines</i>	20
<i>Group I: The phenoxy</i>	21
<i>Group I: The pyridines</i>	21
6.9 Herbicide resistance	21
<i>6.9.1 Why do weeds develop resistance?</i>	22
<i>6.9.2 Non-herbicide weed control in the Northern region</i>	23
<i>Strategic tillage</i>	24
<i>Strategic burning</i>	24
<i>Crop competition</i>	25
<i>Managing brown manure pulse crops in southern NSW</i>	25
<i>6.9.3 Ten-point plan to weed out herbicide resistance</i>	26
1. <i>Act now to stop weed seedset</i>	26
2. <i>Capture weed seeds at harvest</i>	26
3. <i>Rotate crops and herbicide modes of action</i>	27
5. <i>Never cut the rate</i>	27
6. <i>Don't automatically reach for glyphosate</i>	28
7. <i>Carefully manage spray events</i>	28
8. <i>Plant clean seed into clean paddocks with clean borders</i>	28
9. <i>Use the double-knock technique</i>	29
10. <i>Employ crop competitiveness to combat weeds</i>	29
<i>6.9.4 Suspected resistant weeds</i>	29
<i>Testing services</i>	30
7 Insect control	
<i>Key messages</i>	1
7.1 Insect sampling methods	1
<i>Factors that contribute to quality monitoring</i>	1
<i>Keeping good records</i>	2
<i>Sampling methods</i>	2
7.1.2 GrowNotes Alert™	5
7.1.3 Cesar PestFacts	5
7.2 Integrated Pest Management	5
<i>7.2.1 Healthy crops are less prone to insect damage</i>	6
<i>7.2.2 Natural enemies</i>	7
<i>Conserving or supplementing beneficial insects</i>	8
<i>Insecticides and beneficial insects</i>	9
7.3 Cowpea aphid (<i>Aphis craccivora</i>)	10
<i>7.3.1 Damage caused by Cowpea aphid</i>	11
<i>Direct feeding damage</i>	11
<i>Indirect damage</i>	11

7.3.2	Thresholds for control.....	12
7.3.3	Management of Cowpea aphid.....	12
	Monitoring.....	12
	Biological control.....	12
	Cultural control.....	12
	Chemical control.....	12
7.4	Lucerne flea (<i>Sminthurus viridis</i>)	13
7.4.1	Damage caused by Lucerne flea	14
7.4.2	Thresholds for control.....	14
7.4.3	Management of Lucerne flea.....	15
	Monitoring.....	15
	Biological control.....	15
	Cultural control.....	15
	Chemical control.....	15
7.5	Native budworm (<i>Helicoverpa punctigera</i>)	16
7.5.1	Damage caused by Native budworm	17
7.5.2	Thresholds for control.....	17
7.5.3	Management of Native budworm.....	18
	Monitoring.....	18
	Biological control.....	18
	Cultural control.....	18
	Chemical control.....	18
7.6	Redlegged earth mite (<i>Halotydeus destructor</i>)	19
7.6.1	Damage caused by Redlegged earth mite	20
7.6.2	Thresholds for control.....	20
7.6.3	Management of Redlegged earth mite	20
	Monitoring.....	20
	Biological control	20
	Cultural control.....	20
	Chemical control.....	20
8	Nematode management	
	Key messages:	1
8.1	Root-lesion nematodes	1
8.1.1	Varietal resistance or tolerance	5
	What does resistance and tolerance mean?	5
8.1.2	Damage caused by pest	8
8.1.3	Conditions favouring development.....	9
8.1.4	Detection.....	9
	Leslie Research Centre tests.....	9
	PreDicta B tests.....	10
8.1.5	Thresholds for control.....	10
8.1.6	Management	10
	Fallow.....	13

CONTENTS VETCH

[TABLE OF CONTENTS](#)
[FEEDBACK](#)


<i>Weed control</i>	13
<i>Nutrition</i>	13
<i>Nematicides (control in a drum)</i>	13
<i>Natural enemies</i>	13
8.2 Stem nematodes	13
<i>What to look for</i>	14
<i>What to do</i>	14
9 Diseases	
<i>Key messages</i>	1
9.1 <i>Integrated disease management</i>	1
9.1.2 <i>Foliar fungicide use in vetch</i>	2
9.1.3 <i>Useful tools</i>	2
<i>Crop Disease Au app</i>	2
9.1.4 <i>GrowNotes Alert™</i>	3
9.2 <i>Ascochyta blight</i>	3
9.2.1 <i>Varietal resistance or tolerance</i>	4
9.2.2 <i>Conditions favouring development</i>	4
9.2.3 <i>Management of disease</i>	4
<i>Detection</i>	4
9.3 <i>Botrytis Grey Mould</i>	5
9.3.1 <i>Varietal resistance or tolerance</i>	5
9.3.2 <i>Conditions favouring development</i>	5
9.3.3 <i>Management of disease</i>	6
<i>Stubble management</i>	6
<i>Volunteer control (the green bridge)</i>	6
<i>Seed source and treatment</i>	6
<i>Seedling emergence</i>	6
<i>Paddock selection</i>	6
<i>Sowing time and row spacing</i>	7
<i>Fungicide application and timing</i>	7
9.4 <i>Rusts</i>	7
9.4.1 <i>Varietal resistance or tolerance</i>	7
9.4.2 <i>Damage caused by disease</i>	7
9.4.3 <i>Symptoms</i>	7
9.4.4 <i>Conditions favouring development</i>	9
9.4.5 <i>Management of disease</i>	9
<i>Paddock Selection</i>	9
<i>Variety Selection</i>	9
<i>Fungicide control and timing</i>	10
<i>For fungicides registered for control of rust in vetch, see Table 2.</i>	10
9.5 <i>Viruses</i>	10
9.5.1 <i>Symptoms</i>	10
9.5.2 <i>Conditions favouring development</i>	10



9.5.3 Management of viruses.....	11
<i>Controlling aphids.....</i>	11

10 Plant growth regulators and canopy management

11 Crop desiccation/spray out

<i>Key messages.....</i>	1
--------------------------	---

11.1 Application.....

<i>Paraquat</i>	2
-----------------------	---

11.2 Vetch termination timing.....

3

12 Harvest

<i>Key messages:.....</i>	1
---------------------------	---

12.1 Windrowing

<i>Windrowing for weed management.....</i>	1
--	---

12.1.1 Timing.....

2

12.2 Harvesting issues

2

12.2.1 Harvest timing.....

2

12.2.2 Weathering and mould

2

12.3 Harvester settings

3

12.3.1 Modifications and aids.....

4

12.4 Fire prevention

5

<i>Harvester fire reduction checklist.....</i>	6
--	---

<i>Using machinery.....</i>	7
-----------------------------	---

12.4.1 Harvesting in low-risk conditions.....

8

12.5 Receival standards

8

12.6 Harvest weed seed management

10

12.6.1 Harvest weed-seed control.....

10

<i>Northern weeds suited to HWSC.....</i>	10
---	----

12.6.2 Burning in narrow windrows

10

12.6.3 Burning in narrow windrows

10

12.6.4 Chaff carts and chaff decks.....

11

12.6.5 Bale-direct system

12

12.6.6 Harrington Seed Destructor.....

12

13 Storage

<i>Key messages.....</i>	1
--------------------------	---

13.1 How to store vetch on-farm.....

1

13.1.1 Optimum moisture and temperature

1

13.1.2 On-farm storage options

2

13.1.3 Silos

4

<i>Gas-tight sealable silos.....</i>	5
--------------------------------------	---

<i>Pressure testing sealable silos.....</i>	5
---	---

13.2 Aeration during storage

6

<i>Why aerate grain?.....</i>	6
-------------------------------	---



13.2.1 Aeration cooling	7
<i>Air used for cooling grain</i>	7
<i>Air movement within the stack</i>	8
<i>The risks of getting it wrong</i>	9
13.2.2 Aeration drying	9
13.2.3 Cooling or drying — making a choice.....	10
13.2.4 Aeration controllers.....	10
<i>Controllers for cooling</i>	11
<i>Controllers for drying</i>	11
13.2.5 Installation and maintenance tips.....	11
13.2.6 Monitoring	12
13.2.7 Sampling grain for pests	12
<i>Monitoring grain temperature and moisture content</i>	14
13.3 Stored grain pests.....	14
13.3.1 Stored grain pest identification	15
<i>Why identify stored insect grain pests?</i>	18
13.3.2 Hygiene	18
<i>When to clean</i>	19
<i>How to clean</i>	19
13.3.3 Aeration cooling for pest control	20
13.3.4 Structural treatments.....	20
13.3.5 Chemical treatment.....	20
<i>Phosphine</i>	21
<i>Controlled atmospheres</i>	23
13.3.6 Maximum Residue Limits	25
14 Environmental issues	
<i>Key messages</i>	1
14.1 Frost issues for Vetch	1
14.1.1 Conditions that lead to frost.....	1
14.1.2 Frost damage	2
<i>Impact and cost of frost</i>	3
14.1.3 Managing frost.....	3
<i>Problem areas and timings</i>	4
<i>Crop choice and time of sowing</i>	4
<i>Spread the risk</i>	4
<i>Reduce frost damage</i>	5
<i>What to do with a frosted crop</i>	5
<i>Useful tools</i>	6
<i>National Frost Initiative</i>	6
14.2 Waterlogging/flooding issues for this crop	7
14.2.1 Hardpans and waterlogging in southern NSW	8
14.2.2 How can waterlogging be monitored?	8
<i>Identifying problem areas</i>	8

<i>Other impacts of waterlogging and floods.....</i>	9
14.2.3 Managing waterlogging	10
<i>Drainage problems after flooding.....</i>	10
<i>Irrigation after waterlogging.....</i>	10
<i>Ways to improve drainage.....</i>	10
<i>Choice of crop species</i>	11
<i>Seeding rates</i>	11
<i>Raised beds</i>	11
14.3 Other environmental issues	12
14.3.1 Drought stress	12
14.3.2 Managing drought stress	13
15 Marketing	
15.1 Price determinants for feed grains in northern markets.	1
15.2 Executing tonnes into cash	2
15.2.1 How to sell for cash.....	2
<i>Price.....</i>	2
<i>Quantity and Quality</i>	2
<i>Delivery terms.....</i>	2
<i>Payment terms</i>	2
15.2.2 Counterparty risk.....	4
15.2.3 Read market signals	4
15.2.4 Know the specifications of your grain	4
15.3 Ensuring access to markets for Northern Australian feed grains	5
15.3.1 Storage and Logistics	5
15.3.2 Separate the delivery decision from the pricing decision	6
15.3.3 Cost of carrying grain.....	6
<i>Principles revised.....</i>	7