



NORTHERN


FEBRUARY 2016

GRDC™
GROWNOTES™



WHEAT

CONTENTS



Contents

A Introduction

A.1 Crop overview—bread, noodle and winter wheats.....	xviii
A.2 Production	xviii
A.3 The northern grains region.....	xix
A.4 Keywords.....	xx

1 Planning and paddock preparation

1.1 Paddock rotation and history	6
1.1.1 Sorghum preceding wheat	6
1.1.2 Chickpea preceding wheat	7
1.1.3 Long fallow disorder.....	9
1.2 Benefits of cereals as a rotation crop	10
1.3 Disadvantages of cereals.....	10
1.4 Fallow weed control.....	11
<i>Double-knock strategies</i>	12
<i>Important weeds in northern cropping systems</i>	12
Awnless barnyard grass	13
Flaxleaf fleabane	14
Feathertop Rhodes grass.....	16
Windmill grass.....	17
1.5 Fallow chemical plant-back periods.....	18
1.5.1 Genetic controls	20
1.6 Seedbed requirements	20
1.6.1 Deep sowing	20
1.6.2 Coleoptile length	20
1.6.3 Moisture seeking	21
1.7 Soil moisture	22
1.7.1 Dryland	22
<i>Technologies to support decision-making</i>	22
<i>Subsoil constraints</i>	24
<i>Effect of strategic tillage</i>	24
1.7.2 Irrigation	25
1.8 Yield and targets	26
Bridging the yield gap	27
<i>Yield Prophet®</i>	27
1.8.1 Seasonal outlook.....	28
1.8.2 Fallow moisture	29
<i>Cover crops</i>	29
<i>HowWet?</i>	30
1.8.3 Water-use efficiency	31
<i>Ways to increase yield</i>	31
<i>The French–Schultz approach</i>	32
1.8.4 Nitrogen-use efficiency	34
1.8.5 Double-crop options	34
1.9 Disease status of the paddock	36
1.9.1 Testing for disease	36
<i>Stubble testing</i>	36
<i>Soil testing</i>	37
1.9.2 Effects of cropping history	37
1.10 Nematode status of the paddock	38
1.10.1 Nematode testing of soil	38
1.10.2 Effects of cropping history on nematode status	38
1.11 Insect status of paddock	39
1.11.1 Insect sampling of soil	39

A
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18

Soil sampling by spade.....	39
Germinating-seed bait technique.....	39
Detecting soil-dwelling insects	40
1.12 Mouse management.....	40

2 Pre-planting

2.1 Varietal performance and ratings.....	1
2.1.1 Yielding ability and GRDC-funded National Variety Trials.....	2
2.1.2 Maturity	2
2.1.3 Protein and other quality traits	5
2.1.4 Varieties.....	7
2.2 Planting seed quality	15
2.2.1 Seed size.....	15
2.2.2 Seed germination and vigour	16
Disease.....	17
2.2.3 Seed purity.....	18
Sunvale case study	18
2.2.4 Seed storage.....	18
2.2.5 Safe rates of fertiliser sown with the seed	19

3 Planting

3.1 Time of sowing	1
3.1.1 Managing frosts with sowing time	5
3.1.2 Risk and sowing decisions in western NSW.....	6
3.2 Targeted plant population	8
3.3 Calculating seed requirements	12
3.4 Sowing depth.....	13
3.4.1 Deep planting	14
3.4.2 Depth control.....	15
3.4.3 Deep moisture	16
3.5 Calculating a planting rate	16
3.5.1 Plant spacing.....	17
3.5.2 Crop establishment.....	18
Establishment—Queensland	19
How to measure your plant population	19
3.6 Causes of poor quality seed	20
3.7 Germination testing	21
3.8 Planting techniques	21
3.8.1 Row spacing	21
3.8.2 Inter-row sowing.....	22
3.9 Seed treatments	23
3.9.1 Choice of seed or in-furrow treatments	23
3.10 Sowing equipment.....	24
3.10.1 Using pre-emergent herbicides with different seeding equipment ..	26

4 Plant growth and physiology

4.1 Germination and emergence	1
4.1.1 Germination.....	1
Phase 1: Water absorption (GS01*).....	1
Phase 2: Activation (GS03).....	1
Phase 3: Visible germination (GS05–GS09)	1
Storage on-farm	1
4.1.2 Emergence (GS07)	2
Coleoptile formation.....	2
4.2 Factors affecting germination and emergence	3
4.2.1 Dormancy.....	3
4.2.2 Moisture	3

4.3	Effect of temperature, photoperiod and climate on plant growth and physiology.....	4
4.3.1	Temperature	4
<i>Germination</i>	4	
<i>Emergence</i>	4	
<i>Establishment</i>	4	
4.3.2	Oxygen	5
4.3.3	Seed quality	5
4.3.4	Coleoptile length	5
4.3.5	Nutrition.....	6
<i>Nitrogen</i>	6	
<i>Phosphorus</i>	7	
4.4	Plant growth stages.....	7
4.4.1	Zadoks Cereal Growth Stage Key.....	7
<i>Early stem elongation GS30–GS33 (pseudostem erect–third node on the main stem)</i>	8	
<i>Leaf dissection at GS32 and GS33</i>	8	

5 Nutrition and fertiliser

5.1	Declining soil fertility.....	1
5.1.1	Organic matter	2
5.1.2	Current situation.....	3
5.1.3	Options for reversing the decline in soil organic matter.....	4
<i>Impact of fertiliser N inputs on soil</i>	4	
5.2	Balanced nutrition.....	5
5.2.1	Paddock records	6
5.3	Increasing complexity of northern region soils.....	6
5.4	Understanding soil pH	7
<i>Soil pH in calcium chloride</i>	8	
<i>Soil pH in water</i>	8	
5.5	Hierarchy of crop fertility needs.....	9
5.6	Crop removal rates	9
5.7	Nitrogen	10
5.7.1	Nitrogen supply and grain protein content.....	10
<i>Low grain protein, the signal of nitrogen deficiency</i>	11	
5.8	Nitrogen volatilisation and denitrification.....	13
5.9	Nitrogen-use efficiency	16
<i>Protein levels</i>	16	
5.10	Plant-available (nitrate) N in the root-zone	18
5.10.1	Nitrate variations with cropping and fallowing	19
5.10.2	The effectiveness of nitrogen application for protein 2012 and 2013	19
5.11	Phosphorus.....	20
5.11.1	Phosphorus deficiency	20
5.11.2	Crop demand for P	20
5.11.3	Phosphorus availability	21
5.11.4	Difficulty in establishing P levels	21
5.11.5	Long fallow disorder.....	22
5.11.6	Reduced tillage	22
5.11.7	Phosphorus budgeting.....	23
<i>The economics of deep phosphorus use</i>	24	
5.11.8	Forms of P	25
<i>Manures</i>	25	
5.12	Sulfur.....	26
5.12.1	Deficiency symptoms	26
5.12.2	In-crop nutritional levels for S	26
5.12.3	Sulfur status of the northern grains region.....	27
5.13	Potassium	28

5.13.1	Deficiency symptoms.....	28
5.14	Micronutrient deficiencies.....	29
5.14.1	Zinc	30
5.14.2	Copper	30
5.14.3	Boron.....	31
5.14.4	Iron	31
5.14.5	Manganese.....	31
5.14.6	Molybdenum	31
5.15	Soil testing	32
5.15.1	Test strips	32
5.15.2	Rules of thumb.....	33
5.15.3	Soil testing for N.....	33
	Forms of N fertiliser.....	33
	Calculating N fertiliser application.....	33
	Calculation of profile nitrogen levels from soil test values	35
5.15.4	Soil testing for P	35
	Colwell-P.....	35
	BSES-P	35
	Phosphorus buffering index.....	35
5.16	Plant and/or tissue testing for nutrition levels	36
5.17	Nutrition effects on following crop.....	37

6 Weed control

6.1	Planning your weed control strategy	1
6.2	Herbicide resistance	2
6.2.1	Be a WeedSmart farmer.....	5
6.2.2	Ten ways to weed out herbicide resistance	6
6.3	Harvest weed seed control	7
6.4	Other non-chemical weed control	7
6.5	Crop competition	8
6.6	Herbicides explained	9
6.6.1	Residual v. non-residual	9
6.6.2	Post-emergent and pre-emergent.....	9
6.7	Pre-emergent herbicides	10
	Benefits	10
	Practicalities	10
6.7.1	Avoiding crop damage from residual herbicides.....	11
	What are the issues?	11
	Which herbicides are residual?	12
	How do herbicides break down?	12
	How can I avoid damage from residual herbicides?	13
	Group B: Sulfonylureas	13
	Group B: Triazolopyrimidines (sulfonamides)	13
	Group B: Imidazolinones	13
	Group C: Triazines	13
	Group D: Trifluralin	14
	Group H: Isoxazoles	14
	Group I: Phenoxys	14
	Group K: Metolachlor	14
	Group K: Pyroxasulfone	14
6.8	In-crop herbicides: knock downs and residuals	14
6.9	Herbicide tolerance ratings	15
6.10	Post-emergent herbicide damage	15
6.11	Selective sprayer technology	15
	Special permit	16

7 Insect control

7.1	Cutworm	1
7.2	Aphids.....	2
7.2.1	Thresholds for control	2
7.2.2	Seed dressings.....	3
7.2.3	Natural enemies	4
7.2.4	Oat or wheat aphid (<i>Rhopalosiphum padi</i>).....	4
7.2.5	Corn aphid (<i>Rhopalosiphum maidis</i>)	5
7.2.6	Rose-grain aphid (<i>Metopolophium dirhodum</i>)	7
7.2.7	Rice root aphid (<i>Rhopalosiphum rufiabdominalis</i>).	8
7.3	Armyworm	8
7.4	<i>Helicoverpa</i> spp. (<i>Heliothis</i>)	12
7.5	Mites	15
7.5.1	Brown wheat mite (<i>Petrobia latens</i>).....	15
7.5.2	Blue oat mite (<i>Penthaleus</i> spp.)	16
7.5.3	Redlegged earth mites <i>Halotydeus destructor</i>	17
7.6	Insect monitoring techniques for field crops	19
7.6.1	Factors that contribute to quality monitoring.....	19
7.6.2	Keeping good records.....	19
7.6.3	Sampling methods	20
	Beat sheet	20
	Other sampling methods.....	21

8 Nematode management

8.1	Background	2
8.2	Symptoms and detection	2
8.2.1	What is seen in the paddock?.....	3
8.3	Management.....	4
8.3.1	Crop Rotation.....	6
8.3.2	Sowing time	6
8.4	Varietal resistance or tolerance.....	8
8.4.1	Tolerance.....	9
8.4.2	Resistance.....	9
8.5	Damage caused by nematodes.....	10
8.6	Nematodes and crown rot	11
8.6.1	Importance of variety choice.....	11

9 Diseases

9.1	The disease triangle.....	2
9.2	Cereal disease after drought.....	2
9.3	Cereal disease after flood events	3
9.3.1	Management options	4
9.3.2	Strategies	4
9.4	Crown rot	5
9.4.1	Damage caused by crown rot	5
9.4.2	Symptoms	5
9.4.3	Effect of sowing time.....	6
9.4.4	Crown rot phases	7
9.4.5	Management	8
	Crop rotation	8
	Inter-row sowing	9
	Stubble burning	10
9.4.6	Varietal resistance or tolerance	10
	Quality	14
	How well do the current ratings stack up?.....	15
9.5	Rusts.....	17
9.5.1	Key points to reduce the risk of rusts in wheat.....	18

9.5.2	Diagnosing leaf diseases in wheat	19
9.5.3	Recommended fungicides for rusts	20
9.6	Stripe rust (yellow rust)	20
9.7	Leaf rust (brown rust)	21
9.8	Stem rust (black rust)	22
9.9	Tan spot (yellow spot)	23
9.10	Yellow spot v. stripe rust	24
9.10.1	Hosts and risk factors	25
9.10.2	Correct identification	25
9.10.3	Why are fungicides less effective against yellow spot?	26
9.10.4	What about early fungicide sprays?	26
9.10.5	Make management decisions at or before sowing	27
9.11	Common root rot	28
9.12	Smut	28
9.12.1	Bunt or stinking smut	28
9.13	Loose smut	29
9.14	Wheat streak mosaic virus	29
9.15	Botryosphaeria head blight—BHB (white grain disorder)	29
9.16	Fusarium head blight	30
9.16.1	Symptoms	30
	<i>Bread wheat and durum</i>	30
	<i>Barley</i>	31
9.16.2	Identity, survival and spread	32
	<i>Pathogen</i>	32
	<i>Survival and spread</i>	32
9.16.3	Management	33
9.16.4	Resistance	33
9.16.5	Seed treatment	33
9.16.6	Tillage	33
9.16.7	Crop rotation	34
9.16.8	Planting date	34
9.16.9	Fungicide	34

10 Plant growth regulators and canopy management

10.1	What is canopy management?	1
10.1.1	Canopy management in a nutshell	2
10.1.2	Research on the Liverpool Plains	2
	<i>Results</i>	3
	<i>Nitrogen volatilisation</i>	6
	<i>Summary</i>	6
10.1.3	The commercial view	7
	<i>Limitations of tactical nitrogen application</i>	7
10.1.4	Irrigated wheat in north-eastern Australia	8
10.2	Key cereal growth stages for disease control and canopy management	9
10.2.1	Why is growth stage important in making fungicide decisions?	9
10.2.2	Why do these growth-stage timings work for stripe rust control?	9
	<i>Yield loss to disease at different growth stages of disease onset</i>	9
	<i>Influence of disease onset on optimum timings of fungicide spray for very susceptible cultivars</i>	10
10.3	Use of plant growth regulators	13

11 Crop dessication/spray out

12 Harvest

12.1	Pre-harvest spraying with glyphosate	2
12.2	Wet harvest issues and management	2
12.2.1	Delaying harvest	2

A
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18

12.2.2	Weed management	2
12.2.3	Fusarium head blight.....	3
12.2.4	Seed retention	3
12.3	Fire prevention	4
	<i>Using machinery</i>	4
12.3.1	Steps to preventing header fires	4
12.4	Receipt standards	5
12.4.1	Protein content.....	5
12.4.2	Protein quality	5
12.4.3	Falling number.....	6
12.4.4	Screenings	6
12.4.5	Stained grains	6
12.4.6	Hardness	6
12.4.7	Moisture content	6
12.4.8	Test weight	6
12.5	Harvest weed seed control.....	6
12.5.1	Intercepting annual weed seed	7
	<i>Chaff carts</i>	8
	<i>Baling</i>	8
	<i>Windrow burning</i>	9
	<i>Chaff grinding</i>	9
	<i>Summary</i>	10
12.5.2	Harvest weed-seed management in the northern grains region.....	10
	<i>Background</i>	10
	<i>Approach</i>	10
	<i>Results</i>	11
	<i>Implications</i>	12

13 Storage

13.1	How to store wheat on-farm.....	2
13.2	Hygiene.....	4
13.3	Grain protectants and fumigants	6
13.4	Aeration during storage	11
13.5	Monitoring wheat	14

14 Environmental issues

14.1	Frost resistance in cereals after head emergence	1
14.1.1	Effect of frost damage on different growth stages— better field identification of frost damage.....	2
	<i>Young crops</i>	2
	<i>Advanced crops—not showing ears or awns</i>	2
	<i>Advanced crops—ears or awns visible</i>	3
14.1.2	Field screening—varietal differences	4
14.1.3	The need for a better understanding—how and when plants freeze ..	4
14.1.4	Sowing dates	6
14.1.5	WHEATMAN frost probability	6
14.2	Waterlogging/flooding issues	9
14.2.1	Winter cereals pathology.....	9
	<i>Legacy of the floods and rain</i>	9
	<i>Management options</i>	10
	<i>Strategies</i>	10
14.2.2	Nutritional and structural impact of flooding on soil	10
	<i>Implications for following seasons</i>	11
	<i>Soil testing</i>	11
14.2.3	Soil erosion and waterlogging due to flooding	11
	<i>Preventing future damage</i>	11
14.2.4	Weed management following floods.....	11
	<i>Potential problem weeds</i>	12

<i>Implications for the coming season</i>	12
14.3 Heat stress.....	12

15 Marketing

15.1 Australian wheat grades	1
<i>Australian Prime Hard (APH)</i>	2
<i>Australian Hard (AH).....</i>	2
<i>Australian Premium White (APW).....</i>	2
<i>Australian Standard White (ASW)</i>	2
<i>General Purpose (AGP).....</i>	2
<i>Feed wheat</i>	2
<i>Australian Durum (ADR)</i>	2
15.2 Wheat markets.....	3
15.3 Links to industry boards	3