

Contents

A Introduction

A.1 Crop overview	xii
A.2 Keywords	xii

1 Planning and paddock preparation

1.1 Paddock selection	1
1.2 Paddock rotation and history	1
1.3 Benefits of durum as a rotation crop	2
1.4 Disadvantages of durum as a rotation crop	2
1.5 Fallow weed control	2
1.6 Seedbed requirements	2
1.7 Soil moisture	2
1.7.1 Dryland	3
1.7.2 Irrigation	3
1.8 Yield and targets	3
1.8.1 Water-use efficiency	3
1.8.2 Nitrogen-use efficiency	4
1.9 Disease status of paddock	4
1.9.1 Crown rot	4
1.9.2 Fusarium head blight	5
1.9.3 Testing for disease	5
Soil sampling for future risk	5
Stubble assessment	5

2 Pre-planting

2.1 Varietal performance and yield ratings	1
2.1.1 Quality traits	3
2.1.2 Maturity	3
2.2 Planting-seed quality	3
2.2.1 Seed size	3
2.2.2 Seed germination and vigour	3

3 Planting

3.1 Seed treatments	1
3.2 Time of sowing	1
3.3 Targeted plant population	2
3.4 Calculating seed requirements	3
3.5 Sowing depth	3
3.6 Sowing equipment	3

4 Plant growth and physiology

4.1 Germination and emergence	1
-------------------------------------	---

5 Nutrition and fertiliser

5.1 Current general pre-plant nutritional levels for nitrogen	1
5.2 Current general pre-plant nutritional levels for phosphorus	2
5.3 Current general pre-plant nutritional levels for micronutrients	2

6 Weed control

6.1 Pre-emergent herbicides	1
6.2 Post-plant pre-emergent herbicides	1
6.3 Herbicide tolerance ratings, National Variety Trials (NVT)	1
6.4 Potential herbicide damage effect	2

7 Insect control

7.1	Cutworm	1
7.2	Aphids	2
7.2.1	Thresholds for control	2
7.2.2	Seed dressings	3
7.2.3	Natural enemies	4
7.2.4	Oat or wheat aphid (<i>Rhopalosiphum padi</i>)	5
7.2.5	Corn aphid (<i>Rhopalosiphum maidis</i>)	6
7.2.6	Rose-grain aphid (<i>Metopolophium dirhodum</i>)	7
7.2.7	Rice root aphid (<i>Rhopalosiphum rufiabdominalis</i>)	9
7.3	Armyworm	10
7.4	<i>Helicoverpa</i> spp. (<i>Heliothis</i>)	14
7.5	Mites	17
7.5.1	Brown wheat mite (<i>Petrobia latens</i>)	17
7.5.2	Blue oat mite (<i>Penthaleus</i> spp.)	18
7.5.3	Redlegged earth mites <i>Halotydeus destructor</i>	19
7.6	Insect monitoring techniques for field crops	20
7.6.1	Factors that contribute to quality monitoring	20
7.6.2	Keeping good records	21
7.6.3	Sampling methods	22
	Beat sheet	22
	Other sampling methods	23

8 Nematode management

8.1	Durum and <i>Pratylenchus thornei</i> (<i>P. thornei</i>)	1
8.1.1	Resistance (impact of durum varieties on <i>P. thornei</i> build-up)	1
	Key Points	2
8.1.2	Tolerance (yield impact from <i>P. thornei</i>)	2
	Key Points	3
8.2	Background	3
8.3	Symptoms and detection	4
8.3.1	What is seen in the paddock?	5
8.4	Management	5
8.4.1	Crop Rotation	8
8.4.2	Sowing time	8
8.5	Varietal resistance or tolerance	10
8.5.1	Tolerance	11
8.5.2	Resistance	12
8.6	Damage caused by nematodes	13
8.7	Nematodes and crown rot	13
8.7.1	Importance of variety choice	13

9 Diseases

9.1	Crown rot	1
9.2	Common root rot	2
9.3	Fusarium head blight	3
9.4	Varietal resistance or tolerance	3
9.5	Management of disease	4
9.5.1	In-crop fungicides and timing	4

10 Plant growth regulators and canopy management

10.1	What is canopy management?	1
10.1.1	Canopy management in a nutshell	2
	Nitrogen volatilisation	2
	Summary	3
10.1.3	The commercial view	3
	Limitations of tactical nitrogen application	4
10.1.4	Irrigated wheat in north-eastern Australia	4
10.2	Key cereal growth stages for disease control and canopy management	5

10.2.1	Why is growth stage important in making fungicide decisions?.....	5
10.2.2	Why do these growth-stage timings work for stripe rust control?.....	6
	<i>Yield loss to disease at different growth stages of disease onset.....</i>	6
	<i>Influence of disease onset on optimum timings of fungicide spray for very susceptible cultivars</i>	7
10.3	Use of plant growth regulators	8
11 Crop desiccation/spray out		
12 Harvest		
12.1	Dry harvest issues and management	1
12.2	Receival standards	2
12.3	Harvest weed-seed management.....	4
13 Storage		
13.1	How to store wheat on-farm.....	2
13.2	Hygiene.....	4
13.3	Grain protectants and fumigants	6
13.4	Aeration during storage	11
13.5	Monitoring wheat.....	14
14 Environmental issues		
14.1	Frost resistance in cereals after head emergence	1
14.1.1	Effect of frost damage on different growth stages— better field identification of frost damage	2
	<i>Young crops</i>	2
	<i>Advanced crops—not showing ears or awns.....</i>	2
	<i>Advanced crops—ears or awns visible</i>	3
14.1.2	Field screening—varietal differences	4
14.1.3	The need for a better understanding—how and when plants freeze..	5
14.2	Waterlogging/flooding issues	5
14.2.1	Winter cereals pathology.....	5
	<i>Legacy of the floods and rain.....</i>	6
	<i>Management options</i>	6
	<i>Strategies</i>	6
14.2.2	Nutritional and structural impact of flooding on soil	7
	<i>Implications for following seasons</i>	7
	<i>Soil testing</i>	7
14.2.3	Soil erosion and waterlogging due to flooding	7
	<i>Preventing future damage.....</i>	8
14.2.4	Weed management following floods.....	8
	<i>Potential problem weeds</i>	8
	<i>Implications for the coming season</i>	8
14.3	Heat stress.....	9
15 Marketing		
15.1	Selling principles.....	2
15.1.1	Be prepared.....	2
	<i>When to sell</i>	2
	<i>How to sell?</i>	2
15.1.2	Establish the business risk profile (when to sell?).....	3
	<i>Production risk profile of the farm.....</i>	3
	<i>Farm costs in their entirety, variable and fixed costs (establishing a target price).</i>	4
	<i>Income requirements</i>	4
	<i>When to sell revised</i>	5
15.1.3	Managing your price (how to sell?)	5
	<i>Methods of price management.....</i>	5
15.1.4	Ensuring access to markets.....	8
	<i>Storage and Logistics</i>	8

- Cost of carrying grain*..... 9
- 15.1.5 Ensuring market access revised 10
- 15.1.6 Executing tonnes into cash 10
 - Set-up the tool box* 10
 - How to sell for cash* 11
 - Counterparty risk*..... 14
 - Relative values* 15
 - Contract allocation*..... 16
 - Read market signals*..... 16
- 15.1.7 Sales execution revised 17
- 15.2 Northern durum – market dynamics and execution 17
 - 15.2.1 Price determinants for Northern durum 17
 - 15.2.2 Ensuring market access for Northern durum 19
 - 15.2.3 Executing tonnes into cash for Northern durum 20

